



**crosetto**



WINNING CHOICE, FROM 1936

[www.rimorchicrosetto.com](http://www.rimorchicrosetto.com)



# CROSETTO

WINNING CHOICE, FROM 1936

## Crosetto Farm Equipment

CROSETTO AGRICULTURAL MACHINES

### HISTORY

The company was born in 1936 in order to produce agricultural properties. The Crosettos forefather began with building cabriolets and, after World War Two, the manufacturing output focused on trailers, manure spreaders and tank-fitted vehicles. The agricultural boom gave a huge economic impulse, encouraging the company growth and leading Crosetto Agrimec to expand to the point of necessarily reorganize the company in 1980, when the main office was moved to the outskirts of Marene.

Over the years, thanks to a constant evolution in terms of design, innovation and quality and with a high adaptation ability to the market variables, Crosetto Agrimec established for the production and commercialization of agricultural machinery such as dumpers, manure spreaders, trailers, tank-fitted vehicles, flatcars and trailed or self-propelled mixer-wagons.

The changing of times and market required the firm another effort, and now it makes use of a competent, specialized commercial network, which is on the line to the company philosophy. "Price is forgotten, quality remains" is the motto applied day after day by the Crosetto family. Since the beginning, the company refused to consider the possibility that the produced machines could be not completely responding to the farmers' demands.

The market served by the Crosettos is made by those who look for quality in their daily activity. The attention towards customers has been inspiring personalized solutions according to the real needs of every single farmer.

The plant is located in a 30.000 square metres area, 13.000 of which covered and subdivided into several departments: machine work, welding, varnishing, assembling, warehouse and offices. The company has structured throughout the years and is now able to provide the customers a planning board which, thanks to a highly specialized staff and cutting edge technologies, is able to prevent and solve potential anomalies during the prototype realization phase.



### HUMAN RESOURCES

Customer satisfaction is the first aim of the business strategy. Crosetto collaborators are professional people and determine the success of this aim. The recruiting of skilful and motivated personnel is never neglected!

It is possible to send your Curriculum Vitae to the following email address: [commerciale@rimorchicrosetto.com](mailto:commerciale@rimorchicrosetto.com)



# CROSETTO



WINNING CHOICE, FROM 1936

## Range

CROSETTO AGRICULTURAL MACHINES



TANK-FITTED VEHICLES



DUMPER TRAILERS



TIPPER TRAILERS



MANURE SPREADERS




FLATCARS



# Tank-Fitted Vehicles

## TANK-FITTED VEHICLES / Innovation & technology


CROSETTO AGRICULTURAL MACHINES



Tank-fitted vehicles, with zinc-coated tanks, built with special materials structures and tank-separated chassis. The 2 and 3 axles models have leaf springs with compensator or self levelling pneumatic suspensions or nitrogen compensators hydraulic suspensions, 10-pinholes, hydraulic lock, 50 km/h homologated industrial self-steering with pneumatic steer control. In compliance with the applicable regulations, Crosetto provides tanks with a 2500 to 35000 lt capacity with decompressor and no mandatory periodical revision.



Optional: stainless steel side hydraulic telescopic arm, radio control, 2-, 4-, or 6 nozzle manure-burying device, 6 metres back shed bar, back vision camera, load accelerator, back token with pump, back compensated disc manure-burying device, forced steering, automatic greasing.



All machines are CE legal guaranteed, with handbook and declaration of conformity.

# TANK-FITTED VEHICLES / Accessories

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S



▶ **NARROW BACK SHED BAR**



▶ **SPECIAL ARM**



▶ **RADIO CONTROLS**



▶ **NARROW BACK SHED BAR**



▶ **GARDA PUMP**



▶ **TELESCOPIC DRIP SAVER**



▶ **FOUR NOZZLES RIPPER**



▶ **TRANSPARENT LEVEL GAUGE + BRAKE CONTROL + RADIATOR**




▶ **DISC MANURE-BURYING DEVICE**



▶ **TWO NOZZLES RIPPER**



▶ **DRAWBAR LEAF SPRING**




▶ **AIR SUSPENSION**



▶ **BACK VISION CAMERA**




▶ **ODOMETER**



▶ **HYDRAULIC ACCELERATOR**



▶ **AUTOMATIC GREASING PUMP**



▶ **HYDRAULIC SUSPENSIONS**

# TANK-FITTED VEHICLES / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model          | CAPACITY (l) | DECOMPRES. (l) | Overall weight (q) | Axles (n.) | Brakes               | Wheels                                                                                               | Specifications |
|----------------|--------------|----------------|--------------------|------------|----------------------|------------------------------------------------------------------------------------------------------|----------------|
| ▶ <b>MB27</b>  | 2700         | 4000           | 37                 | 1          | Mechanical Hydraulic | 13.0/65-18<br>11.5.80.15.3<br>400/60 15.5                                                            |                |
| ▶ <b>MB32</b>  | 3200         | 4000           | 42                 | 1          | Mechanical Hydraulic | 13.0/65-18<br>11.5.80.15.3<br>400/60 15.5                                                            |                |
| ▶ <b>MB35</b>  | 3900         | 5000/6500/8000 | 50                 | 1          | Pneumatic Hydraulic  | 385/65 22.5<br>425/65 22.5<br>445/65 19.5<br>550/45 22.5                                             |                |
| ▶ <b>MB45</b>  | 4600         | 5000/6500/8000 | 60                 | 1          | Pneumatic Hydraulic  | 385/65 22.5<br>425/65 22.5<br>445/65 19.5<br>550/45 22.5                                             |                |
| ▶ <b>MB60</b>  | 6000         | 6500/8000      | 90                 | 2          | Pneumatic Hydraulic  | 385/65 22.5<br>425/65 22.5<br>445/65 19.5<br>550/45 22.5                                             |                |
| ▶ <b>MB70</b>  | 6900         | 6500/8000      | 100                | 2          | Pneumatic Hydraulic  | 385/65 22.5<br>425/65 22.5<br>445/65 19.5<br>550/45 22.5                                             |                |
| ▶ <b>MB80</b>  | 8000         | 6500/8000      | 120                | 2          | Pneumatic Hydraulic  | 385/65 22.5<br>425/65 22.5<br>445/65 19.5<br>550/45 22.5<br>500/50 17.0                              |                |
| ▶ <b>MB140</b> | 10000        | 12750          | 140                | 2          | Pneumatic Hydraulic  | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>600/50 22.5 |                |

# TANK-FITTED VEHICLES / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model                                                                                         | CAPACITY (l) | DECOMPRES. (l) | Overall weight (q) | Axles (n.) | Brakes              | Wheels                                                                                                                                            | Specifications |
|-----------------------------------------------------------------------------------------------|--------------|----------------|--------------------|------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  <b>M8</b>    | 12000        | 12750          | 140                | 2          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>600/50 22.5                                              |                |
|  <b>M11</b>   | 14000        | 14800          | 140                | 2          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5                               |                |
|  <b>MB200</b> | 14500        | 14800          | 200                | 3          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5                               |                |
|  <b>M21</b> | 17000        | 14800          | 200                | 3          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5                               |                |
|  <b>M22</b> | 21000        | 18000          | 200                | 3          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5                               |                |
|  <b>M24</b> | 25500        | 18000          | 200                | 3          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22,5<br>445/65 22,5<br>500/60 22,5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5<br>650/55 26.5<br>710/50 26.5 |                |
|  <b>M27</b> | 31000        | 18000          | 200                | 3          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5<br>650/55 26.5<br>710/50 26.5 |                |
|  <b>M30</b> | 35000        | 18000          | 200                | 3          | Pneumatic Hydraulic | G20 PILOTE<br>425/65 22.5<br>445/65 22.5<br>500/60 22.5<br>550/60 22.5<br>560/60 22.5<br>580/65 22.5<br>600/50 22.5<br>650/55 26.5<br>710/50 26.5 |                |



# Tipper Trailers

## TIPPER TRAILERS / Innovation & technology

CROSETTO AGRICULTURAL MACHINES



Monotube chassis trailers, with hydraulic rams for the dumping, increased pumps, industrial fifth wheel coupling, parabolic leaf springs, 10-pinholes, 50 km/h homologated axles, with hydraulic or air brakes and homologated brake control, ROR suspensions, radio controls and electric tarpaulin.



All machines are CE legal guaranteed, with handbook and declaration of conformity.

## TIPPER TRAILERS / Accessories

CROSETTO AGRICULTURAL MACHINES



▶ RADIO CONTROLS



▶ ROR SUSPENSION



▶ ELECTRIC TARPAULIN



▶ ODOMETER



▶ BRAKE CONTROL



▶ STEER CONTROLLER



▶ HATCHBACK HERMETIC SEAL

# TIPPER TRAILERS / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model                                                                                              | Overall dimension (mt) | Side rail height (mm) | TARE (q.) | Overall weight (q) | Axles (n.) | Brakes                 | Wheels                                                                                                                                                       | Specifications |
|----------------------------------------------------------------------------------------------------|------------------------|-----------------------|-----------|--------------------|------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  <b>CMRC14</b>     | 5,00 x 2,30            | 1600-1800-2000        | 34        | 140                | 2          | Pneumatic<br>Hydraulic | 385/55 R22.5<br>385/65 R19.5<br>385/65 R22.5<br>435/50 R19.5<br>445/65 R19.5<br>445/45 R19.5<br>500/60 R22.5<br>550/60 R22.5                                 |                |
|  <b>CMRC14T</b>    | 5,00 x 2,30            | 1350-1750             | 41        | 140                | 2          | Pneumatic<br>Hydraulic | 385/55 R22.5<br>385/65 R19.5<br>385/65 R22.5<br>435/50 R19.5<br>445/65 R19.5<br>445/45 R19.5<br>500/60 R22.5<br>550/60 R22.5                                 |                |
|  <b>CMRA140</b>   | 5,50 x 2,30            | 1600-1800-2000        | 40        | 140                | 2          | Pneumatic<br>Hydraulic | 385/55 R19.5<br>385/65 R22.5<br>425/65 R22.5<br>435/50 R19.5<br>445/45 R19.5<br>445/65 R19.5<br>500/60 R22.5<br>550/45 R22.5<br>550/65 R22.5<br>560/65 R22.5 |                |
|  <b>CMRA140T</b> | 5,30 x 2,30            | 1350-1750             | 47        | 140                | 2          | Pneumatic<br>Hydraulic | 385/55 R19.5<br>385/65 R22.5<br>425/65 R22.5<br>435/50 R19.5<br>445/45 R19.5<br>445/65 R19.5<br>500/60 R22.5<br>550/45 R22.5<br>550/65 R22.5<br>560/65 R22.5 |                |
|  <b>CMR200</b>   | 6,50 x 2,30            | 1600-1800-2000        | 60        | 200                | 3          | Pneumatic<br>Hydraulic | 385/65 R22.5<br>425/65 R22.5<br>445/45 R19.5<br>445/65 R19.5<br>500/60 R22.5<br>550/45 R22.5<br>550/65 R22.5<br>560/65 R22.5                                 |                |
|  <b>CMR200T</b>  | 6,50 x 2,30            | 1350-1750             | 68        | 200                | 3          | Pneumatic<br>Hydraulic | 385/65 R22.5<br>425/65 R22.5<br>445/45 R19.5<br>445/65 R19.5<br>500/60 R22.5<br>550/45 R22.5<br>550/65 R22.5<br>560/65 R22.5                                 |                |
|  <b>CMR300</b>   | 7,00 x 2,30            | 1600-1800-2000        | 70        | 200                | 3          | Pneumatic<br>Hydraulic | 385/65 R22.5<br>425/65 R22.5<br>445/45 R19.5<br>445/65 R19.5<br>500/60 R22.5<br>550/45 R22.5<br>550/65 R22.5<br>560/65 R22.5                                 |                |
|  <b>CMR300T</b>  | 7,00 x 2,30            | 1350-1750             | 78        | 200                | 3          | Pneumatic<br>Hydraulic | 385/65 R22.5<br>425/65 R22.5<br>445/45 R19.5<br>445/65 R19.5<br>500/60 R22.5<br>550/45 R22.5<br>550/65 R22.5<br>560/65 R22.5                                 |                |



# Flatcars

## FLATCARS / Innovation & technology

CROSETTO AGRICULTURAL MACHINES



Plain, with bent end. Possibility of adding fixed or removable loading and unloading ramps, with hydraulic or manual device, single or double wheels.



Optional: split ramps, hydraulic foots, automatic hydraulic cordweights.



All machines are CE legal guaranteed, with handbook and declaration of conformity.

## FLATCARS / Accessories

CROSETTO AGRICULTURAL MACHINES



▶ BACK ZINCED WEDGE  
IN THE RAMP SLOPE




▶ ODOMETER



▶ BACK HOLD



▶ SIDE POLES



▶ SPLIT RAMPS



▶ AUTOMATIC CORDWEIGHTS

# FLATCARS / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model                                                                                     | Overall dimension (mt) | TARE (q) | Overall weight (q) | Axles (n.) | Brakes                  | Wheels                                                                                                                                         | Specifications |
|-------------------------------------------------------------------------------------------|------------------------|----------|--------------------|------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  BP60MUL  | 4,20 x 2,10            | 13,5     | 50/60              | 1          | Mechanical<br>Hydraulic | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>7.50 R15 gem.                                                                                        |                |
|  BP60MU   | 4,80 x 2,40            | 14,6     | 50/60              | 1          | Mechanical<br>Hydraulic | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>7.50 R15 gem.                                                                                        |                |
|  BP60MUP  | 4,90 x 2,40            | 15.3     | 50/60              | 1          | Mechanical<br>Hydraulic | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>7.50 R15 gem.                                                                                        |                |
|  BP115MU5 | 5,50 x 2,40            | 18,7     | 50/60              | 1          | Mechanical<br>Hydraulic | 215/75 17.5 gem.<br>235/75 17.5 gem.<br>7.50 R15 gem.                                                                                          |                |
|  BP115MU6 | 6,10 x 2,40            | 19,6     | 50/60              | 1          | Mechanical<br>Hydraulic | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>7.50 R15 gem.                                                                                        |                |
|  100TT  | 6,20 x 2,55            | 28       | 100                | 2          | Pneumatic<br>Hydraulic  | 215/75 R17.5 gem.<br>225/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R19.5<br>265/70 R19.5<br>385/55 R19.5<br>435/50 R19.5<br>445/45 R19.5    |                |
|  120TT  | 6,20 x 2,55            | 32       | 115                | 2          | Pneumatic<br>Hydraulic  | 215/75 R17.5 gem.<br>225/75 R17.5 gem.<br>235/75 R17.5 gem.<br>435/50 R19.5<br>445/45 R19.5                                                    |                |
|  BP140  | 6,50 x 2,55            | 36       | 140                | 2          | Pneumatic<br>hydraulic  | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>385/55 R19.5<br>435/50 R19.5<br>445/45 R19.5                                    |                |
|  140TT  | 8,00 x 2,55            | 42       | 140                | 2          | Pneumatic<br>Hydraulic  | 215/75 R17.5 gem.<br>225/75 R17.5 gem.<br>235/75 R17.5 gem.<br>435/50 R19.5<br>445/45 R19.5                                                    |                |
|  2B65CA | 6,50 x 2,55            | 18,5     | 60                 | 2          | Hydraulic               | 215/75 17.5 gem.<br>225/70 17.0 gem.<br>400/60 R15.5                                                                                           |                |
|  2A120  | 6,50 x 2,55            | 26       | 120                | 2          | Pneumatic<br>Hydraulic  | 215/75 R17.5 gem.<br>225/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>385/65 R22.5<br>435/50 R19.5<br>445/45 R19.5               |                |
|  2A140  | 6,50 x 2,55            | 33       | 140                | 2          | Pneumatic<br>hydraulic  | 225/75 R16 gem.<br>215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>385/55 R19.5<br>385/65 R22.5<br>435/50 R19.5<br>445/45 R19.5 |                |
|  2A140R | 6,50 x 2,55            | 35       | 140                | 2          | Pneumatic<br>hydraulic  | 225/75 R16 gem.<br>215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>385/55 R19.5<br>385/65 R22.5<br>435/50 R19.5<br>445/45 R19.5 |                |

# FLATCARS / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model                                                                                     | Overall dimension (mt) | TARE (q) | Overall weight (q) | Axles (n.) | Brakes                 | Wheels                                                                                                                                                                                                | Specifications |
|-------------------------------------------------------------------------------------------|------------------------|----------|--------------------|------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  2A142    | 8,20 x 2,55            | 38       | 140                | 2          | Pneumatic<br>Hydraulic | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>245/75 R17.5 gem.<br>245/70 R19.5 gem.<br>385/55 R19.5<br>385/55 R22.5<br>385/65 R22.5<br>435/50 R19.5<br>445/45 R19.5<br>550/50 R17.0 |                |
|  2A142R   | 8,20 x 2,55            | 42       | 140                | 2          | Pneumatic<br>hydraulic | 215/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>245/75 R17.5 gem.<br>245/70 R19.5 gem.<br>385/55 R19.5<br>385/55 R22.5<br>385/65 R22.5<br>435/50 R19.5<br>445/45 R19.5<br>550/50 R17.0 |                |
|  2A180R | 8,50 x 2,55            | 57       | 200                | 3          | Pneumatic<br>Hydraulic | 205/75 R19.5 gem.<br>215/75 R17.5 gem.<br>225/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.<br>385/55 R19.5<br>435/50 R19.5<br>445/45 R19.5                                                 |                |
|  2A200R | 9,80 x 2,55            | 66       | 200                | 3          | Pneumatic<br>Hydraulic | 205/75 R19.5 gem.<br>215/75 R17.5 gem.<br>225/75 R17.5 gem.<br>235/75 R17.5 gem.<br>245/70 R17.5 gem.                                                                                                 |                |



# Dumper Trailers

## DUMPER TRAILERS / Innovation & technology

CROSETTO AGRICULTURAL MACHINES



Built with special chassis made of high-resistance steel, dumper trailers are available in several models, with increased hydraulic rams for the dumping, parabolic leaf springs, pneumatic suspensions, nitrogen compensators hydraulic suspensions, 10-pinholes, 50 km/h homologated industrial axles with rapid hydraulic lock self-steering. Optionals: drawbar leaf spring, steering and brakes control, hatchback hermetic seal, electric tarpaulin, radio controls.



All machines are CE legal guaranteed, with handbook and declaration of conformity.

# DUMPER TRAILERS / Accessories

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S



▶ DOUBLE PUMP WITHOUT CARDAN JOINT



▶ CONTROLLED STEERING



▶ GREASING DEVICE



▶ FRONT HYDRAULIC CYLINDER HEAD



▶ HYDRAULIC SUSPENSIONS



▶ RADIO CONTROLS



▶ DRAWBAR LEAF SPRING



▶ ODOMETER



▶ ELECTRIC TARPAULIN



▶ HATCHBACK HERMETIC SEAL



▶ S/S 40+40+40



▶ AIR SUSPENSIONS

# DUMPER TRAILERS / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model        | Overall dimension (mt) | TARE (q) | Overall weight (q) | Axles (n.) | Brakes                               | Wheels                                                                                             | Specifications |
|--------------|------------------------|----------|--------------------|------------|--------------------------------------|----------------------------------------------------------------------------------------------------|----------------|
| ▶ B40        | 3,20 x 1,90            | -        | 50                 | 1          | Mechanical<br>Hydraulic              | 11.5/80 15.3 12t<br>215/75 R17.5<br>235/75 R17.5                                                   |                |
| ▶ B552       | 3,00 x 1,80            | -        | 50/60              | 1          | Mechanical<br>Hydraulic              | 305/70 R18.5<br>285/70 R19.5<br>265/70 R19.5<br>245/70 R19.5<br>13.0/65 18 16t<br>11.5/80 15.3 16t |                |
| ▶ B552L      | 3,50 x 1,80            | -        | 50/60              | 1          | Mechanical<br>Hydraulic              | 305/70 R18.5<br>285/70 R19.5<br>265/70 R19.5<br>245/70 R19.5<br>13.0/65 18 16t<br>11.5/80 15.3 16t |                |
| ▶ B550       | 3,40 x 2,00            | -        | 50                 | 1          | Mechanical<br>Hydraulic              | 11.5/80 15.3 12t<br>245/70 R19.5<br>13.0/65 18 12t                                                 |                |
| ▶ B555       | 3,70 x 2,00            | -        | 50/60              | 1          | Mechanical<br>Hydraulic              | 11.5/80 15.3 14t<br>12.5/80 15.3 14t                                                               |                |
| ▶ B502L      | 4,00 x 2,20            | -        | 50/60              | 1          | Mechanic<br>hydraulic                | 11.5/80 15.3 14t<br>245/70 R19.5<br>13.0/65 18 12t                                                 |                |
| ▶ 7TD / 7TDS | 3,90x1,90              | -        | 50/60              | 1          | Pneumatic<br>Hydraulic               | 385/65 R22.5<br>425/65 R22.5<br>445/65 R19.5<br>550/45 R22.5                                       |                |
| ▶ MR50       | 4,00 x 2,30            | -        | 50/60              | 1          | Mechanical<br>Pneumatic<br>Hydraulic | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5         |                |

DUMPER TRAILERS / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model                                                                                     | Overall dimension (mt) | TARE (q) | Overall weight (q) | Axles (n.) | Brakes                 | Wheels                                                                                                                     | Specifications |
|-------------------------------------------------------------------------------------------|------------------------|----------|--------------------|------------|------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------|
|  NL144RI1 | 5,00 x 2,30            | -        | 140                | 2          | Pneumatic<br>Hydraulic | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5<br>600/50 R22.5                 |                |
|  NL14I1   | 5,60 x 2,30            | -        | 140                | 2          | Pneumatic<br>Hydraulic | G20 PILOTE<br>425/65R 22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5<br>600/50 R22.5                 |                |
|  NL26     | 6,10 x 2,30            | -        | 140                | 2-3        | Pneumatic<br>Hydraulic | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5<br>600/50 R22.5                 |                |
|  NL27   | 7,10 x 2,30            | -        | 200                | 3          | Pneumatic<br>Hydraulic | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5<br>580/65 R22.5<br>600/50 R22.5 |                |
|  NL28   | 8,10 x 2,30            | -        | 200                | 3          | Pneumatic<br>Hydraulic | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5<br>580/65 R22.5<br>600/50 R22.5 |                |
|  CMR180 | 6,50 x 2,30            | -        | 200                | 3          | Pneumatic              | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5                                 |                |
|  CMR280 | 7,00 x 2,30            | -        | 200                | 3          | Pneumatic              | G20 PILOTE<br>425/65 R22.5<br>445/65 R22.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5                                 |                |



# Manure Spreaders

## MANURE SPREADERS / Innovation & technology

CROSETTO AGRICULTURAL MACHINES



Monotube chassis trailers, with double transmission central reduction, larch panels and bottom, increased chains, industrial axles. Optional: rocker arm or parabolic leaf spring, hydraulic hatchbacks, joystick control of the hydraulic canvas progression. Own production of the two or four rollers spreading devices.



Optional: hydraulic catenary tighteners, electric tarpaulins, over-panels for manure shag, drawbar leaf spring, back video camera.



All machines are CE legal guaranteed, with handbook and declaration of conformity.

# MANURE SPREADERS / Accessories

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S



▶ REAR-LIGHTS SWINGING AXLE



▶ PUSH-BUTTON PANEL



▶ ONE-LEVER DELIVERER



▶ DRAWBAR LEAF SPRING



▶ MANURE SPREADER DEVICE




▶ ODOMETER



▶ STEER CONTROLLER



▶ DOUBLE HOOK HATCHBACK



▶ HYDRAULIC CATENARY TIGHTENER

# MANURE SPREADERS / Available models

C R O S E T T O   A G R I C U L T U R A L   M A C H I N E S

| Model    | Overall dimension (mt) | Side rail (mm) | TARE (q.) | Overall weight (q) | Axles (n.) | Brakes                 | Wheels                                                                                                                               | Specifications |
|----------|------------------------|----------------|-----------|--------------------|------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------|
| ▶ CMCS60 | 4,50 x 2,00            | 1200           | 24        | 60                 | 1          | Hydraulic              | 385/55 R22.5<br>385/65 R22.5<br>425/65 R22.5<br>435/50 R19.5<br>445/45 R19.5<br>445/65 R22.5<br>500/50 17 tl radiali<br>500/60 R22.5 |                |
| ▶ SPL120 | 4,50 x 2,00            | 1250           | 36        | 140                | 2          | Pneumatic              | 385/55 R22.5<br>385/65 R22.5<br>425/65 R22.5<br>435/50 R19.5<br>445/45 R19.5<br>445/65 R22.5<br>500/50 17 tl radiali<br>500/60 R22.5 |                |
| ▶ SPL140 | 5,00 x 2,00            | 1350           | 46        | 140                | 2          | Pneumatic<br>Hydraulic | 385/65 R19.5<br>385/65 R22.5<br>500/50 17 tl radiali<br>500/60 R22.5                                                                 |                |
| ▶ SPL180 | 5,50 x 2,10            | 1350           | 54        | 140                | 2          | Pneumatic              | 425/65 R22.5<br>445/65 R19.5<br>445/65 R22.5<br>500/60 R22.5                                                                         |                |
| ▶ SPL200 | 6,50 x 2,30            | 1400           | 70        | 200                | 3          | Pneumatic              | 385/65 R22.5<br>425/65 R22.5<br>445/65 R19.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5                                         |                |
| ▶ SPL600 | 7,50 x 2,30            | 1500           | 80        | 200                | 3          | Pneumatic              | 385/65 R22.5<br>425/65 R22.5<br>445/65 R19.5<br>500/60 R22.5<br>550/60 R22.5<br>560/60 R22.5                                         |                |




# CROSETTO

WINNING CHOICE, FROM 1936

## Where to find us

CROSETTO AGRICULTURAL MACHINES



### Agrimec Di Crosetto Elio & C. Snc

Via Roma, 126  
12030 Marene (Cuneo)

Tel. 0172.742118  
Fax. 0172.743735

► **COMMERCIAL DEPARTMENT :**  
[commerciale@rimorchicrosetto.com](mailto:commerciale@rimorchicrosetto.com)

► **ADMINISTRATIVE DEPARTMENT :**  
[amministrazione@rimorchicrosetto.com](mailto:amministrazione@rimorchicrosetto.com)

► **DESIGN DEPARTMENT :**  
[ufficiotecnico@rimorchicrosetto.com](mailto:ufficiotecnico@rimorchicrosetto.com)

► **PURCHASE DEPARTMENT :**  
[ufficiotecnico@rimorchicrosetto.com](mailto:ufficiotecnico@rimorchicrosetto.com)

VISIT OUR PAGES ON SOCIAL NETWORK

