

# PRODUCT CATALOGUE

## SHEET METAL Products

Letter boxes Manifold cabinets Weathervanes Flower pot brackets Access panels Flat ventiliation ducts Firewood trolley on wheels Pellet storage bin Other products



www.glori.lt




## **TABLE OF CONTENT**

4	About us
6	Apartment letter-boxes
12	Individual letter-boxes
15	Weathervanes
18	Flower pot brackets
20	Access panels
23	Manifold cabinets
24	Flat ventilation ducts
26	Firewood trolley on wheels
28	Pellet storage bin
29	Other products
36	Contacts

# WE ARE



manufacturing company specializing in: various articles made of sheet metal, powder coating of metal surfaces.



#### **ENGINEERING AND DESIGN**

The company "Glori ir Ko" has accumulated 25 years of experience. Our engineers are designing and preparing various articles of sheet metal for a serial production.



#### PRECISE SHEET METAL PRODUCTION

UAB 'Glori ir Ko' is producing precisive parts of sheet metal using CNC Turret Punching, Programmable Folding Machine, CNC Plasma Cutting and other technologies.



#### IMPECCABLE PAINTING QUALITY

In order to ensure high quality and aesthetic surface, separate parts of the products are coated by metal phosphate solution, this way increasing adhesiveness of paint and preventing from corrosion. Afterwards, the washed parts are polyester powder paint coated.



#### **ERP SYSTEM**

We have implemented ERP system to ensure production management and accounting quality.

#### FACILITIES











Powder coating

CNC stamping

CNC perforation

Riveting

Welding



CNC edge

bending press

shearing



Contact welding

Bolt welding

......



cutting



1993 the company manufactured over

2 499 000+

articles so far. Many products were exported to over

different countries.





# DURABLE AND HIGH QUALITY

Fine and aesthetic, horizontally joint (multiple) indoors letter-boxes are made of zinc-galvanized sheet metal and polyester powder paint coated. There is a slot for a house number, a title or a surname on most of the letter-boxes.

## **GENERAL INFORMATION**



Zinc-galvanized, powder paint coated metal not only prevents a letterbox from corrosion, but adds to it an 'eye-catchy' look.



Secure locking mechanism. Two keys are added to each letter-box.



Wide range and versatility in colour and size.

There is designated slot for a house number, a title or a surname on most of the letterboxes.

Paper flat numbers are complementary issued upon a request.





STANDARD COLOR CODES



Certain quantities of the multiple letter-boxes in silver/grey colour (RAL 9006) are maintained in company's warehouse. The products are painted in different colours upon a request too.



A letter-box is either a wall or a mount-support / stand attachable. A range of the company's stands are listed on page 11.

#### DIMENSIONS (MM)

Quantity of places	Х	Y	Ζ	
2 2	390	382	260	
3 3	390	494	260	
4	390	606	260	
5 5	390	718	260	
56	390	830	260	
7 <sup>7</sup>	390	942	260	
8 8	390	1054	260	
9	390	1166	260	
10	390	1278	260	
	of places           2         2           3         3           4         4           5         5           6         7           7         8           9         9	of places     A       2     2     390       3     3     390       4     390       5     5     390       6     390       7     7     390       8     390       9     390	of places         Y           2         2         390         382           3         3         390         494           4         390         606           5         5         390         718           6         390         830           7         7         390         942           8         390         1054           9         390         1166	of places         Y         Z           2         2         390         382         260           3         3         390         494         260           4         390         606         260           5         5         390         718         260           5         6         390         718         260           5         7         7         390         942         260           3         8         390         1054         260           5         6         390         800         260           6         390         1054         260           7         7         390         942         260           8         390         1054         260           9         390         1166         260



Suitable for outdoors. Mail insert flap and enlarged roof makes it waterproof / rain resistant.

#### **OPTIONS**



With stainless steel doors



2 TO 10 COLLECTIVE DELIVERY POINTS



PD912





PD914





PD917





PD915



Х Ζ Υ





Suitable for multi-residential houses. The letter-box is only 145 mm thick, thus space saving.

DIMENSIONS (MM)				
Code	Quantity of places	Х	Y	Ζ
PDV932	2	385	388	145
PDV933	3 3	385	500	145
PDV934	. 4	385	612	145
PDV935	5	385	724	145
PDV936	6	385	836	145
PDV 937	77	385	948	145
PDV938	8	385	1060	145
PDV939	9	385	1172	145
PDV931	10	385	1284	145


#### OPTIONS



With stainless steel doors



Other colour combinations available upon a request.



#### 2 TO 10 COLLECTIVE DELIVERY POINTS







Horizontal letter-box. An optimal choice for the staircase premises of the multi-flat houses. Robust and capacious.




Single coloured letter-boxes.



Two-coloured letter-boxes.

#### DIMENSIONS (MM)

Code Qu	iantity places	Х	Y	Ζ	
PDV 942	2	420	400	131	
PDV 943	3	620	400	131	
PDV 944	4	820	400	131	
PDV 945	5	1020	400	131	



#### **2 TO 5 COLLECTIVE DELIVERY POINTS**



PD942



PD944












Suitable for the multi-flat houses. Exceptionally thin, yet capacious.

#### DIMENSIONS (MM)

	Code Q	uantity f places	Х	Y	Z	
	PDV962	2	336	400	122	
	PDV963	3	336	540	122	
	PDV964	4	336	680	122	
	PDV965	5	336	820	122	
	PDV966	6	336	960	122	
ĺ						



THE PRODUCTS ARE PAINTED IN DIFFERENT COLOURS UPON A REQUEST TOO.



#### 2 TO 6 COLLECTIVE DELIVERY POINTS









PD966






PD965






Double-faced letter-box mountable either into the wall or a fence.




## APARTMENT LETTER-BOX STANDS


Standard stands - designed for attachment of the letter-boxes from 1 to 4 grouped units. Every unit may contain from 2 to 10 collective delivery points. A stand may also be used for individual letter-boxes.

The stands are fabricated of black metal. Before painting process, stand's separate parts are coated by special black metal zinc-primer. Afterwards, a product is polyester powder paint coated. Multiple letter-boxes' stands are also available in stainless steel.













# **AESTHETIC AND DURABLE**

Wide selection of post boxes will meet even the most exquisite taste. A post box will secure your correspondence and decorate a facade of your house, a fence, a staircase or an office. The post boxes manufactured by us, ideally suits for both: outdoors and indoors. The post boxes are fabricated of zinc-galvanized sheet metal, then polyester powder paint coated.

## FEATURES



Mail insert flap and roof makes a post box waterproof, thus protects your correspondence from a rain.



Secure locking mechanism. Two keys are added to each post box.



Zinc-galvanized, powder paint coated metal prevents a post box from corrosion.



A selection of different colours is available upon a request.







## MOUNTABLE TWO-SIDED LETTER-BOX PD92M



This double-faced letter-box is mountable either into the facade of a building or a fence. The correspondence is delivered from external side and collected from inside.





## **EXCEPTIONAL DECORATION OF A HOUSE**

Adopting ancient Baltic and Germanic traditions we produce high quality and exclusive design weathervanes. We offer a wide range of weathervanes' motifs for the one to choose from, thus you may acquire the best match to your surrounding and buildings. The weathervanes are made of steel, then polyester powder paint coated.

## FEATURES



Huge design selection for everyone's taste.



Powder paint coated metal prevents a weathervane from corrosion.



V-609 X: 760 mm Y: 460 mm



WITCH V-608 X: 630 mm Y: 530 mm



V-603 X: 770 mm Y: 510 mm



 
 FISHERMAN

 V-627
 X: 630 mm Y: 530 mm



V-612 X: 790 mm Y: 480 mm



CAT V-607 X: 590 mm Y: 580 mm



 
 WOTIVE 3

 V-618
 X: 710 mm Y: 350 mm



REPUBLIC OF LITHUANIA V-656 X: 530 mm Y: 600 mm



**ELK** V-606 X: 620 mm Y: 580 mm



V-602 X: 560 mm Y: 580 mm



SHIP V-611 X: 740 mm Y: 510 mm



**FLYING STORK** X: 670 mm Y: 565 mm V-642



BEE X: 720 mm Y: 375 mm V-700



BEAR X: 710 mm Y: 380 mm V-615



PARROT X: 465 mm Y: 400 mm V-404



SHEEP X: 630 mm Y: 410 mm V-645



MUSTANG V-605 X: 720 mm Y: 400 mm



**STORK** V-701 X: 642 mm Y: 378 mm



FARMER X: 660 mm Y: 390 mm V-644



PEGASUS X: 560 mm Y: 630 mm V-622



WOOD-GROUSE X: 560 mm Y: 540 mm V-610



X: 610 mm Y: 585 mm V-613



LION V-625 X: 690 mm Y: 480 mm



DRAGON X: 668 mm Y: 375 mm V-702



SAINT-BERNARD X: 650mm Y: 520 mm V-633





SHARK X: 790 mm Y: 370 mm V-604



PIRATE X: 690 mm Y: 530 mm V-631



**CHIMNEY-SWEEP** V-626 X: 710 mm Y: 550 mm



**SWALLOW** X: 705 mm Y: 460 mm V-703



NIXIE X: 960 mm Y: 450 mm V-616



EAGLE X: 660 mm Y: 450 mm V-620



DOG X: 630 mm Y: 530 mm V-601



TROLL X: 645 mm Y: 465 mm V-641



KNIGHT V-617 X: 640 mm Y: 670 mm



HUNTER X: 660mm Y: 430 mm V-638



SALMON X: 780 mm Y: 380 mm V-614



WOLF-DOG X: 620 mm Y: 490 mm V-623



GULL X: 600 mm Y: 550 mm V-621



VIKING V-640 X: 590 mm Y: 445 mm











 
 CRANE

 V-628
 X: 670 mm Y: 560 mm



**BIKER** V-637 X: 580 mm Y: 400 mm



**RIDER** V-639 X: 635mm Y: 370 mm



**UX** V-643 X: 670mm Y:380 mm N N N

FOOTBALLIST V-625 X: 690 mm Y: 480 mm



**SWAN** V-647 X: 695 mm Y: 495 mm



**SKIER** V-630 X: 600 mm Y: 410 mm



**ANCHOR** V-646 X: 645 mm Y: 560 mm W


V-634 X: 595 mm Y: 610 mm



COW V-636 X: 645mm Y: 425 mm

## WEATHERVANES' ROOFHOLDERS










VERTICAL Roofholder



VERTICAL Adjustable Roofholder


## WEATHERVANES WITH BEARINGS



A bearing increases sensitivity to the wind.



Powder paint coated metal prevents a weathervane from corrosion.





V-651 X: 630 mm Y: 395 mm

N S

**MOTIVE** V-652 X: 710 mm Y: 430 mm

CAT

CAT V-653 X: 630 mm Y: 400 mm



V-654 X: 652 mm Y: 562 mm



**WITCH** V-655 X: 705 mm Y: 488 mm

CLASSICAL "VYTIS" V-657 X: 658 mm

# DECORATE YOUR HOME


FLOWER POT BRACKET

Flower pot brackets are designed for hanging flowers. Metal fabric is polyester paint coated in black colour. Metal flower pot bracket is wall mountable.

## FEATURES



Powder paint coated metal is prevented from corrosion.





BIRDS (GL-213) X: 370 mm Y: 200 mm



ELK (GL-212) X: 390 mm Y: 300 mm







**DOG** (GL-209)

X: 390 mm Y: 280 mm



DEERS (GL-203)

X: 390 mm Y: 300 mm



WOODPECKER (GL-206) X: 370 mm Y: 200 mm



HORSE (GL-204)

X: 390 mm Y: 290 mm



**PARROT** (GL-201) **X: 315 mm Y: 210 mm** 



MOTIVE (GL-202) X: 375 mm Y: 200 mm




MOTIVE 2 (GL-207) X: 395 mm Y: 200 mm



CAT (GL-205) X: 370 mm Y: 340 mm




MOTIVE 3 (GL-208) X: 380 mm Y: 200 mm



Designation of access panels is to cover plumbing units, electrical units and other types of home installation. They are easily fitting to the walls and ceilings, are durable and reliable.

Access panels are made of black or zinc-galvanized metal, also stainless steel. Moreover, we accept individual access panel orders based on special requirements of a customer.

## 'PUSH-TO-OPEN' SYSTEM



#### DIMENSIONS (MM)

CODE	X OUT	Y OUT	X IN	Y IN	Ζ
RD-FZN-150x150	184	184	146	146	24
RD-FZN-200x200	234	234	196	196	24
RD-FZN-300x300	334	334	296	296	24
RD-FZN-300x800	334	834	296	796	24
RD-FZN-400x400	434	434	396	396	24
RD-FZN-400x800	434	834	396	796	24
RD-FZN-500x500	534	534	496	496	24
RD-FZN-500x800	534	834	496	796	24
RD-FZN-600x600	634	634	596	596	24
RD-FZN-600x800	634	834	596	796	24

**'PUSH-TO-OPEN' SYSTEM** Only a gentle press opens a door. No need for keys or any tools!

#### **ZINC-GALVANIZED METAL**

Powder paint coated surface is corrosion resistant.

#### EASILY REMOVABLE


Simply mountable / unmountable access panel doors.



Ideal choice for the painted ceilings and walls.

#### AESTHETIC AND MINIMALISTIC

Matching to various interior styles.



### WITH A LOCK




#### **GUARD AGAINST STRANGERS**

Protect electrical and / or plumbing units from unauthorized persons or children by installing locking access panels.

#### **TWO KEYS SET**

Two keys set is added to each access panel door.



## WITHOUT LOCK



**SIMPLE OPENING** Simply open the door using a screwdriver or an ordinary key.

Made of black metal and polyester powder paint coated.

#### DIMENSIONS (MM)

CODE	X OUT	Y OUT	X IN	Y IN	Ζ
RD 150x150	184	184	146	146	24
RD-150x200	184	234	146	196	24
RD-150x250	184	284	146	246	24
RD-150x300	184	334	146	296	24
RD-200x200	234	234	196	196	24
RD-200x250	234	284	196	246	24
RD-200x300	234	334	196	296	24
RD-200x400	234	434	196	396	24
RD-250x250	284	284	246	246	24
RD-250x300	284	334	246	296	24
RD-250x350	284	384	246	346	24
RD-250x400	284	434	246	396	24
RD-300x300	334	334	296	296	24
RD-300x400	334	434	296	396	24
RD-300x500	334	534	296	496	24
RD-300x600	334	634	296	596	24
RD-350x350	384	384	346	346	24
RD-350x450	384	484	346	446	24
RD-400x400	434	434	396	396	24
RD-400x500	434	534	396	496	24
RD-400x600	434	634	396	596	24
RD-500x500	534	534	496	496	24
RD-500x600	634	534	596	496	24
RD-600x600	634	634	596	596	24

#### **STAINLESS STEEL**



CODE	X OUT	Y OUT	X IN	Y IN	Z
RD-NP-150x150	184	184	146	146	24
RD-NP-200x200	234	234	196	196	24
RD-NP-200x300	234	334	196	296	24
RD-NP-300x300	334	334	296	296	24
RD-NP-300x400	334	434	296	396	24
RD-NP-400x400	434	434	396	396	24

**DIMENSIONS (MM)** 


#### WIDE RANGE

- Available:
- with a lock;
- without a lock;
- with a 'push to open' mechanism.

#### **STAINLESS STEEL** Suitable for using in an aggressive environment.

### FIRE RATED ACCESS PANELS





Fire-rated hatches are ceiling or wall mountable. They are used for accessing electrical and / or plumbing units and other types of installation.

Two resistance classes are produced: El2 30 and El2 60 in compliance with EN 13501-2, i.e. in case of fire its solidity and heat insulation lasts from 30 to 60 min. respectively. DOP (Declaration of Performance) documents are available.

Fire-rated hatches are fabricated of 1 mm zincgalvanized sheet steel, then polymeric paint coated in RAL9010. EI2, 30 - 40 mm thick mineral wool plate, EI2 30 - 60 mm thick mineral wool plate and 9 mm thick magnesium silicate plate are used for insulation.

The hatches have a universal locking mechanism installed. Wide range in size is available.

CODE	X OUT	Y OUT	X IN	Y IN	Ζ
PRD-150x150	185	185	150	150	48
PRD-200x200	235	235	200	200	48
PRD-200x300	235	335	200	300	48
PRD-300x200	335	235	300	200	48
PRD-300x300	335	335	300	300	48
PRD-300x400	335	435	300	400	48
PRD-400x300	435	335	400	300	48
PRD-400x400	435	435	400	400	48
PRD-400x600	435	635	400	600	48
PRD-500x500	535	535	500	500	48
PRD-500x600	535	635	500	600	48
PRD-600x400	635	435	600	400	48
PRD-600x500	635	535	600	500	48
PRD-600x600	635	635	600	600	48


**DIMENSIONS (MM)** 



Manifold cabinets are easy to assemble and install. Zinc-galvanized metal and polyester powder paint coated surface makes the product reliably resistant to negative environmental influence.

## **EXTERNAL MANIFOLD CABINET**






'User friendly' access simply mountable / unmountable door.


DIMENSIONS (MM)

MODEL	Х	Y	Ζ
KSV-35	370	680	115
KSV-44	465	680	115
KSV-57	595	680	115
KSV-70	725	680	115
KSV-77	795	680	115
KSV-95	975	680	115



## INTERNAL MANIFOLD CABINET





'User friendly' access simply mountable / unmountable door.

DIMENSIONS	rMM1
DIVILITOIONO	CIAIIAID

MODEL	Х	Y	Ζ
KSP-35	350	700/800	115/165
KSP-44	440	700/800	115/165
KSP-57	570	700/800	115/165
KSP-70	700	700/800	115/165
KSP-77	770	700/800	115/165
KSP-95	950	700/800	115/165





# QUICK INSTALLATION

Flat ventilation duct piping is suitable for cold and warm air flow. Such type of ventilation ducts are irreplaceable in buildings with walls too thin for any other option. The ventilation ducts perfectly fits in saunas, they may be installed under a floor, mounted into a drywall or directing hot air flow coming out of a fireplace.

## FEATURES



Ideally suits for either cold or hot air flow.



Zinc-galvanized metal is corrosion resistant.











Quick and 'userfriendly' joining.





Wide range of products

## FLAT VENTILIATION DUCTS MODELS



#### **VENTILIATION GRATES**

DIMENSIONS (MM)														
CODE	Х	γ	Ζ											
VG-100x250	134	284	24											
VG-100x300	134	334	24											
VG-100x400	134	434	24											
VG-100x500	134	534	24											
VG-150x150	184	184	24											
VG-150x300	184	384	24											
VG-150x400	134	434	24											
VG-150x500	184	534	24											
VG-200x500	234	534	24											







'User-friendly', modern and fine quality firewood storage trolley on the wheels designed for your home! Stylish and functional metal trolley for firewood on the wheels may decorate both: an interior and a terrace. The trolley can be simply used as a wood storage cart next to a fireplace or for shifting the wood logs around, to the fireplace, stove, grill or other source of fire.

## FEATURES



Rubber wheels for easier carrying of the wood logs.



Rubber wheels and legs protect your floor surface.



Log shelf tilted design ensures secure storage.



Extra mini shelf for kindling wood, matches, gloves, etc;



Ergonomic and comfortable grip handle made of oak.

#### **RUBBER WHEELS**




Modern design.

#### OAK HANDLE

#### **RUBBER LEGS**









# SIMPLE ASSEMBLY

Robust and capacious pellet storage box. Since a pellet container is fabricated of zinc-galvanized sheet metal, it is distinctive by a high resistance to a negative environmental influence and durability. Pellet storage box dimensions are customized upon a request.




Options of 350 or 450 litres available.



A product is easily assemblable.



Zinc-galvanized metal is corrosion resistant.



DIN	DIMENSIONS (MM)														
CAPACITY	ΥX	Y	Ζ												
350 L	640	1383	640												
450 L	740	1383	740												







# QUALITY PRODUCTS

OTHER PRODUCTS



A box contains 36 key hooks inside.

(V-01)

(ASD2)











29

3 sections for medicaments.

A box is suitable for the alarm systems.

## SKEWER GRILL BOX (BBQ GRILL BOX)

Assemblable skewer grill box for outdoor leisure time.





Ordinary assembly / disassembly.




Space saving (disassembled), thus convenient to store or transport.



Designed for skewer grilling on all sides of the grill box.



Designed for safe skewer transportation.



DIMENSIONS (MM)

## INFORMATION DISPLAY STAND





Made of sheet metal and powder paint coated, thus robust and durable.



Fitting four A4 size sheets.




A product has an organic glass.



16 magnets for information sheet attachment are added to each product.



Secure locking mechanism. Two keys are added to each information stand. DIMENSIONS (MM)



#### MAIN ELECTRICAL SERVICE PANEL

Durable solution for main electrical service panels in multi-flat houses.





Easily and quickly assemblable.



Zinc-galvanized, powder paint coated metal is robust and corrosion resistant.



#### **FIREPITS**

For the bright cozy and warm evening relaxation outdoors.













**"BALTIC HOME"** 





"SUNRISE"



## PRODUCTION DISPLAY STANDS

Stands are used for production exhibition in the shopping malls.



A STAND FOR THE LETTER-BOXES.



#### A STAND FOR THE WEATHERVANES.

#### FOR NOTES

0	0	•	۰	۰	•	۰	0	۰	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
			۰	٠		•	۰	۰	٠	٠	•	•	•	•	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•
			٠	٠				۰	٠	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•
٠			•	•				۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
			•										•			•	•	•	•	•		•		•	•	•	•			•	•			•			•
0																																				•	•
0	*		•	•				۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•
٠			۰	٠	*		٠	٠	•	۰	٠	٠	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	•	٠	٠	٠	۰	•	•	٠	٠	٠	٠	٠	٠
٠	•	•	۰	•	٠	•		٠	٠	٠	•	•	۰	٠	٠	٠	۰	۰	۰	٠	٠	•	•	۰	٠	٠	•	•	٠	۰	٠	•	•	۰	٠	٠	٠
		•	٠	•		٠	٠	٠		•	•	•	•	•	•	•	•	•	٠	٠	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•
		•	•				٠	٠		•		•	•	•	•			•	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•	•	•
			•	•				۰					•	•				•	•	•			•	•	•				•	•				•			
													•					•	•					•	•					•				•			
°																																			•	•	•
																																			•		
۰		۰	•	•	۰	٠	۰	۰	•	•	•	٠	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	٠				۰	۰	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•
			٠	٠		٠		۰	•	•	•	•	•	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	٠	٠	•
			٠	•		٠		٠		•	•	•	٠	•	•	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
			•							•	•		•			•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
		•																																			
0	•																																	•	•	•	•
۰	*	•	٠	•	*			*	•	۰	•	•											•				•	•	٠	•	٠	•	•	•	۰	٠	•
		۰	٠	٠	•	٠	۰	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	۰	٠	•

• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • •
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • •
	• • • • • • • • • • • • • • • •
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • •

																																						U
	D	۰	•	۰	0	۰	۰	۰	۰	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•															•					•				•													•
	_												_		_	_		_	_	_	_	_	_	_	_	_		_		_	_					_		_
•	D	•	*		*	•	*	*	*	*	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•		٠		۰	۰	+	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•							+	+		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•										•					•					•	•			•			•								•		•
	0	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Þ	•	٠	٠	۰	•	٠	*	٠	٠	•	•	•	•	٠	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•			٠			+		٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
											•	•	•			•	•	•			•	•	•			•	•	•				•	•	•			•	•
	0	•	۰			۰	۰	٠	۰	۰	•	•	•	٠	٠	۰	•	•	٠	٠	۰	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	٠	•	•
	•	•	•	٠			٠	+	٠		۰	٠	٠	•	٠	۰	•	٠	٠	•	۰	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•												•			•		•			•	•	•					•			•					•	•	•
																																					•	
	0	•	•			•	۰	*			•	•	•	•	•	•	•	•	•	•	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	٠		٠	٠	•	٠	٠	۰	۰	٠	۰	•	۰	۰	۰	٠	٠	۰	•	٠	٠	•	٠	۰	•	٠	•	•	۰	۰	۰	•	•	•	•
	0	•							٠		٠	•	٠	•	•	•	•	٠	•	•	•	•	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	0															•						•						•									•	•
•	0	•	*			•	*	*	*		۰	۰	٠	•	•	٠	۰	٠	•	٠	٠	٠	•	٠	•	•	•	•	•	•	•	•	•	٠	•	٠	•	•
	•	•	٠	٠		٠	٠	٠	٠	٠	•	•	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	•	٠	٠	•	•	•	•	٠	•	•	•	٠	٠	•	•
	0	•									•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•
																																						•
•	•	•			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	0	۰	•	0	0	۰	۰	۰	۰	۰	۰	٠	٠	•	•	۰	٠	۰	٠	•	۰	۰	٠	٠	•	•	•	•	•	•	•	٠	•	•	•	•	•	•
	•	•	•			٠	٠		٠		٠	۰	٠	•	•	•	۰	۰	٠	٠	٠	•	٠	٠	•	•	•	•	•	•	•	•	•	٠	•	•	•	•
	•										•		•			•			•	•	•	•	•	•	•			•		•	•					•	•	•
																																					•	
																																					•	
•	•	•		•	۰	٠		*	•	*	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•				•	٠	+	+		٠	٠	•	٠	•	٠	٠	٠	•	٠	٠	•	•	•	٠	•	•	•	٠	•	•	•	٠	٠	٠	٠	•	•
	•	•						+			۰	٠	٠	•	•	۰	•	۰	٠	•	۰	•	•	٠	•	•	•	•	•	•	•	•	•	٠	•	•	•	•
	•																								•											•		•
	_	_		_							_	_	_	_	_	_	_	•	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-	_	_	_	_
,	0								•		•	•	•	•	•	•							•	•	•	•	•	•	•	•	•	·	•	•	•	•	•	•
	•	•			۰	•	•	*	۰	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	*		٠	٠	٠	+	+		٠	٠	•	•	•	٠	٠	٠	•	٠	٠	٠	•	٠	٠	•	•	•	•	•	•	•	•	٠	•	٠	•	•
	•	•						+	+		۰	٠	٠	•	•	۰	•	۰	•	•	۰	۰	•	٠	•	•	•	•	•	•	•	•	•	٠	•	•	•	•
	0										•			•		•					•				•											•		•
				_	_	_	_	_	_	-	_																											
	-																																					
	•	*		+	٠	•	*	+	+	*	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	*		٠	٠	٠	+	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	0	•					٠				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
	0																								•											•		•
	D	•		۰	۰	•	۰	•	۰	۰	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•		+	٠	٠	٠	+		٠	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•				•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•															•																						•
	0	•	٠	•	٠	•	•	*	*	٠	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	0	٠		٠	•	٠	٠	•	•	•	۰	•	٠	•	•	۰	•	٠	٠	•	۰	۰	•	٠	•	•	•	•	•	•	•	•	•	٠	•	•	•	•
	D	•		+	٠						•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
												•				•	•		-			•		-			•	•					•				•	•
				_	-	-	-	-	-	-	-																										•	
	-	٠																																				
	0	٠	0	•	*	٠	٠	*	•	*	۰	۰	٠	•	•	•	•	٠	٠	•	•	•	•	٠	•	•	•	•	٠	•	•	•	•	٠	•	•	•	•
	0	•	٠		٠	•	•	+	٠	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

# CONTACTS:



+370 37 536110 +370 37 536166

INFO@GLORI.LT

