



kralarms.com



















4.5 mm / 5.5 mm / 6.35 mm 3.75 kg Average Weight

58 cm / 22.8 inch Barrel Length 250 bar / 500cc Air Capacity

Shroud Barrel

Receiver Overall Length Length of Pull

Gloss Black Anodized Aluminium 87.5 cm / 34.4 inch 37.5 cm / 14.7 inch

Synthetic Stock





















Side Lever Cocking Action





















TECHNICAL DETAILS

Caliber 4.5 mm / 5.5 mm / 6.35 mm

3.86 kg Average Weight Barrel Length 58 cm / 22.8 inch Air Capacity

200 bar / 425 cc

Receiver Overall Length Length of Pull Stock

**Gloss Black Anodized Aluminium** 103 cm / 40.5 inch

35 cm / 13.7 inch **Turkish Walnut Stock** 

Shroud Barrel









TECHNICAL DETAILS

 Caliber
 4.5 mm / 5.5 mm / 6.35 mm

 Average Weight
 4.10 kg

 Barrel Length
 53 cm / 21 inch

 Air Capacity
 250 bar / 500 cc

Overall Length 114 cm / 45 inch
Length of Pull 35.5 cm / 14 inch
Stock Turkish Walnut Stock

Gloss Black Anodized Aluminium 114 cm / 45 inch 35.5 cm / 14 inch

Adjustable Power

Shroud Barrel

Receiver











Side Lever Cocking Action

















Air Capacity 200 bar / 850cc

• Adjustable Power

4.20 kg

58 cm / 22.8 inch

Receiver Overall Length Length of Pull Stock Gloss Black Anodized Aluminium 105 cm / 41.3 inch 38 cm / 15 inch Turkish Walnut Stock

Shroud Barrel

Magazine Capacity : 4.5 mm / 14 shots | 5.5 mm / 12 shots | 6.35 mm / 10 shots









Caliber

Average Weight

Barrel Length



4.5 mm / 5.5 mm / 6.35 mm

Picatiny Rail



**Side Lever Cocking Action** 



Caliber 4.5 mm / 5.5 mm / 6.35 mm Average Weight 3.85 kg

Barrel Length 58 cm / 22.8 inch Air Capacity 200 bar / 755cc

Adjustable Power

Receiver Overall Length Length of Pull Stock

Gloss Black Anodized Aluminium 105 cm / 41.3 inch 38 cm / 15 inch Turkish Walnut Stock

Shroud Barrel











Picatiny Rail







Adjustable Butt Pad

Adjustable Trigger

















Semi-Automatic



TECHNICAL DETAILS

Caliber 4.5 mm / 5.5 mm Average Weight 3.65 kg Barrel Length 58 cm / 22.8 inch 200 bar / 425 cc Air Capacity

Receiver Overall Length Length of Pull Stock

Marine Chromed Alimunium 105 cm / 41.3 inch 35.3 cm / 13.9 inch **Turkish Walnut Stock** 

Shroud Barrel











Gloss Black Anodized Aluminium

105 cm / 41.3 inch

**Turkish Walnut Stock** 

35 cm / 13.7 inch



#### **TECHNICAL DETAILS**

Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 3.85 kg

Barrel Length Air Capacity

53 cm / 20.8 inch 250 bar / 500 cc

Stock Shroud Barrel

Receiver

Length of Pull

Overall Length

 Adjustable Power Barrel Silent











#### **TECHNICAL DETAILS**

Caliber 4.5 mm / 5.5 mm / 6.35 mm Average Weight 3.85 kg

Barrel Length 58 cm / 22.8 inch Air Capacity 200 bar / 330 cc

Adjustable Power

Receiver Overall Length Length of Pull

Stock

Gloss Black Anodized Aluminium 105 cm / 41.3 inch 35.5 cm / 14 inch

35.5 cm / 14 inch Turkish Walnut Stock

Half Shroud Barrel



Rear Bolt Cocking Action



#### **TECHNICAL DETAILS**

Caliber 4.5 mm / 5.5 mm / 6.35 mm
Average Weight 3.85 kg

Barrel Length 58 cm / 22.8 inch Air Capacity 200 bar / 330 cc

Adjustable Power

Receiver
Overall Length
Length of Pull
Stock

Marine Chromed Aluminium 105 cm / 41.3 inch 35.5 cm / 14 inch Turkish Walnut Stock

Half Shroud Barrel



### Puncher ONE T

#### Puncher ONE T GRAPHITE BLACK CERAKOTED

Side Lever Cocking Action



#### TECHNICAL DETAILS

Adjustable Power

Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 2.75 kg

Barrel Length 58 cm / 22.8 inch

Air Capacity 250 bar / 500 cc

Single Shot

Receiver

Stock

Overall Length

Length of Pull

Pull 36 cm / 14.1 inch Synthetic Stock

**Anodized Aluminium** 

96 cm / 37.8 inch

Adjustable Butt Pad







## Puncher ONE

# Puncher ONE GRAPHITE BLACK CERAKOTED

Side Lever Cocking Action



#### TECHNICAL DETAILS

Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 2.75 kg

Barrel Length 58 cm / 22.8 inch

250 bar / 500 cc

Adjustable Power

Air Capacity

Receiver Overall Length Length of Pull Stock Anodized Aluminium 96 cm / 37.8 inch 36 cm / 14.1 inch Synthetic Stock

Single Shot





























#### TECHNICAL DETAILS

 Caliber
 4.5 mm / 5.5 mm / 6.35 mm

 Average Weight
 2.95 kg

Rarrell ength 32 cm

Barrel Length 32 cm / 12.6 inch
Air Capacity 200 bar / 530 cc
Overall Length 76.5 cm / 30 inch
Length of Pull 41.3 cm / 16.1 inch
Stock Turkish Walnut Stock

Adjustable Power

4.5 mm / 14 shots 5.5 mm / 12 shots

6.35 mm / 10 shots









 Caliber
 4.5 mm/ 5.5 mm

 Average Weight
 3.2 kg

 Barrel Length
 27 cm / 10.6 inch

 Air Capacity
 200 bar / 530 cc

Shroud Barrel

Receiver Overall Length Length of Pull Stock Gloss Black Anodized Aluminium 83 cm / 32.6 inch 41 cm / 16.1 inch Turkish Walnut Stock



## **Puncher**



**Pump-Action Cocking Action** 



#### **TECHNICAL DETAILS**

Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 3.4 kg

Barrel Length 53 cm / 20.8 inch

Barrel Length 53 cm / 20.8 inch Air Capacity 200 bar / 280 cc Receiver Overall Length Length of Pull

Stock

Gloss Black Anodized Aluminium 91.5 cm /36 inch

30 cm / 11.8 inch Synthetic Stock





## **Puncher**













## Puncher PCP



















## Puncher PCP




















**Puncher MAXI W MARINE** 

**Side Lever Action** 



#### **TECHNICAL DETAILS**

4.5 mm / 5.5 mm / 6.35 mm 3.40 kg Average Weight

53.5 cm / 21 inch Barrel Length Air Capacity 200 bar / 280 cc

Adjustable Power

Magazine Capacity : 4.5 mm / 14 shots | 5.5 mm / 12 shots | 6.35 mm / 10 shots

Receiver

Overall Length

Length of Pull

Marine Chromed Aluminium

100 cm / 39.3 inch

35.5 cm / 14 inch

**Turkish Walnut Stock** 



**Puncher MEGA W MARINE** 

**Side Lever Action** 



Caliber 4.5 mm / 5.5 mm / 6.35 mm Average Weight 3.55 kg 58 cm / 22.8 inch Barrel Length 200 bar / 330 cc Air Capacity

Adjustable Power

Magazine Capacity : 4.5 mm / 14 shots | 5.5 mm / 12 shots | 6.35 mm / 10 shots

Receiver

Overall Length

Length of Pull

Marine Chromed Aluminium

105 cm / 41.3 inch

35.5 cm / 14 inch

**Turkish Walnut Stock** 



Adjustable Power















































Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 3.50 kg

Barrel Length 53.5 cm / 21 inch

Air Capacity 200 bar / 280 cc

Overall Length 73 cm / 28.7 inch

Length of Pull 36.5 cm / 14.3 inch

Stock Turkish Walnut Stock

Adjustable Power













Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 3.30 kg

Barrel Length 53.5 cm / 21 inch

Air Capacity 200 bar / 280 cc

Overall Length 73 cm / 28.7 inch
Length of Pull 36.5 cm / 14.3 inch

Stock High Qualty Synthetic Stock

Adjustable Power

6.35 mm / 10 shots

Half Shroud Barrel











#### TECHNICAL DETAILS 4.5 mm / 5.5 mm / 6.35 mm Caliber Average Weight 3.30 kg Barrel Length 53.5 cm / 21 inch Air Capacity 200 bar / 280 cc Overall Length 73 cm / 28.7 inch Length of Pull 36.5 cm / 14.3 inch Stock Skull Camouflaged Synthetic Stock Adjustable Power Half Shroud Barrel

6.35 mm / 10 shots







Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 3.30 kg

Barrel Length 53.5 cm / 21 inch

Air Capacity 200 bar / 280 cc

Receiver Gloss Black Anodized Aluminium

Overall Length 73 cm / 28.7 inch
Length of Pull 36.5 cm / 14.3 inch

Stock Soft Touch Synthetic Stock

Adjustable Power

6.35 mm / 10 shots





Caliber 4.5 mm / 5.5 mm / 6.35 mm

Average Weight 3.30 kg

Barrel Length 53.5 cm / 21 inch
Air Capacity 200 bar / 280 cc

Receiver Gloss Black Anodized Aluminium

Overall Length 73 cm / 28.7 inch
Length of Pull 36.5 cm / 14.3 inch

Stock Soft Touch Synthetic Stock

Adjustable Power

4.5 mm / 14 shots

5.5 mm / 12 shots

6.35 mm / 10 shots

Half Shroud Barrel

• Barrel Silent







1250 FPS

°Scope can be added as optional.



**TECHNICAL DETAILS** 

Overall Length

Caliber 4.5 mm / 5.5 mm / 6.35 mm 4.05 kg Average Weight

Barrel Length

40 cm / 15.7 inch 125 cm / 49 inch

Length of Pull Stock System

35.5 cm / 14 inch Adjustable Synthetic Stock Spring or Gas Piston





## IIIN SERIES

1250 FPS



TRUGLO



# Caliber 4.5 mm/5.5 mm/6.35 mm Average Weight 3.55 kg Barrel Length 40 cm/15.7 inch Overall Length 125 cm/49 inch

TECHNICAL DETAILS

Length of Pull 35.5 cm / 14 inch
System Spring or Gas Piston





## IIIN SERIES



**Barrel Break Action** 



#### TECHNICAL DETAILS

Caliber 4.5 mm / 5.5 mm / 6.35 mm Average Weight 3.40 kg

Barrel Length
Overall Length
121 cm / 47.6 inch

Length of Pull Stock System 35.5 cm / 14 inch Turkish Walnut Spring or Gas Piston





1250 FPS



**Barrel Break Action** 



#### **TECHNICAL DETAILS**

4.5 mm / 5.5 mm / 6.35 mm 3.30 kg 45.5 cm / 18 inch 121 cm / 47.6 inch Caliber Average Weight Barrel Length

Overall Length

Length of Pull Stock System

35.5 cm / 14 inch Synthetic Stock Spring or Gas Piston











## IIIN SERIES



Barrel Break Action



#### **TECHNICAL DETAILS**

 Caliber
 4.5 mm / 5.5 mm

 Average Weight
 2.70 kg

 Barrel Length
 45.5 cm / 18 inch

 Overall Length
 115 cm / 45.2 inch

Length of Pull Stock System 35.5 cm / 14 inch Synthetic Camo Coated Spring or Gas Piston

TRUGLO









### TECHNICAL DETAILS

Caliber 4.5 mm / 5.5 mm Average Weight 2.70 kg 45.5 cm / 18 inch Barrel Length 115 cm / 45.2 inch Overall Length

Length of Pull 35.5 cm / 14 inch (Rear Safety)
Stock Synthetic Colored Stock
System Spring or Gas Piston







Barrel Break Action



### TECHNICAL DETAILS

Average Weight Barrel Length Overall Length

4.5 mm / 5.5 mm 2.80 kg 45.5 cm / 18 inch 115 cm / 45.2 inch Length of Pull Stock System

35.5 cm / 14 inch Tactical Synthetic Stock Spring or Gas Piston



**Barrel Break Action** 





4.5 mm / 5.5 mm Caliber 2.85 kg Average Weight Barrel Length

45.5 cm / 18 inch 115 cm / 45.2 inch Overall Length

Length of Pull

35.5 cm / 14 inch Tactical Adjustable Synthetic Stock Stock System

Spring or Gas Piston





35.5 cm / 14 inch

Spring or Gas Piston

Synthetic Arboreal Coated



Caliber

Average Weight

Barrel Length

Overall Length

### IIIN SERIES







4.5 mm / 5.5 mm / 6.35 mm

2.75 kg

45.5 cm / 18 inch

115 cm / 45.2 inch



Length of Pull

Stock


System



## ACCESSORIES









### ACCESSORIES

### KRAL ARMS HAND PUMP



### TECHNICAL SPECS

Maximum 250 bar Fill Pressure

Flexible Micro-Bore Hose (inside a spiral steel cage)

Comfortable, Ergonomic Handle

**Reduced the Sound Significantly** 

Made of Aluminium Alloy and Light in Weight

Pressure Gauge

**Easily Demountable Design** 

Wide Foot Plate With Adjustable Pumping Angle

### PLASTIC BAGS





Plastic Bag 1

Plastic Bag 2

### TACTICAL STOCKS





### SCUBA FILLING KIT





CQuick-disconnect hose with female coupling Comes with hose and connector



# **NOTES**





### 2018



kralarms.com

42720 Beyşehir Konya / Türkiye

T: +90 (332) 524 68 70

**F:** +90 (332) 524 68 71





🖸 🏏 kralarmstr





