

Since 1995



Mercan Ltd. is an EFTTA member



A leading fishing line manufacturer since 1995, Mercan Fishing Line has remained on the cutting edge of product design, to meet and excel the requirements of both amateur and professional anglers worldwide.

Today Mercan holds a firm place in the global market, with its high quality monofilament, fluorocarbon and braid lines. Manufacturing approximately 1,000,000 units per month, Mercan's 1,000 m2 facility is located within 150 km of Istanbul, Turkey. From here our products are delivered across Europe within 10 days. As part of our current expansion we are moving production to our new 5,000 m2 facility.

Our qualified staff examines all Mercan products in our in-house testing laboratory, following stringent quality control guidelines and utilizing current technological advances. This ensures that only a consistent, high quality product reaches our customers.

We stand by our principle to price our products in line with current market conditions, while providing outstanding service to our growing customer base and manifesting our leadership position in the global marketplace.

Beyond the Mercan Fishing Line brand, we also offer OEM to our customers, manufacturing custom fishing lines at the same high standard our customers have come to expect of us. Our in-house OEM capacities enable us to provide customers with a customized fishing lines product including a large range of materials, colors, diameters and custom packaging, at a competitive price.

We take pride in our products, our employees and our history and always strive to be a reliable partner to all our current and future customers.

Mercan Ltd. is an FFTTA member



Mercan Fishing Lines
Mercan Balikcilik Malzemeleri Ticaret ve Sanayi Ltd.Sti
Asagi Sevindikli Yolu Baglar Mevkii
Muratli-Tekirdag 59720 TURKEY
Telephone +90 282 373 78 58 Fax +90 282 373 78 62



We sell to the world

INDEX

MONOFILAMENT

6- Koralle Regular

8- Koralle Standart

10- Excellent Soft

12- Meexpower Premium

14- Myline Premium

16- Multicolor Premium

18- Carp Premium

20-Trendline Premium

22- Trendline Floating

24- Euphrates Platinum

26- Euphrates Dynamic

28- Euphrates Ultra-Soft

30- Kortec Trout - Pikeperch

32- Kortec Carp- Eel

33- Kortec Pike- Catfish

34- Kortec Cod - Flatfish

48- Trimmerline

50-Speargunline

51- Flexline Classic

52- Flexline Regular Hank - Spool

54- Flexline Super Knot Hank

56- Flexline Super Knot Spool

58- Flexline S.Knot Multicolor Hank - Spool

FLUOROCARBON

36- Dicle Premium

38- Dicle Standart

P.E BRAID

42- P.E Braid Platinum

44- P.E Braid Premium

46- P.E Braid Multicolor







KORALLE REGULAR

MONOFILAMENT


EASY HANDLING







Koralle Regular is a great ,affordable line for amateur anglers looking for a stable line for single use. With its sturdy structure, this clear line is ideal for various salt and fresh water environments






PRODUCTS - MONOFILAMENT - KORALLE REGULAR

Diameter	Breaking Stregth		4x25 100m	1x1 100m	1x10 100m	1x1 1000m
mm	l b	kg	Package	Spool	Spool	Spool
0,30	11,34	5,15	✓	•	✓	✓
0,35	14,27	6,48	✓	•	✓	✓
0,40	18,61	8,45	✓	•	✓	✓
0,45	24,66	11,20	✓	•	✓	✓
0,50	27,97	12,70	✓	•	✓	✓
0,60	37,66	17,10	✓	•	✓	✓
0,70	46,58	21,15	✓	✓	•	✓
0,80	61,67	28,00	✓	✓	•	•
0,90	70,15	31,85	✓	✓	•	•
1,00	91,67	41,62	✓	✓	•	•
1,20	121,25	55,00	✓	•	•	•
	Order No		1003 100	1030 101	1030 100	1030 001
Or	der No Color	ed	1004 100	1031 101	1031 101	1031 001









KORALLE STANDART

MONOFILAMENT

EASY HANDLING





This all-purpose fishing line is durable, flexible and offers elasticity for those fishermen wishing to meet their needs with a single line. It provides good breaking strength and joint resistance at an affordable price point. The copolymer nylon's molecular structure ensures consistency, good handling and ease of use. Its UV-resistant quality makes it a reliable choice for many.





PRODUCTS - MONOFILAMENT - KORALLE STANDART

Diameter	Breaking	g Stregth	4x25 100m	1x1 100m	1x10 100m	1x10 200m	1x1 500m	1x1 1000m
mm	l b	kg	Package	Spool	Spool	Spool	Spool	Spool
0,08	1,12	0,51	✓	✓	✓	✓	✓	✓
0,10	1,92	0,87	✓	✓	✓	✓	✓	✓
0,12	2,42	1,10	•	✓	✓	✓	✓	✓
0,15	3,30	1,50	✓	✓	✓	✓	✓	✓
0,18	4,40	2,00	•	✓	✓	✓	✓	✓
0,20	5,72	2,60	✓	✓	✓	✓	✓	✓
0,22	7,05	3,20	•	✓	✓	✓	✓	✓
0,25	9,25	4,20	✓	✓	✓	✓	✓	✓
0,28	11,01	5,00	•	✓	✓	✓	✓	✓
0,30	12,55	5,70	✓	✓	✓	✓	✓	✓
0,35	15,63	7,10	✓	✓	✓	✓	✓	✓
0,40	20,70	9,40	✓	✓	✓	✓	✓	✓
0,45	26,43	12,00	✓	✓	✓	•	✓	✓
0,50	31,50	14,30	✓	✓	✓	•	✓	✓
0,60	44,05	20,00	✓	✓	✓	•	•	✓
0,70	55,06	25,00	✓	✓	•	•	•	✓
0,80	70,48	32,00	✓	✓	•	•	•	•
0,90	77,09	35,00	✓	✓	•	•	•	•
1,00	99,12	45,00	✓	✓	•	•	•	•
1,20	129,95	59,00	✓	•	•	•	•	•
1,50	169,60	77,00	✓	•	•	•	•	•
2,00	273,12	124,00	✓	•	•	•	•	•
2,50	429,51	195,00	✓	•	•	•	•	•
	Order No Clear		1000 100	1010 101	1010 100	1010 200	1010 500	1010 001
C	Order No Colored			1011 101	1011 100	1011 200	1011 500	1011 001








EXCELLENT SOFT

MONOFILAMENT

LOW MEMORY



The combination of exceptional casting characteristics and minimal memory make EXCELLENT SOFT the best choice for anglers seeking a fishing line suited to lure fishing. It is available in two colours -camouflage blue or high visibility fuchsia. From a handling aspect it is exceptioally soft and exhibits negligible memory, but contains a strong core structure that ensures durability is not compromised. With a high resistance to abrasion from aquatic structures and plant life it is ideally suited to angling in medium to heavy cover environments





PRODUCTS - MONOFILAMENT - EXCELLENT SOFT

Diameter	Breaking Stregth		1x6 100m	1x1 500m	
mm	l b	kg	Spool	Spool	
0,20	5,84	2,65	$\sqrt{}$	\checkmark	
0,25	8,81	4,00	$\sqrt{}$	\checkmark	
0,30	13,02	5,91	$\sqrt{}$	\checkmark	
0,35	17,62	8,00	\checkmark	\checkmark	
0,40	22,03	10,00	$\sqrt{}$	\checkmark	
0,45	27,13	12,32	$\sqrt{}$	\checkmark	
0,50	32,95	14,96	\checkmark	\checkmark	
0,60	47,79	21,68	\checkmark	\checkmark	
Ord	der No U l trar	narine	1225 100	1225 500	
Oı	rder No Fuch	sia	1226 100	1226 500	



Ultramarine Fuchsia





MEEXPOWER PREMIUM

MONOFILAMENT

EXCEPTIONALLY GOOD ABRASION RESISTANCE

LONG TERM DURABILITY





MEEXPOWER Premium by Mercan is a true nylon line that is specially formulated to deliver all the advantages of nylon monofilament line without exhibiting any of the commonly associated pitfalls. MEEXPOWER meet anglers demands for a monofilament fishing linet hat is flexible , while at the same time offering good whipping and prevention of hook slide. Thanks to its superior sensitivity it exhibits excellent bite transmission. Furthermore, as a 100% nylon line it offers exceptionally good abrasion resistance and longterm durability. A specialized UV-protection material ensures it issuitable for both freshwater and saltwater fishing.





PRODUCTS - MONOFILAMENT - MEEXPOWER PREMIUM

Diameter	Breaking	g Stregth	1x1 100m	1x10 100m	1x1 300m	1x1 500m
mm	l b	kg	Spool	Spool	Spool	Spool
0,10	2,02	0,92	✓	✓	✓	✓
0,12	2,77	1,26	✓	✓	✓	✓
0,14	3,41	1,55	✓	✓	✓	✓
0,16	4,57	2,07	✓	✓	✓	✓
0,18	5,62	2,55	✓	✓	✓	✓
0,20	7,71	3,50	✓	✓	✓	✓
0,22	9,29	4,21	✓	✓	✓	✓
0,24	10,93	4,96	✓	✓	✓	✓
0,26	11,83	5,37	✓	✓	✓	✓
0,28	13,75	6,24	✓	✓	✓	✓
0,30	14,45	6,56	✓	✓	✓	✓
0,33	17,70	8,04	✓	✓	✓	✓
0,35	20,88	9,48	✓	✓	✓	✓
0,37	22,40	10,16	✓	✓	✓	✓
0,40	26,50	12,03	✓	✓	✓	✓
0,43	27,24	12,36	✓	✓	✓	✓
0,45	29,14	13,22	✓	✓	✓	✓
0,47	32,84	14,90	✓	✓	300 m	✓
0,50	36,22	16,43	✓	✓	250 m	✓
0,52	42,54	19,30	✓	✓	250 m	✓
0,60	54,05	24,52	✓	✓	200 m	✓
	Order No		1200 101	1200 100	1200 300	1200 500



Steel Gray






MYLINE PREMIUM

MONOFILAMENT



Myline Premium meets anglers' demands for a flexible linet hat provides superb line whipping and prevents hook sliding during the battle with the fish. Suitable for all fish at long or short distances this line has unique properties that make it resitant to wear and tear. This strong line offers remarkable knot resistance and is suitable for both freshwater and saltwater fishing.





PRODUCTS - MONOFILAMENT - MYLINE PREMIUM

%100 NYLON

Diameter	Breaking Stregth		1x6 100m 1x6 100m		1x6 100m
mm	lb	kg	Spool	Spool	Spool
0,20	6,47	2,94	\checkmark	\checkmark	\checkmark
0,22	7,27	3,30	\checkmark	\checkmark	\checkmark
0,25	8,57	3,89	\checkmark	\checkmark	\checkmark
0,28	11,19	5,08	\checkmark	\checkmark	\checkmark
0,30	13,74	6,24	\checkmark	\checkmark	\checkmark
0,35	18,08	8,21	\checkmark	\checkmark	\checkmark
0,40	20,92	9,50	\checkmark	\checkmark	\checkmark
0,45	27,05	12,27	\checkmark	\checkmark	\checkmark
0,50	34,25	15,55	\checkmark	\checkmark	\checkmark
0,60	42,55	19,30	\checkmark	\checkmark	\checkmark
	Order No Clear		1227 100	1227 500	1227 001
Or	der No Color	ed	1228 100	1228 500	1228 001



Clear Light Gray Champagne Green





MULTICOLOR PREMIUM

MONOFILAMENT

LOW STRETCH



Most anglers find the MULTICOLOR Premium line meet their demands. It sinks fast in water while providing impressive camouflage capabilities. The Monofilament with low elasticity provides versatility and the high quality copolymer nylon allows quick color changes. This line offers many advantages with its rainbow design including primary colors.





PRODUCTS - MONOFILAMENT - MULTICOLOR PREMIUM

Diameter	Breaking	g Stregth	4x25 100m	1x1 100m	1x10 100m	1x1 300m	1x1 1000m
mm	l b	kg	Package	Spool	Spool	Spool	Spool
0,18	4,51	2,05	✓	✓	✓	✓	✓
0,20	5,82	2,64	✓	✓	✓	✓	✓
0,22	6,40	2,90	•	✓	✓	✓	✓
0,25	7,00	3,16	✓	✓	✓	✓	✓
0,28	11,65	5,30	•	✓	✓	✓	✓
0,30	13,21	6,00	✓	✓	✓	✓	✓
0,35	19,38	8,80	✓	✓	✓	✓	✓
0,40	23,12	10,50	✓	✓	✓	✓	✓
0,45	28,89	13,10	✓	✓	✓	✓	✓
0,50	37,50	17,00	✓	✓	✓	250 m	✓
0,60	47,43	21,51	✓	✓	✓	200 m	✓
0,70	59,47	27,00	✓	✓	•	•	✓
0,80	76,85	34,85	✓	✓	•	•	•
0,90	94,35	42,80	✓	✓	•	•	•
1,00	114,41	51,90	✓	✓	•	•	•
	Order No		1005 100	1203 101	1203 100	1203 300	1203 001







CARP PREMIUM

MONOFILAMENT

LOW STRETCH

EXCEPTIONALLY GOOD ABRASION RESISTANCE





SUPERIOR SINKING SPEED

Only the best quality raw materials have been utilized in the manufacture of Mercan's CARP Premium line, resulting in one of the strongest pure nylon lines in the World today, with some of the finest diameter to break strain rations. CARP Premium lines are the best choice for anglers targeting large powerful sports fish like the Europen Carp. This line is highly resistant to abrasion damaged caused by aquatic plant species and structures, but still retains the superior knot strength and suppleness of a pure nylon line. With two low visibility colours it makes an exceptional line for fishing in heavily fished waterways where fish are spooked easily.





PRODUCTS - MONOFILAMENT - CARP PREMIUM

Diameter	Breaking Stregth		1x10 100m 1x1 250m		1x1 500m
mm	l b	kg	Spool	Spool	Spool
0,25	11,34	5,15	\checkmark	\checkmark	\checkmark
0,28	13,73	6,23	\checkmark	\checkmark	\checkmark
0,31	15,48	7,03	\checkmark	\checkmark	\checkmark
0,35	18,72	8,50	\checkmark	\checkmark	\checkmark
0,37	19,71	8,95	\checkmark	\checkmark	\checkmark
0,40	23,23	10,55	\checkmark	\checkmark	\checkmark
0,45	25,79	11,71	\checkmark	\checkmark	\checkmark
0,50	34,53	15,68	\checkmark	\checkmark	\checkmark
0,60	47,40	21,50	\checkmark	200 m	\checkmark
0	rder No Brow	/n	1060 100	1060 250	1060 500
0	rder No Gree	n	1060 102	1060 252	1060 502



Brown Darkgreen







TRENDLINE PREMIUM

MONOFILAMENT

LOW MEMORY



This Premium line offers excellent line whipping and direct bait control. Its low memory minimizes the circle wearing effect. Quality and diameter are consistent at any point of this fishing line, it is protected from corrosion caused by UV rays and is ideal for fresh and salt waters. The line is available in clear and light green.





PRODUCTS - MONOFILAMENT - TRENDLINE PREMIUM

Diameter	Breaking	g Stregth	1x1 100m	1x10 100m	1x1 300m	1x1 500m
mm	l b	kg	Spool	Spool	Spool	Spool
0,10	1,56	0,71	✓	✓	✓	✓
0,12	2,46	1,12	✓	✓	✓	✓
0,14	3,08	1,40	✓	✓	✓	✓
0,16	3,72	1,69	✓	✓	✓	✓
0,18	5,59	2,54	✓	✓	✓	✓
0,20	6,23	2,83	✓	✓	✓	✓
0,22	7,56	3,43	✓	✓	✓	✓
0,24	8,84	4,01	✓	✓	✓	✓
0,26	10,93	4,96	✓	✓	✓	✓
0,28	14,26	6,47	✓	✓	✓	✓
0,30	15,58	7,07	✓	✓	✓	✓
0,33	17,26	7,83	✓	✓	✓	✓
0,35	18,25	8,28	✓	✓	✓	✓
0,38	24,20	10,98	✓	✓	✓	✓
0,40	26,58	12,06	✓	✓	✓	✓
0,43	30,71	13,93	✓	✓	✓	✓
0,45	32,60	14,79	✓	✓	✓	✓
0,47	33,92	15,39	✓	✓	250 m	✓
0,50	37,52	17,02	✓	✓	250 m	✓
0,60	57,34	26,01	✓	✓	200 m	✓
C	rder No C <mark>l</mark> ea	r	1214 101	1214 100	1214 300	1214 500
0	rder No Gree	n	1201 101	1201 100	1201 300	1201 500



Clear Light Green





TRENDLINE FLOATING

MONOFILAMENT


EXTRAORDINARY KNOT STRENGTH

EXCEPTIONALLY GOOD ABRASION RESISTANCE





TRENDLINE Floating nylon fishing lines exhibit exceptional sliding characteristics, knot integrity and strength as well a high level abrasion resistance. TRENDLINE monofilament fishing line offers specially developed wear resistance and materials suited to diffucult water environments. Its unique inbuilt sliding capability allows the line float on the water surface, ensuring the angler can whip the line when necessary to avoid water obstacles and aquatic plany life that commonly result in entanglements. TRENDLINE monofilament fishing lines posses a high resistance to knotting and a re the best choice for surface fishing or fishing in heavy cover situations. Available in special high visibility orange only





PRODUCTS - MONOFILAMENT - TRENDLINE FLOATING

Diameter	Breaking	g Stregth	1x1 200m	1x1 250m	1x1 300m	1x1 350m	1x1 400m
mm	l b	kg	Package	Spool	Spool	Spool	Spool
0,24	8,50	3,86	•	•	•	•	✓
0,26	11,57	5,25	•	•	•	•	✓
0,28	11,72	5,32	•	•	•	•	✓
0,30	13,78	6,25	•	•	•	•	✓
0,35	18,43	8,36	•	•	•	•	✓
0,40	21,98	9,97	•	•	•	✓	•
0,45	30,00	13,61	•	•	✓	•	•
0,50	33,48	15,19	•	•	✓	•	•
0,60	50,70	23,02	•	✓	•	•	•
0,70	60,50	27,44	✓	•	•	•	•
	Order No		1210 200	1210 250	1210 300	1210 350	1210 400







EUPHRATES PLATINUM

MONOFILAMENT



EXCEPTIONALLY GOOD ABRASION RESISTANCE

FLUOROCARBON COATED





EUPHRATES Platinum offers anglers everything they have ever wanted in a fluorocarbon coated monofilament fishing line. It is made from the highest quality raw materials and processed using a unique compression method to produce a high strength copolymer linet hat is thinner and denser than the competition, but still retains all the flexibility of standard monofilament lines. The durability of this line is further enhanced by inbuilt UV protection and the application of a trademarked fluorocarbon coating material making it almost impervious to abrasion. Finally, it is subjected to the most rigorous QC testing procedures to ensure that each and every spool of line delivers the highest level of performance no matter the fishing conditions.





PRODUCTS - MONOFILAMENT - EUPHRATES PLATINUM

FLUOROCARBON COATED

Diameter	Breaking	g Stregth	1x1 100m	1x10 100m	1x1 300m	1x1 500m
mm	l b	kg	Spool	Spool	Spool	Spool
0,09	1,74	0,79	✓	✓	✓	✓
0,11	2,73	1,24	✓	✓	✓	✓
0,13	3,44	1,56	✓	✓	✓	✓
0,15	4,15	1,88	✓	✓	✓	✓
0,17	6,21	2,82	✓	✓	✓	✓
0,19	6,93	3,14	✓	✓	✓	✓
0,21	8,40	3,81	✓	✓	✓	✓
0,23	9,80	4,45	✓	✓	✓	✓
0,25	9,91	4,50	✓	✓	✓	✓
0,29	15,84	7,19	✓	✓	✓	✓
0,31	17,29	7,85	✓	✓	✓	✓
0,33	19,16	8,70	✓	✓	✓	✓
0,35	20,26	9,20	✓	✓	✓	✓
0,37	24,88	11,30	✓	✓	✓	✓
0,39	26,89	12,20	✓	✓	✓	✓
0,41	29,51	13,40	✓	✓	✓	✓
0,43	34,13	15,48	✓	✓	✓	✓
0,45	36,23	16,43	✓	✓	✓	✓
0,47	37,69	17,10	✓	✓	250 m	✓
0,49	39,24	17,80	✓	✓	200 m	✓
0,51	41,69	18,91	✓	✓	250 m	✓
0,59	61,93	28,90	✓	✓	200 m	✓
	Order No		1204 101	1204 100	1204 300	1204 500





EUPHRATES DYNAMIC

MONOFILAMENT



EUPHRATES Dynamic by Mercan is a superior co-polymer line developed for professional anglers. It is manufactured utilizing a unique process that results in a compact and dense copolymer line that exhibits exceptional handling characteristics and increased abrasion resistance. The durability of this line is further enhanced by inbuilt UV protection and the application of a fluorocarbon coating material making it almost impervious to abrasion. The fluorocarbon coating combined with the trademark grey colour means Dynamic has a refractive index close to that of water, making it ideal for angling situation that require low visibility lines.





PRODUCTS - MONOFILAMENT - EUPHRATES DYNAMIC

FLUOROCARBON COATED

Diameter	Breaking	g Stregth	1x1 100m	1x10 100m	1x1 300m	1x1 500m
mm	l b	kg	Spool	Spool	Spool	Spool
0,08	1,12	0,51	✓	✓	✓	✓
0,10	1,61	0,73	✓	✓	✓	✓
0,12	3,11	1,41	✓	✓	✓	✓
0,14	4,27	1,93	✓	✓	✓	✓
0,16	4,91	2,23	✓	✓	✓	✓
0,18	6,44	2,92	✓	✓	✓	✓
0,20	7,82	3,55	✓	✓	✓	✓
0,22	9,70	4,40	✓	✓	✓	✓
0,24	11,46	5,20	✓	✓	✓	✓
0,26	12,16	5,52	✓	✓	✓	✓
0,28	14,54	6,60	✓	✓	✓	✓
0,31	15,64	7,10	✓	✓	✓	✓
0,33	18,88	8,57	✓	✓	✓	✓
0,35	20,04	9,10	✓	✓	✓	✓
0,37	21,85	9,92	✓	✓	✓	✓
0,40	25,66	11,65	✓	✓	✓	✓
0,43	33,44	15,18	✓	✓	✓	✓
0,45	36,11	16,38	✓	✓	✓	✓
0,47	39,08	17,72	✓	✓	250 m	✓
0,52	49,08	22,26	✓	✓	250 m	✓
	Order No		1211 101	1211 100	1211 300	1211 500



Silver Gray





EUPHRATES

ULTRA SOFT

MONOFILAMENT



EXTRAORDINARY KNOT STRENGTH





A sister product to the famous EUPHRATES Dynamic Series Line by MERCAN. Euphrates Ultra Soft takes advantage of manufacturing Technology developed specifically for high end copolymer fishing lines. These state of the art lines offer anglers everything they have ever wanted in a fluorocarbon coated monofilament spinning line. Euphrates Ultra Soft line begin life as the highest quality raw materials whic are then processed using a unique method to produce a high strength linet hat is ultra thin , inivisible in water offers maximum tensile and knot strengths that surpass industry standarts. A silky smooth line that exhibits minimal memory, making it the first choice of many anglers arount the globe.





PRODUCTS - MONOFILAMENT - EUPHRATES ULTRA SOFT

FLUOROCARBON COATED

Diameter	Breaking	g Stregth	1x1 100m	1x10 100m	1x1 300m	1x1 500m
mm	l b	kg	Spool	Spool	Spool	Spool
0,08	1,10	0,50	✓	✓	✓	✓
0,10	1,72	0,78	✓	✓	✓	✓
0,12	2,66	1,20	✓	✓	✓	✓
0,14	3,55	1,61	✓	✓	✓	✓
0,16	4,83	2,19	✓	✓	✓	✓
0,18	6,29	2,85	✓	✓	✓	✓
0,20	7,26	3,29	✓	✓	✓	✓
0,22	8,76	3,98	✓	✓	✓	✓
0,24	10,35	4,70	✓	✓	✓	✓
0,28	12,88	5,85	✓	✓	✓	✓
0,31	15,81	7,18	✓	✓	✓	✓
0,33	19,63	8,90	✓	✓	✓	✓
0,35	23,96	10,88	✓	✓	✓	✓
0,37	25,55	11,60	✓	✓	✓	✓
0,39	26,65	12,10	✓	✓	✓	✓
0,45	37,55	17,05	✓	✓	✓	✓
	Order No		1213 101	1213 100	1213 300	1213 500



Transparent





Mercan Kortec

The kortec series was developed with the unique characteristics and living environments of each type of fish in mind. The lines' diameters as well as colors were chosen after an extensive analysis of anglers' needs during their battle with the fish.





EXCEPTIONALLY GOOD ABRASION RESISTANCE





KORTEC TROUT



Trout are fished for around the globe. The KORTEC TROUT I'm and the globe. KORTEC TROUT line meets the demands of trout fishermen by offering a strong, flexible line ideal for angling and boat fishing. It is resistant to guick and sudden movement that is common with trout fishing. It is manufactured from copolymer nylon and provides a nearly invisible line Kortec Trout offers strong knotting strength and is UV-resistant, making this a remarkable choice for those whow appreciate fishing for trout.

Diameter	Breaking	g Stregth	1x1 400m	1x1 500m
mm	l b	kg	Spool	Spool
0,15	2,90	1,32	•	\checkmark
0,18	4,54	2,06	•	\checkmark
0,20	5,73	2,60	•	\checkmark
0,22	7,05	3,20	•	\checkmark
0,25	8,98	4,08	•	\checkmark
0,30	12,42	5,64	$\sqrt{}$	•
	Order No		1051 400	1051 500

KORTEC PIKEPERCH



The Kortec Pikeperch has an extraordinary wear resistance. It is both soft and flexible ,providing great balance. This quality line is suitable for angling and boat fishing and provides superior handling in fish and bait control. Its high-tension strength and low elongation effect work seamlessly for those who fish for pikeperch.

Diameter	Breaking Stregth		1x1 400m	1x1 500m
mm	l b	kg	Spool	Spool
0,23	7,60	3,45	•	\checkmark
0,25	8,98	4,08	•	\checkmark
0,28	10,80	4,90	$\sqrt{}$	•
0,30	12,42	5,64	$\sqrt{}$	•
	Order No		1052 400	1052 500



KORTEC CARP

%100 NYLON

This specially designed line is a great choice for these who appreciate carp fishing. Because carp remain close to the riverbeds, a flexible line that resists silky weed, pebbles and tree branches is a must. Kortec Carp meets these needs with its durable and resistant structure.

Diameter	Breaking	g Stregth	1x1 300m	1x1 400m	1x1 500m
mm	l b	kg	Spool	Spool	Spool
0,25	8,98	4,08	•	•	\checkmark
0,30	12,42	5,64	•	\checkmark	•
0,35	15,90	7,22	\checkmark	•	•
	Order No		1053 300	1053 400	1053 500



KORTEC EEL

%100 NYLON

The dark Kortec EEL line offers a camouflaging effect and superior copolymer for reliable performance when eel take the bait. Even in the most aggressive environments, fishermen have come to rely on this consistent and durable line.

HOTES CONTECTION OF THE PROPERTY OF THE PROPER	Mercall KONTEC 0,35 500	KOH KO 0,35 = 300	
No.	0,85 _ 300	Man II	

Diameter	Breaking	g Stregth	1X1 250m	1X1 300m	1X1 400m	1X1 500m
mm	l b	kg	Spool	Spool	Spool	Spool
0,25	8,98	4,08	•	•	•	
0,30	12,42	5,64	•	•	\checkmark	•
0,35	15,95	7,22	•	\checkmark	•	•
0,40	21,74	9,87	\checkmark	•	•	•
Order No			1055 250	1055 300	1055 400	1055 500





KORTEC PIKE



%100 NYLON

Pike, known for their aggressive battles when hooke require a durable linet hat the user can rely on during the efforts of bringing the fish aboard. The Kortec Pike line offers that durability and remarkable shock resistance. This line is mad efor those appreciate fishing for pike.

Diameter	Breaking	g Stregth	1x1 250m	1x1 300m	1x1 400m
mm	l b	kg	Spool	Spool	Spool
0,30	12,42	5,64	•	•	\checkmark
0,35	15,90	7,22	•	\checkmark	•
0,40	21,74	9,87	\checkmark	•	•
	Order No		1054 250	1054 300	1054 400



KORTEC CATFISH

%100 NYLON





Catfish hover on river bottoms that are usually quite deep. The Kortec Catfish line is designed specifally fort his. It is made with highly resistant copolymer and offers high shock resistance. It is reliable and ideal for the sometimes challenging mud bottoms where catfish are found.

Breaking Stregtl b kg 21,74 9,8 27,51 12,4 36,65 16,6		1X1 250m Spool √	
21,74 9,8 27,51 12,4		/	
27,51 12,4			
36.65 16.6		\checkmark	
30,03	1		**
rder No		1056 250	
		A CONTRACTOR OF THE PARTY OF TH	
200	0 06		
marke of			



KORTEC COD

Torcal Mercan Tobac Sports of the Sports of

%100 NYLON

This excellent fishing line can be used while fishing on a boat or whipping your fishing line from the shore.

The copolymer nylon provides a balanced combination of tensile strength, knot resistance and durability. This line is specifically designed for cod that can be found with wreckage or large logs in the water

Diameter	Breaking Stregth		1x1 250m	1x1 300m
mm	l b	kg	Spool	Spool
0,35	15,90	7,22	•	$\sqrt{}$
0,40	21,74	9,87	$\sqrt{}$	•
0,45	27,51	12,49	$\sqrt{}$	•
0,50	36,65	16,64	$\sqrt{}$	•
	Order No		1057 250	1057 300



Pluo Yellow

KORTEC FLATFISH



%100 NYLON

This copolymer line provides reliable performance on sea, lakes or rivers

It provides incredible shock resistance with impressive strength. Perfect for fishing from the boat, this UV resistant fishing line is a versatile choice for many.

Diameter Breaking Stregth	1x1 300m	1x1 400m			
mm lb kg	Spool	Spool			
0,30 12,42 5,64	•	V			
0,35 15,90 7,22	\checkmark	•			
Order No	1058 300	1058 400			





Mercan dicle



HIGH INVISIBILITY

The Mercan Fluorocarbon line has nearly the same light refraction rate as water, making it the optimal line for catching shy fish in clear water



EXCEPTIONAL ABRASION RESISTANCE

The Mercan Fluorocarbon line is much more abrasion resistant than a regular monofilament line You can use it safely in rocky places



LOW STRETCH

Make your long casting more efficient and feel bites instantly, with Mercan Fluorocarbon fishing line.



SUPERIOR SINKING SPEED

The Mercan Fluorocarbon high-density line sinks rapidly, giving you the needed advantage in deep water fishing.





PRODUCTS - FLUOROCARBON - DICLE PREMIUM

PREMIUM

FLUOROCARBON

%100 FLUOROCARBON

HIGH INVISIBILTY

EXCEPTIONALLY GOOD ABRASION RESISTANCE

FLEXIBLE

LOW MEMORY



DICLE Premium is a high quality fluorocarbon line that offers superior wear resistance and minimal stretch. This heavier line has been coated with a specialized PVDF compound, enabling it to break the waters surface tension and sink quickly to the target fish or strike zone. Anglers are assured of a high quality linet hat is built to handle the toughest outdoor environments. The line is basically invisible underwater for improved bait and lure presentation, making it the perfect line choice for targeting timid species in the most heavily fished waters. Other advantages of DICLE Premium include improved abrasion resistance, high level knot integrity, greater flexibility and suppleness as well as low memory, making this line an excellent choice for many angling situations.

Diameter	Breaking	g Stregth	1x1 30m	1x1 50m	1x1 100m	1x1 150m
mm	l b	kg	Spool	Spool	Spool	Spool
0,12	2,64	1,20	✓	✓	✓	✓
0,15	3,96	1,80	✓	✓	✓	✓
0,18	5,51	2,50	✓	✓	✓	✓
0,20	7,60	3,45	✓	✓	✓	✓
0,25	10,24	4,65	✓	✓	✓	✓
0,30	14,32	6,50	✓	✓	✓	✓
0,35	17,18	7,80	✓	✓	✓	✓
0,40	22,02	10,00	✓	✓	✓	✓
0,45	27,53	12,50	✓	•	✓	✓
0,50	30,83	14,00	25m	•	✓	✓
0,60	39,64	18,00	•	•	✓	✓
	Order No		1208 030	1208 050	1208 100	1208 150

Transparent



DICLE STANDART


FLUOROCARBON

HIGH INVISIBILITY
LOW STRETCH

EXCEPTIONAL ABRASION RESISTANCE
SUPERIOR SINKING SPEED



Dicle Standart has a high invisible structure which gives you a abig advantage in catching shy fish. Its abrasion resistance makes it durable line for long term use while low stretch feature helps you to immediately notice the smallest touch from a fish.





PRODUCTS - FLUOROCARBON - DICLE STANDART

%100 FLUOROCARBON

Diameter	Break S	trength	1x1 30m	1x1 50m	1x1 100m
mm	l b	kg	spool	spool	spool
0,11	2,20	0,99	✓	✓	✓
0,13	2,90	1,30	✓	✓	✓
0,15	3,70	1,68	✓	✓	✓
0,17	4,50	2,05	✓	✓	✓
0,20	5,70	2,57	✓	✓	✓
0,22	6,80	3,08	✓	✓	✓
0,25	7,80	3,53	✓	✓	✓
0,28	9,20	4,17	✓	✓	✓
0,30	11,60	5,28	✓	✓	✓
0,32	14,90	6,39	✓	✓	✓
0,34	15,50	7,04	✓	✓	✓
0,38	18,50	8,38	✓	✓	✓
0,41	19,90	9,03	✓	✓	✓
0,44	23,60	10,71	✓	✓	✓
0,47	29,00	13,16	✓	✓	✓
0,53	35,10	15,92	✓	✓	✓
0,58	41,60	18,88	✓	✓	✓
0,63	45,00	20,14	✓	✓	•
0,68	49,40	22,45	✓	✓	•
0,76	56,60	25,71	✓	✓	•
0,80	64,30	29,18	✓	✓	•
0,90	77,20	35,00	✓	•	•
0,95	85,00	38,57	✓	•	•
1,00	92,50	44,96	✓	•	•
	Order No		1218 030	1218 050	1218 100



Meren



WE DELIVER QUALITY LINES QUICKLY WHEREVER YOU ARE







ทรายอยุรอก

ALIARTEUA :

HUNGYHY

AIEVEV ICUVE

MAIEEUR

ರಣರಿಗು

พอทุนรุทรุษยอ

MOINI SINS BYO

____ ՀիԿլԻԿնը

ण ।अअभ

FRANCE

* 그의까지

ф саиара

POLYETHYLENE





Mercan P.E Braid





ULTIMATE WATER RESISTANCE

Mercan PE Braid fully water resistant lines are ideal for long-term use.



EXTRA ORDINARY BREAKING STRENGTH

Mercan PE Braid lines are four times stronger than normal monofilament lines



VIRTUALLY NO STRETCH

Mercan PE Braid lines transmit all contact with the fish instantly, without stretching.



EXTREME ABRASION RESISTANCE

Mercan PE Braid lines are a secure and durable choice for anglers in difficult fishing environments.





P.E BRAID

Mercan_

POLYETHYLENE

P.E BRAID Platinum consists of eiht seperate ultra-tight braids that are impregnated with additional filaments utilizing a unique compression Technology. A surface treatment is the applied , increasing the lines ability to resist soiling , salt crystal collection and water absorption-the three most destructive forces that braided fishing line exhibiting a smoother surface structure , enhanced durability and faster sink rate. P.E BRAID Platinum's unique production process results in a braided fishing line exhibiting less than 3% elasticity meaning anglers have complete control ,and every bump and bite is instantly transmitted directly to the rod tip.



Diameter	Breaking	g Stregth	1x6 100m	1x1 300m	1x1 500m	1x1 1000m
mm	l b	kg	Spool	Spool	Spool	Spool
0,25	33,03	15,00	✓	✓	✓	✓
0,30	39,64	18,00	✓	✓	✓	✓
0,35	50,66	23,00	✓	✓	✓	✓
0,40	59,47	27,00	✓	✓	✓	✓
0,45	83,70	38,00	✓	✓	✓	✓
0,50	94,71	43,00	✓	✓	✓	✓
0,60	110,13	50,00	✓	✓	✓	✓
0,70	143,17	65,00	✓	✓	✓	✓
0,80	165,19	75,00	✓	✓	✓	✓
Or	der No P. Ye <mark>ll</mark> e	ow	2011 100	1211 300	2011 500	2011 001
Ore	der No Olive	Green	2012 100	1212 300	2012 500	2012 001






PEBRAID PREMIUM

P.E BRAID



This fishing line offers braided filaments that allows for maximum flexibility.

The line's structure allows for a quicker sink, meeting the demands of most salt or freshwater fishermen. The line is composed of four tight braids and is further compressed using filaments among other technological advances. The line is resistant to show dirt or collect salt crystals.





PRODUCTS - PE BRAID - PE BRAID PREMIUM

POLYETHYLENE

Diameter	Break S	trength	1x6 100m	1x1 500m	1x1 1000m
mm	l b	kg	spool	spool	spool
0,10	7,71	3,50	✓	✓	✓
0,12	11,45	5,20	✓	✓	✓
0,14	13,44	6,10	✓	✓	✓
0,16	15,42	7,00	✓	✓	✓
0,18	19,38	8,80	✓	✓	✓
0,20	24,22	11,00	✓	✓	✓
0,24	28,85	13,10	✓	✓	✓
0,28	33,70	15,30	✓	✓	✓
0,30	38,54	17,50	✓	✓	✓
0,33	42,73	19,40	✓	✓	✓
0,37	49,11	22,30	✓	✓	✓
0,40	57,70	26,20	✓	✓	✓
0,43	66,07	30,00	✓	✓	✓
0,47	77,09	35,00	✓	✓	✓
0,52	89,64	40,70	✓	✓	✓
0,57	100,44	45,60	✓	✓	✓
0,60	106,82	48,50	✓	✓	✓
0,65	117,62	53,40	✓	✓	✓
0,70	149,55	67,90	✓	✓	✓
0,90	198,23	90,00	✓	✓	✓
	er No Darkgr		2005 100	2005 500	2005 001
	Order No Grey	/	2010 100	2010 500	2010 001
0	rder No Brow	/n	2004 100	2004 500	2004 001





PEBRAID PREMIUM MULTICOLOR

P.E BRAID

P.E BRAID Premium Multicolor by Mercan utilizes state of the art braid Technology resulting in improved breaking strains and flexibility . P.E BRAID Premium Multicolor is essentially a multicolored version of the famous P.E BRAID Premium consisting of the same four seperate ultra-tight braids that are impregnated with additional filaments utilizing a unique compression Technology . The surface treatment is then applied , increasing the lines ability to resist soiling , salt crystal collection and water absorption the three most destructive forces that braided fishing lines are likely to encounter . P.E BRAID Premium Multicolor's unique production process results in a braided fishing line exhibiting less than 3% elasticity meaning anglers

have complete control of lures and baits the multicolor design with increments every 10 m makes it easy for anglers to monitsr their fishing depths and distances with great accuaracy. Its four strand price point, multicolor design and exceptional MOTGAIL REBRAID durability make it an ideal choice for applications such as jigging and bait fishing at depth. Suited to both saltwater and freshwater applications. PE BRAID PREMIUM METCHI PEBRAIL High Performance il ICH: 500 PE BRAID PREMIUM 1000 mm 1000 =



PRODUCTS - PE BRAID - PE BRAID PREMIUM MULTICOLOR

POLYETHYLENE

Diameter	Break S	trength	1x6 100m	1x1 500m	1x1 1000m
mm	l b	kg	spool	spool	spool
0,10	7,71	3,50	√	✓	√
0,12	11,45	5,20	✓	✓	✓
0,14	13,44	6,10	✓	✓	✓
0,16	15,42	7,00	✓	✓	✓
0,18	19,38	8,80	✓	✓	✓
0,20	24,22	11,00	✓	✓	✓
0,24	28,85	13,10	✓	✓	✓
0,28	33,70	15,30	✓	✓	✓
0,30	38,54	17,50	✓	✓	✓
0,33	42,73	19,40	✓	✓	✓
0,37	49,11	22,30	✓	✓	✓
0,40	57,70	26,20	✓	✓	✓
0,43	66,07	30,00	✓	✓	✓
0,47	77,09	35,00	✓	✓	✓
0,52	89,64	40,70	✓	✓	✓
0,57	100,44	45,60	✓	✓	✓
0,60	106,82	48,50	✓	✓	✓
0,65	117,62	53,40	✓	✓	✓
0,70	149,55	67,90	✓	✓	✓
Ord	Order No Multicolor		2021 100	2021 500	2021 001







TRIMMERLINE

EXCEPTIONAL ABRASION RESISTANCE



Diameter	15m	75m	
mm	Package	Package	
1,50	\checkmark	•	
2,00	\checkmark	•	
2,50	$\sqrt{}$	\checkmark	
Order No Fluor Orange 75m.	6900	0000	
Order No Fluor Orange 15m.	5950	0000	
Order No Fluor Green 15m.	5952 000		
Order No Fluor Yellow 15m.	5953 000		





PRODUCTS - MONOFILAMENT - TRIMMERLINE

There are a lot of technological superiority TRIMMERLINE cutting line. Homogeneity and thickness than the flat design that protects from beginning to end, it creates a clean cutting performance improved aerodynamic efficiency. Square-shaped cutting line for cutting all kinds of plants and herbs is an advantage. Is highly resistant to corrosion in contact with the soil during the cutting process. The best nylon copolymer produced.





SPERRGUN LINE

This is a specialised spear gun line with an improved chemical structure offering unmatched cut and abrasion resistance while maintaining maximum flexibility and suppleness. Minimal diameter reduces drag, resulting in unrivalled harpoon speed and accuracy while inbuilt UV protection means hunters have confidence that their line will stand the test of time. A great lightweight and durable shooting line suited to most blue water hunting applications.





Diameter	15 M
mm	Package
1,30	\checkmark
1,50	√
1,80	√
2,00	√

Order No Black 15m. 5940 000





PRODUCTS - MONOFILAMENT - FLEXLINE CLASSIC

FLEXLINE CLASSIC

EASY HANDLING

Diameter	Break S	trength	1kg	2kg	3kg
mm	l b	kg	spool	spool	spool
0,30	10,21	4,64	✓	✓	✓
0,35	12,84	5,83	✓	✓	✓
0,40	16,75	7,61	✓	✓	✓
0,45	22,19	10,08	✓	✓	✓
0,50	25,17	11,43	✓	✓	✓
0,60	33,89	15,39	✓	✓	✓
0,70	41,92	19,04	✓	✓	✓
0,80	55,50	25,20	✓	✓	✓
0,90	63,14	28,67	✓	✓	✓
1,00	82,50	37,46	✓	✓	✓
1,20	107,31	48,72	✓	✓	✓
1,30	117,95	53,55	✓	✓	✓
1,50	157,02	71,29	✓	✓	✓
1,80	211,11	95,86	✓	✓	✓
2,00	260,63	118,33	✓	✓	✓
C	Order No Clea	ır		6580 000	





FLEXLINE REGULAR HANK

%100 NYLON



This line has a durable PA6 structure, good breaking strength and excellent knot resistance. Its transparency enables you to cast more fish.

A careful spooling process protects the line from abrasion. The line can be used in fishing, textile and jewelry.

FLEXLINE REGULAR SPOOL






PRODUCTS - MONOFILAMENT - FLEXLINE REGULAR HANK

Diameter	Breaking	g Stregth	1 kg	
mm	l b	kg	Hank	
0,30	11,34	5,15	\checkmark	
0,35	14,27	6,48	\checkmark	
0,40	18,61	8,45	\checkmark	
0,45	24,66	11,20	\checkmark	
0,50	27,97	12,70	\checkmark	
0,60	37,66	17,10	\checkmark	
0,70	46,58	21,15	\checkmark	
0,80	61,67	28,00	\checkmark	
0,90	70,15	31,85	\checkmark	
1,00	91,67	41,62	\checkmark	
0	rder No Clea	ar	6000 000	
Order No Colored		ed	6001 000	



PRODUCTS - MONOFILAMENT - FLEXLINE REGULAR SPOOL

Diameter	Breaking	g Stregth	0,250 kg	0,500 kg	1 kg
mm	l b	kg	Spool	Spool	Spool
0,30	11,34	5,15	\checkmark	\checkmark	\checkmark
0,35	14,27	6,48	\checkmark	\checkmark	\checkmark
0,40	18,61	8,45	\checkmark	\checkmark	\checkmark
0,45	24,66	11,20	\checkmark	\checkmark	\checkmark
0,50	27,97	12,70	\checkmark	\checkmark	\checkmark
0,60	37,66	17,10	\checkmark	\checkmark	\checkmark
0,70	46,58	21,15	\checkmark	\checkmark	\checkmark
0,80	61,67	28,00	\checkmark	\checkmark	\checkmark
0,90	70,15	31,85	\checkmark	\checkmark	\checkmark
1,00	91,67	41,62	\checkmark	\checkmark	\checkmark
	Order No Clear		6010 250	6010 500	6010 000
Or	Order No Colored		6011 250	6011 500	6011 000





FLEXLINE SUPER KNOT HANK

%100 NYLON

It is manufactured from PA6/PA66 copolymer raw material. It is ideal for professional anglers in many circumstances. It has a strong structure, high transparency feature. It presents a good combination of break strength, joint resistance and abrasion resistance. It can be found in hanks and spools.





PRODUCTS - MONOFILAMENT - FLEXLINE SUPER KNOT HANK

Diameter	Break S	trength	1kg
mm	l b	kg	hank
0,15	4,40	2,00	✓
0,18	5,70	2,59	✓
0,20	6,87	3,12	✓
0,23	8,85	4,02	✓
0,25	11,01	5,00	✓
0,28	12,97	5,89	✓
0,30	14,93	6,78	✓
0,35	18,78	8,53	✓
0,40	24,27	11,02	✓
0,45	31,27	14,20	✓
0,50	35,38	16,20	✓
0,60	46,25	21,00	✓
0,70	57,95	26,31	✓
0,80	75,44	34,25	✓
0,90	86,34	39,20	✓
1,00	110,93	50,82	✓
1,20	138,10	62,70	✓
1,30	162,95	73,98	✓
1,50	213,12	96,76	✓
1,80	305,28	138,60	✓
2,00	375,33	170,40	✓
2,50	554,62	251,80	✓
3,00	792,95	360,00	✓
3,60	1.057,26	480,00	✓
4,00	1.189,42	540,00	✓
	Order No Clea	r	6100 000
Oı	der No Color	ed	6101 000







FLEXLINE FLEXLINE SUPER KNOT SPOOL


%100 NYLON





PRODUCTS - MONOFILAMENT - FLEXLINE SUPER KNOT SPOOL

Diameter	Break S	trength	0,250kg	0,500kg	1kg
mm	lb	kg	spool	spool	spool
0,08	1,54	0,70	✓	✓	✓
0,10	2,15	0,98	✓	✓	✓
0,12	2,97	1,38	✓	✓	✓
0,15	4,40	2,00	✓	✓	✓
0,18	5,70	2,59	✓	✓	✓
0,20	6,87	3,12	✓	✓	✓
0,23	8,85	4,02	✓	✓	✓
0,25	11,01	5,00	✓	✓	✓
0,28	12,97	5,89	✓	✓	✓
0,30	14,93	6,78	✓	✓	✓
0,35	18,78	8,53	✓	✓	✓
0,40	24,27	11,02	✓	✓	✓
0,45	31,27	14,20	✓	✓	✓
0,50	35,38	16,20	✓	✓	✓
0,60	46,25	21,00	✓	✓	✓
0,70	57,95	26,31	✓	✓	✓
0,80	75,44	34,25	✓	✓	✓
0,90	86,34	39,20	✓	✓	✓
1,00	110,93	50,82	✓	✓	✓
	Order No Clear		6110 250	6110 500	6110 000
Or	der No Color	ed	6111 250	6111 500	6111 000







FLEXLINE SUPER KNOT MULTICOLOR HANK

%100 NYLON

Besides having good properities of Flexline Super Knot , this line has also a color advantage . It combines primary colors in its structure. Anglers benefits from its quality and its color advantage in both saltwater and freshwater fishing.



FLEXLINE SUPER KNOT MULTICOLOR SPOOL






PRODUCTS - MONOFILAMENT - FLEXLINE SUPER KNOT - MULTICOLOR HANK

Diameter	Breaking Stregth		1 kg
mm	l b	kg	Hank
0,20	6,87	3,12	
0,23	8,85	4,02	$\sqrt{}$
0,25	11,01	5,00	$\sqrt{}$
0,28	12,97	5,89	$\sqrt{}$
0,30	14,93	6,78	$\sqrt{}$
0,35	18,78	8,53	
0,40	24,27	11,02	
0,45	31,27	14,20	$\sqrt{}$
0,50	35,38	16,20	
0,60	46,25	21,00	
0,70	57,95	26,31	
0,80	75,44	34,25	
0,90	86,34	39,20	$\sqrt{}$
1,00	110,93	50,82	
Order No			6108 000



PRODUCTS - MONOFILAMENT - FLEXLINE SUPER KNOT - MULTICOLOR SPOOL

Diameter	Breaking Stregth		0,50 kg	1 kg	
mm	l b	kg	Spool	Spool	
0,20	6,87	3,12		· √	
0,23	8,85	4,02	\checkmark	\checkmark	
0,25	11,01	5,00	\checkmark	\checkmark	
0,28	12,97	5,89	\checkmark	\checkmark	
0,30	14,93	6,78	\checkmark	\checkmark	
0,35	18,78	8,53	\checkmark	\checkmark	
0,40	24,27	11,02	\checkmark	\checkmark	
0,45	31,27	14,20	$\sqrt{}$	\checkmark	
0,50	35,38	16,20	$\sqrt{}$	\checkmark	
0,60	46,25	21,00	$\sqrt{}$	\checkmark	
0,70	57,95	26,31	$\sqrt{}$	$\sqrt{}$	
0,80	75,44	34,25	\checkmark	\checkmark	
0,90	86,34	39,20	\checkmark	\checkmark	
1,00	110,93	50,82	$\sqrt{}$	\checkmark	
Order No			6118 500	6118 000	



CONVERSION CHARTS

Diameter	Inches Table	Nylon Table	Fluorocarbon Table	
mm	inch	m/kg	m/kg	
0.08	0,0031	142.000	100.000	
0.10	0,0039	95.000	54.000	
0.12	0,0047	66.000	39.000	
0.14	0,0055	50.000	30.000	
0.18	0,0071	30.000	19.000	
0.20	0,0078	25.000	15.500	
0.23	0,0091	19.000	12.000	
0.25	0,0098	16.000	10.000	
0.28	0,0110	13.600	8.200	
0.30	0,0118	12.000	7.000	
0.33	0,0130	9.600	5.300	
0.35	0,0138	8.600	5.200	
0.37	0,0146	7.000	4.800	
0.40	0,0157	6.500	3.700	
0.45	0,0177	5.300	3.200	
0.50	0,0197	4.300	2.500	
0.60	0,0236	3.000	1.800	
0.70	0,0276	2.200	1.400	
0.80	0,0315	1.700	1.000	
0.90	0,0354	1.300	820	
1.00	0,0394	1.100	620	
1.10	0,0433	900	540	
1.20	0,0472	760	470	
1.30	0,0512	650	360	
1.40	0,0551	560	340	
1.50	0,0591	490	270	
1.60	0,0630	430	240	
1.80	0,0709	340	200	
2.00	0,0787	270	160	
2.50	0,0984	180	110	
3.00	0,1181	120	76	
4.00	0,1574	69	43	



ABOUT COMPANY
























Mercan Ltd. is an EFTTA member

Mercan Fishing Lines

Mercan Balikcilik Malzemeleri Ticaret ve Sanayi Ltd. Sti Asagi Sevindikli Yolu Baglar Mevkii 59720 Muratli / TEKIRDAG TURKEY

Tel: + 90 282 373 78 58 Fax: +90 282 373 78 62 info@mercanltd.com www.mercanltd.com