



Commercial Trailers













Model	Suspension	Gross weight	Bed length	Beavertail length	Overall body length	Ramps	Floor height	Axle	Tyres	Drawbar	Coupling
Tandem Centre Axle	Mechanical	17480kg*	5.48m	1.52m	6.9m	1.7x0.7m	0.95m	Granning	Twin 215/75x17.5	SL	50mm Ringfeder
Tandem Centre Axle	Air	17480kg*	5.48m	1.52m	6.9m	1.7x0.7m	0.93m	Granning	Twin 215/75x17.5	SL	50mm Ringfeder
Tridem Centre Axle	Mechanical	25000kg	6.06m	1.52m	7.57m	1.7x0.7m	0.95m	Granning	Twin 215/75x17.5	HL	50mm V Orlandi
Tridem Centre Axle	Air	25000kg	6.06m	1.52m	7.57m	1.7x0.7m	0.93m	Granning	Twin 215/75x17.5	SL	50mm Ringfeder
Tandem Step Frame	Mechanical	26000kg	7.44m	1.52m	12.2m	1.7x0.7m	0.95m	Granning	Twin 235/75x17.5	N/A	50mm +GF+
Tandem Step Frame	Air	28000kg	7.44m	1.52m	12.2m	1.7x0.7m	0.93m	SAF 9000kg	Twin 235/75x17.5	N/A	50mm +GF+
Tridem Step Frame	Mechanical	34000kg	7.44m	1.52m	13.6m	1.7x0.7m	0.95m	Granning c/w rear steer	Twin 235/75x17.5	N/A	50mm +GF+
Tridem Step Frame	Air	38000kg	7.44m	1.52m	13.6m	1.7x0.7m	0.93m	SAF 9000kg c/w rear steer	Twin 235/75x17.5	N/A	50mm +GF+
Forestry Jumbo	Air	44000kg	9.2m	N/A	13.6m	1.0x0.7m	0.5m	SAF 9000kg c/w rear steer	Twin 235/75x17.5	N/A	50mm +GF+
3-axle Full Trailer	Air	28000kg	5.0m	1.52m	8.76m	1.7x0.7m	0.88m	1x SAF 11000kg 2 x SAF 9000kg	Twin 235/75x17.5	GNZ	50mm Ringfeder
4-axle Full Trailer	Air	38000kg	5.2m	1.52m	9.73m	1.7x0.7m	0.88m	2 x SAF 9000kg 2 x SAF 11000kg	Twin 235/75x17.5	GNZ	50mm Ringfeder

Options



Stainless Steel Tool Box



Track Guides



Softwood Sheeted Ramps



Folding Prop Stand



Spare Wheel Carrier



Haacon Jack

Optional Extras

* Can be increased to 19000kg by fitting 235/75x17.5 wheels

ALL trailers fitted with: -

- Fabricated chassis
- Spring assisted ramps
- 600mm aluminium toolbox with a stainless steel door
- Haldex EB+ c/w TEM valve, EBS susie and diagnostic point
- Red and yellow susies with standard UK air fittings
- Electrical susies with 24N and 24S couplings
- Painted NC red, blue, green, yellow or black Trailers on air suspension fitted with raise/lower valve

Revision.01

In accordance with our policy of continued development we reserve the right to alter specification and design without notice.



NC Engineering (Hamiltonsbawn) Ltd
2 Killyrudden Road
Hamiltonsbawn
Co.Armagh
Northern Ireland
BT61 9SF

Tel: 028 38 871970
Fax: 028 38 870362

www.nc-engineering.com

