

Made in Austria

INNOVATIVE PRODUCTS IN ALL FIELDS.



REGENT DEVELOPS PERFECT TECHNIQUE FOR AGRICULTURE.

FOR OVER 90 YEARS THERE ARE PRO-DUCED MACHINES FOR AGRICULTURE OF HIGHEST QUALITY IN THE UPPER AUSTRIAN ATTNANG-PUCHHEIM.

Longterm experience, the motivation to be better than others and high motivated staff mark up the label REGENT and this is valued by famers in whole Europe. With REGENT you do not just choose a product - you trust in technique, which arises from an innovative family-owned enterprise. High standard in quality and perfect functional characteristics are in the foreground. Consequently products of REGENT grant highest customer satisfaction.



IN THE YEAR 1925

1946

world

THE CUSTOMER IN FOCUS.

DAY-TO-DAY THE COMPETENT SERVICE AND SALES TEAM OF REGENT CARES FOR CONFIDENT CUSTOMERS.

Continuous test inserts of machines under extremest conditions in whole Europe and an intensive customer contact contribute permanent advancements of the label - for unexcelled quality in work and highest user comfort.

1947

the company was named "REGENT" and since then it is run family at the location in Attnang-Puchheim.

ON3 HECTARE PREMISES

there is developed, designed, produced, tested, mounted and delivered.

IN MORE THAN 35 COUNTRIES

in whole Europe REGENT exports.

WITH MORE THAN 100 TRADING PARTNERS

national and international REGENT is near to the customer.

FROM AUSTRIAN QUALITY STEEL TO PERFECT AGRICULTURAL MACHINE.



MADE IN AUSTRIA

AT REGENT the machines are developed in the headoffice in Attnang-Puchheim (OÖ) and in practice extensively tested and produced in series.

Through the tight cooperation of technique and production it can be guaranteed that every machine is transformed down perfectly to the last detail.



WE ADJUST TO THE GROUND.

Continuous schooling and an intensive interchange with the sales and serviceteam enables the sales partners to react best as possible to customer requirements and to modulate ideally the technique from the extensive portfolio to the local conditions.



GUARANTEED QUALITY -AN ATTRIBUTE OF REGENT.

PIONEER

A special developed production process for the production of the plough bodies makes REGENT to a pioneer in the plough technique.

PRECISION

Modernest technique in production does not only guarantee highest precision in production, but also perfect efficiency of the machines for the use on the field at highest longevity.




STABILITY

Through the repeated thermic treatment of the basic material highest stability at lowest abrasion can be ensured.

HIGH CLASS WORKMANSHIP

Every machine is mounted per hand and accompanied by experienced employees.



The security of the quality is on top spot. Every machine is controlled unexceptionally in detail in the procedure of production, proven and tested on a test facility on every feature. Only then the machines come into the paintwork station and to the finishing. Only through this the high demand on the quality is ensured at REGENT.

INNOVATIVE PRODUCTS IN ALL FIELDS.

EVERY MACHINE AN UNIQUE SPECIMEN.


Due to the voluminous possibilities of equipment every machine which leaves the house is going to be an unique specimen. All working ma-chines can be equipped or mounted with the most different supplementary equipment. Also there is a big choice of after-running roller-systems for an ideal re-solidification. At REGENT you find the perfect machine for your demand.

PLOUGH TECHN	NIQUE					
Eurostar: Titan: Taurus:	2 - 6 furrows, mec. adjustment in width 3 - 6 furrows, hydraulic adjustment in width 5 - 9 furrows, reversible plough, hydraulic adjustment in width	Contraction of the second seco		"OUR VOLUMINOUS OFFER IN SOIL CULTIVATION AND SEEDING TECHNIQUE AND THE EXCEPTIONAL FLEXIBILITY IN EQUIPMENT, ENABLES TO MEET THE REQUIREMENTS OF OUR CUSTOMERS!" Karl Manaberger, sales Manager Export		
POWER HARRO	WS	-		ROTATING DIS	C CULTIVATOR	
Aress: Orbit: KSE:	2,5 – 3,0 m working width 2,5 – 3,0 m working width 5,0 – 6,0 m working width			Orkan:	3,0 – 6,0 m working width	(
SEEDING TECHNIQUE				Light cultivator		
Seedstar RSM:	mechanical seeding machine	A State Stat	waa	Terrakan R4	4 beams	
SM 312: entra: 3012 DS	3,0 m working width with double seed plates (DS) pneumatic seeding machine double seed plates (DS)			Terrakan R6	3,0 – 6,0 m working width 6 beams 3,0 – 6,0 m working width	
Front-Cutter		rr++	<u></u>	CULTIVATOR		
Front-Cutter:	3,0 m working width	1		Tukan MSG	3 beams, 2,5 – 5,5 m working width	,
		- 316		Tukan DSG	4 beams, 3,0 – 4,5 m working width	
			S Creat	Tukan VFG	4 beams with Square spiral spring 3,0 m working width	tine,
Front-ring roller			SEEDBED COMBINATION			
Front-ring rolle	r: 2,5 – 3,0 m working width			Terrastar:	4,4 – 8,0 m working width	•

1000



OUR KNOW-HOW -YOUR ADVANTAGE.



YOUR SATISFACTION IS OUR JOB!



DISCOVER MORE FROM THE WORLD OF REGENT:

Regent Pflugfabrik GmbH Bahnhofstr. 105

4800 Attnang-Puchheim

Ŕ

Austria



Tel. +43 7674 62661 Fax. +43 7674 62207 info@regent.at www.regent.at

