

Boat trailers

Catalogue 2016





Ain Antons

Over the 25 years of Respo Trailers' existence, lots of other companies in our industry have come and gone. So what has been the secret of Respo Trailers' success? Why have we continued to grow where others have fallen by the wayside?

The first word that springs to mind is focus. We have a very focused strategy and are very focused on execution. In particular we earned a reputation for quality – there is nothing more satisfying than seeing our oldest trailers still on the road. Over the years, this has become our DNA, the special marker that defines Respo Trailers.

Today, we have the widest selection of various trailer models throughout different markets in order to meet even the most demanding customer's needs.

Customer partnership is more than „putting customers first“, for us it is a long-term commitment that creates synergies of knowledge, security and loyalty between both parties.



Company information

Respo Haagised AS was founded in 1990 and in 25 years of manufacturing trailers we have grown in to one of the biggest trailer brands in Northern Europe.

One of the strongest and most appreciated segments in our large product range are our boat trailers. Developing and building a boat trailer that not only gets a customer's boat from point A to point B but also makes the practical side of trailering easy and fun is not only having an army of capable and creative engineers, skilled craftsmen and high quality durable components. There is more to that.

The key to the equation of a perfect boat trailer are the people who use the trailer daily. When it comes to boat trailers we are very happy to let our customers educate us and thanks to our enormous international customer base, the selection of trailers you find in this catalog is a combination of all our customer wishes throughout Scandinavia combined with our proven skills in trailer building.

The overall quality, durability and functionality are not the only criteria we follow – we always strive to innovate, find solutions outside of the box and set the standards on the market.

These standards are easy to see:

- A unique lamp solution that makes maneuvering the boat on and off the trailer fast and easy.
- Finest quality metalworks. Everything in our trailers framework, from welding to galvanization, is made to last.
- A large number of keel rolls and strong side supports. One of the major factors in the functionality of a boat trailer are the keel rolls. Our Polyurethane rolls are UV-resistant, keep their form and last longer than any other keel rolls on the market. Our strong side supports ensure the safety of your boat during storage and transport.
- Metal mudguards. Anyone who has used a boat trailer can confirm – mudguards that you can actually step on, give you better access to the boat while it's on the trailer and reduce the time you need to fasten the boat before transporting it.
- With a few exceptions, all our boat trailers are equipped with tilting frames to improve the process of getting the boat in and out of the water. Thanks to the tilting frame, you do not have to drive the trailer as deep in to the water which prolongs the life span of your axles, brakes and lights.
- A strong winch on our boat trailer is a must!
- All Respo trailers come with balanced wheels. We do not take shortcuts – you wouldn't want your car to have unbalanced wheels, so why should you make an exception for your trailer?



Contents

Boat trailers without brakes	03
Boat trailers with brakes	06
Jetski trailers	11
Trailers for Pioner and other rotational moulded boats	14
Beach trailers	18

Boat trailers without brakes




Standard features



Solid and durable design

High-quality steel, galvanization and Magnelis coating make our strong frame constructions even more durable. Continuous engineering assures that Respo trailers always measure up to the highest market standards.



Minimum pressure to the boat

Large number of rolls ensure that the pressure is divided into multiple locations of the boat. Keel rolls are made of polyurethane (PU) which makes them extremely sturdy yet soft - to avoid any damages your boat might get. PU rolls retain their original form no matter what.



Balanced wheels

Respo is one of the few trailer manufacturers who has their trailer wheels balanced already in the factory. It extends the life of the tires and bearings greatly, also ensures a smooth ride on the road.



Adjustable winch stand

Every Respo boat trailer is equipped with an adjustable winch stand. It guarantees suitability and ease of use with any boat.



Step-on fenders

Every Respo boat trailer is equipped with fenders that can easily withstand an average person's weight. This feature is very handy while towing or slipping your boat.



Rear tilting frame

Rear tilting function offers great help in winching a boat onto the trailer. In addition to that you can keep your trailer hubs above the water.




Adjustable side supports

Side supports grant a great stability for the boat. Manual adjusting function is especially favorable while driving on bumpy roads during which the position of the side rolls stay the same at all times.



Water-proof hubs

Watertight hubs are a good protection for bearings and grease from the saltwater and grit.



Accessories

Ask your dealer for the availability of step ramps, spare wheel holders, LED lights and other custom solutions for your chosen trailer.




EasyFold lights

An extremely witty solution which makes the handling of the trailer much easier. You can effortlessly move rear lights to the sides without removing a single part from the trailer.



Winch and jockey wheel as standard

The sizes of the winch and jockey wheel vary between the trailer models.




MODEL: **750V 431 T160**

Art nr : **9985**

Trailer is composed with Magnelis coated components. This version has side supports and is for boats with a rigid keel. It has a payload of 578 kg and will take boats up to 13 ft.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
13	4.25 x 1.60	750	578	155R13




MODEL: **750V 501 T199**

Art nr : **5342**

This trailer has a fully welded and hot dip galvanized frame. Also included is a tilt-function and adjustable side supports. It can fit boats up to 16 ft and payload of 566 kg. This trailer has a width of 1.99 m, easily adjustable side supports, winch stand and is an affordable model with „pro equipment“.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
16	5.02 x 1.99	750	566	155R13



MODEL: **700V 451 T160**

Art nr : **10508**

Our «economy» model where we have made things simpler without compromising the quality. You will get the quality of a pro-trailer with details such as polyurethane keel rolls, tilt-function and full-sized 155R13 tyres. This trailer can easily fit boats up to 14 ft and has a max payload of 538 kg.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
14	4.58 x 1.60	700	538	155R13



MODEL: **750V 571 T209**

Art nr : **8520**


Our biggest unbraked boat trailer. It has pro equipment like polyurethane keel rolls, a large tilt- function, solid mudguards with Magnelis coating. The adjusting of the siderolls and winch stand can easily be done without any tools. This trailer fits boats up to 18 ft and 512 kg. We think this is one of the best unbraked boat trailers on the market and challenge anyone to prove us wrong.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
18	5.70 x 2.09	750	512	155R13


Boat trailers with brakes



Standard features



Solid and durable design
High-quality steel, galvanization and Magnelis coating make our strong frame constructions even more durable. Continuous engineering assures that Respo trailers always measure up to the highest market standards.



Minimum pressure to the boat
Large number of rolls ensure that the pressure is divided into multiple locations of the boat. Keel rolls are made of polyurethane (PU) which makes them extremely sturdy yet soft - to avoid any damages your boat might get. PU rolls retain their original form no matter what.



Balanced wheels
Respo is one of the few trailer manufacturers who has their trailer wheels balanced already in the factory. It extends the life of the tires and bearings greatly, also ensures a smooth ride on the road.



LED marker lamps as standard
Double axles boat trailers have been made more visible on the roads with standard LED marker lamps.



Step-on fenders
Every Respo boat trailer is equipped with fenders that can easily withstand an average person's weight. This feature is very handy while towing or slipping your boat.




EasyFold lights
An extremely witty solution which makes the handling of the trailer much easier. You can effortlessly move rear lights to the sides without removing a single part from the trailer.



Winch and jockey wheel as standard
The sizes of the winch and jockey wheel vary between the trailer models.



Rear tilting frame
Rear tilting function offers great help in winching a boat onto the trailer. In addition to that you can keep your trailer hubs above the water.



Adjustable winch stand and side supports
Boats come in different sizes and shapes, thus a lot of emphasis has been put into details that would perfectly fit and support any boat on the trailer.



Water-proof hubs
Watertight hubs are a good protection for bearings and grease from the saltwater and grit.



Accessories
Ask your dealer for the availability of step ramps, spare wheel holders, LED lights and other custom solutions for your chosen trailer.




MODEL: **1000V 571 T209**

Art nr : **8521**

Our smallest braked boattrailer. Perfect for boats with a V-keel and with lengths up to 18 ft. In addition to tilt-function this trailer also has adjustable sidesupports with double-rolls on each side.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
18	5.74 x 2.10	1000	724	155R13




MODEL: **1350V 651 T209**

Art nr : **8422**

The 1350V561T209 is built for boats up to 20 ft and payloads up to 979 kg. This trailer comes with 185R14C tires which have a large radius and high durability.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
20	6.52 x 2.09	1350	979	185R14C




MODEL: **1200V 621 T209**

Art nr : **8880**

Our bestseller in the braked single axle trailer category. An ideal solution for boats up to 19 ft and boats weighing up to 900 kg. Double sidesupports in the back and single supports in the front ensure that the boat stays stable.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
19	6.22 x 2.10	1200	900	155R13C



MODEL: **1500V 681 T209**

Art nr : **8439**

Our biggest single axle boat trailer. Suitable for boats up to 21 ft. It also has 14" tires and many adjustable keel rolls give you the opportunity to spread the weight of the boat into many separate positions for great support.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
21	6.82 x 2.09	1500	1115	185R14C




MODEL: **1800V 662 T209**

Art nr : **5509**

Respo's 1800 kg boat trailer - the smallest double axle model with pro equipment. A strong welded frame and a length that can handle boats up to 21 ft. The trailer comes with a boardwalk in the centre to give you a more secure access to the boat.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
21	6.62 x 2.09	1800	1300	155R13



MODEL: **2700V 802 T230**

Art nr : **7468**

The 2700V802T230 is for boats up to 25 ft and can take as much as 1965 kg of payload. Double side supports in the back and front give your boat maximum support while being transported. It comes with 185R14C and as all the other two-axle boat trailers from Respo it also has a boardwalk in the middle as standard.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
25	7.94 x 2.30	2700	1965	185R14C



MODEL: **2000V 712 T230**

Art nr : **7655**

The 2000V712T230 is built for boats up to 22 ft. From this model and up, there are two-ton jacks fitted to make the adjusting of the boat simpler, even with the boat on the trailer.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
22	7.07 x 2.30	2000	1443	155R13



MODEL: **3500V 822 T252**

Art nr : **8960**

The 3500V822T230 is the trailer in the series with the largest payload capacity and can take up to 2600 kg. The trailer comes with 185R14C tires and handles boats up to 26 ft. This model can even be delivered in a long version for boats up to 28 foot. The trailer has a width of 252 cm and it makes it a real „full width“ trailer.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
26	8.23 x 2.52	3500	2600	185R14C




MODEL: **Multiroller 1800V 661 L209**

Art nr: **10807**

Our newest addition to the MR-series, which will complete our highly anticipated professional Multiroller range. Single axle with leaf springs makes this trailer unique, yet very easy to maneuver for the size it has. Double frame and 24+2 solid rolls. Side supports and walking ramps are included. All these options makes the trailer a truly professional boat trailer.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
20	6.55 x 2.09	1800	1325	185R14C




MODEL: **Multiroller 2700V 802 T230**

Art nr: **10493**

Robust yet light frame with self-adjusting multiroller system makes our MR-series perfect for standard as well as non-standard shaped boats. LED rear lamps, 32+4 total rolls and a double frame are only a few features from many to name of. Side supports and walking ramps are included.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
25	7.97 x 2.30	2700	1965	185R14C




MODEL: **Multiroller 2000V 712 T230**

Art nr: **10745**

The 2000 kg model is the smallest double axle trailer in our MR-series. It has 24+2 rolls that are connected through a system of brackets and arms that automatically adjust and realign themselves to the keel of your boat. Side supports and walking ramps are included. All these options makes the trailer a truly professional boat trailer.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
22	7.07 x 2.30	2000	1440	155R13



MODEL: **Multiroller 3500V 822 T252**

Art nr: **10234**

The biggest model in the MR-series, which we also consider as our flagship. LED rear lamps as standard. Total of 40+4 rolls can handle any boat with care up to 26 ft and 2616 kg. It is built to please even the most demanding customers' needs. Side supports and walking ramps are included.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
26	8.23 x 2.52	3500	2600	185R14C

Jetski trailers



Standard features



Solid and durable design
High-quality steel, galvanization and Magnelis coating make our strong frame constructions even more durable. Continuous engineering assures that Respo trailers always measure up to the highest market standards.



Balanced wheels
Respo is one of the few trailer manufacturers who has their trailer wheels balanced already in the factory. It extends the life of the tires and bearings greatly, also ensures a smooth ride on the road.



EasyFold lights
An extremely witty solution which makes the handling of the trailer much easier. You can effortlessly move rear lights to the sides without removing a single part from the trailer.




Adjustable winch stand
Every Respo boat trailer is equipped with adjustable winch stand. It guarantees suitability and an ease of use with any boat.




Step-on fenders
Every Respo boat trailer is equipped with fenders that can easily withstand an average person's weight. This feature is very handy while towing or slipping your boat.



Water-proof hubs
Watertight hubs are a good protection for bearings and grease from the saltwater and grit.



Wooden beams and rear keel roll
Wooden beams are covered with durable carpet to minimise the friction, together with the rear keel roll it will take the slightest effort to slide the PWC onto the trailer.




Accessories
Ask your dealer for the availability of step ramps, spare wheel holders, LED lights and other custom solutions for your chosen trailer.



Winch and jockey wheel as standard
The sizes of the winch and jockey wheel vary between the trailer models.



Photo: Espen Winther



MODEL: **750V 391 T179**

Art nr : **5349**

Our smallest jet-ski trailer is built for a two-seater machine. As all the other models in this series it has wooden beams mounted lower in the back and a center keel roll to make the job with loading and unloading easier. A through and through solid trailer with a lot of equipment.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
12	3.87 x 1.79	750	584	155R13



MODEL: **1000V 481 T179**

Art nr : **6591**

1000V481T179 is our braked version of 750V451T179. It has a total weight of 1000 kg and a payload of 780 kg. With a length of 4.89 m this is our biggest trailer for single jet-skis. It is braked and therefore offers more driving comfort during trailering. As greatly equipped as all our jet-ski trailers.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
15	4.89 x 1.79	1000	780	155R13




MODEL: **750V 451 T179**

Art nr : **5359**

The „big brother“ of our 750V391T179 is 55 cm longer and is built to handle a three seater jet-ski. It has a payload of 576 kg. This trailer is also built on a welded steel frame. A fully equipped jet-ski trailer.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
14	4.47 x 1.79	750	576	155R13



MODEL: **1350V 551 T255**

Art nr : **9340**


This trailer has fun written all over it. With ease, you'll fit two jetskis on one trailer and save yourself the trouble of taking two cars to get your family or a group of friends out to the water. There is enough space to fit two three-seater jet-skis on the trailer and as soon as you experience this trailer in action you'll see how fast and easy moving a jet-ski in and out of the water can be.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
12	5.55 x 2.55	1350	1023	165R13C

Trailers for Pioneer and other rotational moulded boats



Standard features



Solid and durable design

High-quality steel, galvanization and Magnelis coating make our strong frame constructions even more durable. Continuous engineering assures that Respo trailers always measure up to the highest market standards.



Adjustable winch stand

Every Respo boat trailer is equipped with adjustable winch stand. It guarantees suitability and an ease of use with any boat.



Balanced wheels

Respo is one of the few trailer manufacturers who has their trailer wheels balanced already in the factory. It extends the life of the tires and bearings greatly, also ensures a smooth ride on the road.



Winch and jockey wheel as standard

The sizes of the winch and jockey wheel vary between the trailer models.




Step-on fenders

Every Respo boat trailer is equipped with fenders that can easily withstand an average person's weight. This feature is very handy while towing or slipping your boat.



EasyFold lights

An extremely witty solution which makes the handling of the trailer much easier. You can effortlessly move rear lights to the sides without removing a single part from the trailer.




Minimum pressure to the boat

Large number of rolls ensure that the pressure is divided into multiple locations. Keel rolls are made of polyurethane. Rear tilting function offers a great help in winching a boat onto the trailer.



Water-proof hubs

Watertight hubs are a good protection for bearings and grease from the saltwater and grit.



Accessories

Ask your dealer for the availability of step ramps, spare wheel holders, LED lights and other custom solutions for your chosen trailer.



Respo selection of boat trailers for Pioneer boats are carefully and especially developed in cooperation with Pioneer to be a perfect fit for their boats.




MODEL: **750V 431 T160 Single**

Art nr: **8076**

This is one of our smallest trailers without brakes. It consists of profiles made from Magnelis. The trailer can have boats up to 13 ft on it. The rail system is best suited for flat-bottomed boats, like small RIB's and is also great for small rotation moulded boats.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
13	4.25 x 1.60	750	586	155R13



MODEL: **750V 511 T209**

Art nr: **8571**

This unbraked trailer has rails that can easily be fitted to boats like Pioneer 14, Pioneer 15 and Pioneer Viking. The tilt-function makes the loading and unloading easy and many small wheels on the rails give the even and steady support that rotation moulded boats love and need in order not to take any damage due to uneven pressure on the hull.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
16	5.16 x 2.09	750	522	155R13




MODEL: **750V 431 T160 Double**

Art nr: **5361**

This is one of our smallest trailers without brakes, and very similar to the 750V431T160 Single. The only difference are the rolls – this model has a row of rolls on both sides of the rails. The trailer can have boats up to 13 ft on it. The rail system is best suited for flat bottomed boats, like small RIB's and is also great for small rotation moulded boats.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
13	4.25 x 1.60	750	572	155R13



MODEL: **1000V 541 T209**

Art nr: **8947**

Identical to the 5.16m model and therefore fitting the same boats. This is the braked version that gives you added driving comfort during trailering. As the other boat trailers this also has the EasyFold solution on the lamps that makes it easy to use.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
17	5.40 x 2.10	1000	736	155R13





MODEL: 1200V 621 T209

Art nr : **8880**

For the bigger Pioneer boats like Pioner 17 Flexi and Pioner 17 Touring, the 1200V621T209 is an excellent choice. 7 orange polyurethane keel rolls and a tilt-function in the rear, make it simple to slide the boat into water. The side supports give the boat stability during transport and a strong winch gives you safety when taking the boat up.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
20	6.22 x 2.10	1200	900	155R13C



MODEL: 1350V 671 T229

Art nr : **7322**

A trailer specially designed for Pioner Multi III. The trailer is constructed to handle the unique keel on the Pioner Multi III. Tiltfunction with a total of 24 keelrolls handles the catamaran-keel with gentleness.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
17	6.75 x 2.29	1350	882	185R14C




Beach trailers



Standard features



Solid and durable design
High-quality steel, galvanization and Magnelis coating make our strong frame constructions even more durable. Continuous engineering assures that Respo trailers always measure up to the highest market standards.



Minimum pressure to the boat
Large number of rolls ensure that the pressure is divided into multiple locations of the boat. Keel rolls are made of polyurethane (PU) which makes them extremely sturdy yet soft - to avoid any damages your boat might get. PU rolls retain their original form no matter what.



Balanced wheels
Respo is one of the few trailer manufacturers who has their trailer wheels balanced already in the factory. It extends the life of the tires and bearings greatly, also ensures a smooth ride on the road.



Adjustable winch stand
Every Respo boat trailer is equipped with adjustable winch stand. It guarantees suitability and an ease of use with any boat.



Winch and jockey wheel as standard
The sizes of the winch and jockey wheel vary between the trailer models.




Rear tilting frame
Rear tilting function offers a great help in winching a boat onto the trailer. In addition to that you can keep your trailer hubs above the water.



Adjustable side supports
Side supports grant a great stability for the boat. Manual adjusting function is especially favorable while driving on bumpy roads during which the position of the side rolls stay the same at all times.



Water-proof hubs
Watertight hubs are a good protection for bearings and grease from the saltwater and grit.



Accessories
Ask your dealer for the availability of step ramps, spare wheel holders, LED lights and other custom solutions for your chosen trailer.






MODEL: **750V 481 J160**

Art nr : **8253**

Our smallest beach trailer is a solid trailer with fully welded and galvanized steel frame. It comes complete with jockey wheel, adjustable winch stand and a winch. This trailer will handle boats up to 15 ft and weights up to 620 kg.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
15	4.85 x 1.55	750	620	155R13




MODEL: **1300V 651 J182**

Art nr : **4931**

Our best-seller of the beach trailers. We have taken many of the good solutions from our boat trailers and transferred over. It has a solid welded steel frame, tilt-function that makes your job easier and a total of 5 adjustable keel rolls. It even has a jockey wheel and an adjustable winch stand. This beach trailer is suited for a large number of different boats with sizes up to 20 ft and payloads up to 1020 kg.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
20	6.56 x 1.83	1300	1020	185R14C




MODEL: **1000V 561 J182**

Art nr : **10012**

1000V561J182 is a beach trailer with the same great features and practical details as the rest of the series. The trailer has a payload of 777 kg, and is constructed for boats up to 17 ft. From this trailer and upwards a reinforced professional 400 kg jockey wheel is standard.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
17	5.47 x 1.81	1000	777	155R13




MODEL: **1500V 651 J182**

Art nr : **5151**

The 1500V651J182 is our largest single axle beach trailer. It has the same qualities as its smaller siblings, but with even more keelrolls and an additional set of side supports. It has a payload of 1213 kg and can manage boats up to 20 ft.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
20	6.43 x 1.84	1500	1213	185R14C



MODEL: 2000V 682 J210

Art nr: **8254**

The 2000V682J210 is the smallest of our double-axle beach trailers. This is a solid trailer that stretches 6.89 m. It is constructed for boats up to 21 ft and has a payload of 1640 kg. A well equipped beach trailer that will give your boat a gentle treatment.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
21	6.89 x 2.10	2000	1640	155R13



MODEL: 3500V 792 J233

Art nr: **8255**

The 3500V792J233 is our largest and best equipped beach trailer and can be used for boats up to 25 ft and has a payload of 2851 kg. The trailer comes with a boardwalk as standard. It has our strongest winch and has a solid winch stand. It has 4 double side supports with two-ton jacks that are adjustable. The trailer has 8 extra wide keel-rolls made from durable polyurethane and a 400 kg professional jockey wheel. The coupling is made from cast iron.

Boat length (ft)	Dimensions (m)	Gross weight (kg)	Payload (kg)	Wheel size
25	7.88 x 2.28	3500	2851	185R14C



Contact



Respo Haagised AS
Tamme 21
Ülenurme vald
61715 Tartumaa

This brochure was compiled based on information that was accurate prior to product launch.

Our continuous development of our products may result in changes to our range or individual models from time to time.

Please check with your local Respo dealer for further details and availability of our models at the time of placing an order.

No part of this material may be used or reproduced in any manner whatsoever without permission.

Respo haagised 2016. All rights reserved.

Your dealer:

