
GRIPTECH TYRE MOUNTING



OTR TYRE HANDLING INNOVATED BY RÖSLER



SAFETY WITHOUT COMPROMISE

An incredible amount of innovation went into the design of the GRIPTECH. We cast aside every preconception and focused from the beginning on safety. We refused to rest until it's the best OTR tyre handler it can possibly be. No one has ever created anything like the GRIPTECH OTR mounting machine. And we can't wait to see how our innovation will change the industry.


















TO US, EVERY LITTLE THING MATTERS

You instantly recognize that during the designing process of the GRIPTECH, safety has been our main focus. Instead of using 2 arms and deforming the tyre, the GRIPTECH fixes the tyre at 3 points and allows the operator to handle the tyre in a much safer way, than any other common tyre handler.



TECHNICAL DETAILS

Max. Tyre size 70/70-57 Loader tyre 59/80R63 Haulage tyre

Min. Tyre size 26.5R25

Max. Diameter 4300 mm / 169 inch

Min. Diameter 1600 mm / 63 inch

Max. Last 11 ton/24250lbs

EQUIPMENT REQUIREMENTS

Arm reach 3100 mm

Overall length 3450 mm

Overall width 4346 mm

Overall height 3469 mm



Rösler Tyre Innovators GmbH & Co. KG Meinhardstr. 6 // 44379 Dortmund // Germany Phone +49 231 917078-00 // Fax +49 231 917078-11 e-Mail roesler@roesler-tyres.com

www.roesler-tyres.com