



SMY®

Şahin Motor Yatakları

Misyonumuz

Şahin Motor Yatakları, 60 yıllık tecrübe ile gelen mühendislik birikimi, yüksek ve sürekli kalite anlayışı, esnek üretim kabiliyeti ve Türkiye içinde satış sonrası hizmet veren tek motor yatağı firması olması ile otomotiv yan sanayii pazarında stratejik bir konumda yer almaktadır. Misyonumuz; kurumsal bir şirket kimliğinde, yerel ve global değerlere sahip çıkarak, kendini yenileyen, dinamik, dışa açık ve rekabetçi bir stratejiyi benimsemek, çalışanlarımız, müşterilerimiz ve ortaklarımız için ortak değerler yaratmak ve Şahin'in pazardaki yerini güvenilir bir marka olarak pekiştirmektir.

Profil

Şahin Motor Yatakları 1955 yılından beri motor yatağı üretiminde faaliyet göstermektedir. Şirketimiz bugün 1000'den fazla motor yatağı kalıbına sahip olup, dünyada kullanılmakta olan pek çok benzinli ve dizel araç motoruna ürün sağlamaktadır. Ayrıca, sektördeki tecrübesi ve mühendislik birikimi ile piyasaya sunulan yeni motorlar için de kalıp üretebilme kabiliyetine sahiptir.

Şirketimiz benzinli ve dizel her tür motor için kalın ve ince cidarlı yatak imal etmektedir. Ürün yelpazesi ana yatak, kol yatak, ay yatak, kol burcu ve eksantrik burçlarından oluşmaktadır.

Şahin, ürünlerini, Türkiye ve dünyada pek çok ana araç üreticisine (OEM), bu üreticilerin yedek parça servislerine (OES), satış sonrası yedek parça pazarına ve ihaleler yolu ile resmi kuruluşlara satmaktadır. Türkiye'de yedek parça pazarına satış, ülke geneline yayılmış bayi teşkilatımız aracılığı ile yapılmaktadır. Şahin, bugüne kadar 50'yi aşkın ülke ve 5 kıtaya ihracat faaliyetinde bulunmuştur. Şu anda aktif olarak ihracat yapılan ülkeler arasında Fransa, İngiltere, İtalya, Romanya, Bulgaristan, Hollanda, Macaristan, İran, Pakistan, Mısır, Fas, Nijerya, Amerika, Avusturalya ve Güney Afrika bulunmaktadır.

ISO-TS 16949 ve ISO 9001:2008 Kalite Yönetim Sistemi, ISO 14001:2004 Çevre Yönetim Sistemi ve ISO 18001:2007 İş Sağlığı ve Güvenliği Yönetim Sistemi belgelerine sahip firmamızda daima daha iyisini araştırmak ve daha iyisini yapmak kuralı ile çalışılmaktadır.

Ürünlerimiz, kalite, fiyat ve satış sonrası hizmetler açısından müşterilerimizin beğenisini kazanmıştır ve küreselleşen dünyamızda önde gelen büyük firmalar tarafından da tercih edilmektedir.

Ürün verdiğimiz taşıt ve araçlar:

- Binek Otomobilleri
- Ticari Araçlar
- Otobüsler
- Kamyonlar
- Traktörler
- Tanklar ve diğer askeri araçlar
- Hava kompresörleri
- Deniz vasıtaları (deniz otobüsü, hücum bot, şilep v.b.)
- Lokomotifler
- Jenaratörler
- Sanayi makinaları

BU KATALOG NASIL KULLANILIR

TR EN FR DE

Katalog içinde yer alan kısaltmalar:

ÜRÜN TİPİ

- KL : KOL YATAK
AN : ANA YATAK
AY : AY YATAK
KB : KOL BURCU
EB : EKSANTRİK BURÇ
DB : DİĞER BURÇLAR

MALZEME TİPİ

- SA : ÇELİK ZIRHLI, ALUMİNYUM- KALAY ALAŞIMLI
SAP : ÇELİK ZIRHLI, ALUMİNYUM- KALAY ALAŞIMLI, KAPLAMALI
LC : ÇELİK ZIRHLI, BAKIR-KALAY-KURŞUN ALAŞIMLI, KAPLAMALI
L : ÇELİK ZIRHLI, BAKIR-KALAY-KURŞUN ALAŞIMLI
LF : KURŞUNSUZ
ALSI : ÇELİK ZIRHLI, ALÜMİNYUM-KALAY-SİLİSYUM ALAŞIMLI
M : ÇELİK ZIRHLI, BEYAZ METAL
A : BÜTÜN ALUMİNYUM

TAKIM NUMARASI: Takımlanan ürünün Şahin numarası, kutunun üstündeki etikette bu numara yer alır.

Örneğin:

KL 4286 LC Bir takım numarasıdır

↓ ↓ ↓ ↓

Yatağın çelik zırhlı, bakır-kurşun veya bronz kurşun, kalay kaplamalı hammaddeden yapılmış olduğunu gösterir

"286" Sıra numarasına işaret etmektedir.

Baştaki "4" sayısı takımda 4 çift yatak bulunduğunu gösterir.

Bir Kol Yatak takımı olduğuna işaret eder.

ÇİFT: Çift sütununda yer alan rakamlar kol burcu (kb) ve eksantrik burç (eb) için çift sayısını değil, tek adedi göstermektedir. Rakamın yanında "pcs" ibaresinin yer aldığı durumlarda da yatağın o takımdaki tek adet sayısına işaret eder.

PARÇA NUMARASI: Şahin yarım yatak numarasına işaret eder.

Our Mission Statement

Şahin Engine Bearings holds a strategic position in the Turkish automotive spare parts industry with its production flexibility, emphasis on high quality standardization, engineering expertise of 60 years and its after sales service practice that is unrivalled in the industry. Our mission is to implement a dynamic, outgoing and competitive strategy through embracing our corporate identity and focusing on continuous improvement of our processes both on domestic and international levels that will help create shared values for our customers, employees and shareholders and strengthen our brand name as a leading producer of engine bearings.

Profile

Şahin Engine Bearings operates as an engine bearing manufacturer since 1955. Today, Şahin has a coverage of more than 1000 dies which enables the company to supply bearings for petrol and diesel engines worldwide. New markets and new engines are tangible targets thanks to its engineering expertise in the field.

Şahin carries out the mass production of thin and thick wall bearings for all types of petrol and diesel engines. The product range consists of main bearings, connecting rod bearings, thrust washers, connecting rod bushes and eccentric bushes.

Şahin markets its products to original equipment manufacturers (OEM's), original equipment services (OES's), after-sales spare parts market and state enterprises both domestic and worldwide. We have an established sales network consisting of wholesale dealers that distribute our products to the spare parts market and repair shops in Turkey. Our target is to further expand our dealer network and increase our penetration in different regions of Turkey. Şahin has exported its products to more than 50 countries in 5 continents over the years. We are currently active in Europe, Middle East, Africa and South America.

As a company that has been awarded with the ISO-TS 16949:2002, ISO 9001:2008, ISO 14001:2004 and ISO 18001:2007 quality certificates, we constantly strive to achieve a higher quality standard.

"Şahin Bearings" have been recognized worldwide as the product of choice in terms of quality, competitive prices and extensive after sales service.

We owe this to our implementation of up-to-date technologies, our adaptation of a modern-day management style and team spirit.

We provide bearings for engines of the following vehicles & equipment:

- Passenger Vehicles
- Commercial Vehicles
- Buses
- Trucks
- Tractors
- Tanks and other military vehicles
- Air compressors
- Marine vehicles
- Trains
- Power generators
- Industrial machines

HOW TO USE THIS CATALOG

TR **EN** FR DE

ABBREVIATIONS:

PRODUCT RELATED


KL : CON-ROD BEARING
AN : MAIN BEARING
AY : THRUST WASHER
KB : CON-ROD BUSH
EB : CAM SHAFT BUSH
DB : OTHER BUSHES

RAW MATERIAL RELATED

SA : STEEL BACK, ALUMINIUM – TIN ALLOY
SAP : STEEL BACK, ALUMINIUM – TIN ALLOY, OVERLAY
LC : STEEL BACK, COPPER – LEAD – TIN ALLOY, OVERLAY
L : STEEL BACK, COPPER – LEAD – TIN ALLOY
LF : LEAD FREE
ALSI : STEEL BACK, ALUMINIUM-TIN-SILICON ALLOY
M : STEEL BACK, WHITE METAL ALLOY
A : SOLID ALUMINIUM

SET NUMBER: THE SET NUMBER OF THE PRODUCT AS SOLD IN THE MARKET

EX:



PAIRS: IN THE PAIRS COLUMN THE NUMBERS FOR CON-ROD BUSHES AND CAM-SHAFT BUSHES INDICATES PIECES NOT PAIRS. ALL OTHER FIGURES IN THIS COLUMN INDICATE PAIRS UNLESS OTHERWISE NOTED AS "PCS"

SHELL NUMBER: INDICATES SAHIN SHELL REFERENCE

Notre Mission

Sahin Coussinet de Moteur est situé dans une position stratégique dans la marché de l'automobile avec 60 ans d'expertise en ingénierie qui vient avec l'expérience, approche qualité élevée et constante, la capacité de production flexible et la seule société de coussinet de moteur servient après vente en Turquie. Notre mission est d'adopter une stratégie dynamique, extérieur orienté et concurrentielle dans une identité d'entreprise protégeant les valeurs locales et globales, de créer des valeurs partagées pour nos salaires clients et actionnaires, et de corroborer la situation de Sahin dans la marche comme une marque de confiance.

Profil

Sahin Coussinet de Moteur fonctionne comme le fabricant coussinet de moteur depuis 1955. Aujourd'hui, Sahin a une couverture de plus de 1000 et fourni la coussinet de moteur pour beaucoup moteur benzin et diesel dans le monde entier. D'ailleurs, il est capable de produire des moules pour les moteurs nouveau avec l'expérience et l'expertise de l'ingénierie dans le secteur.

Notre société produit le coussinet de moteur épais et mince pour toutes les types de moteurs benzin et diesel. La gamme de produit contient le coussinet de palier, de bielle, le flasque de butée, la bague de bielle et la bague autre.

Sahin vende ses produits aux fabricant de voiture, aux services pièce de réchange, au marché pièce de réchange après-vente et les institutions officielles par les adjudications en Turquie et dans le monde. Nous avons un réseau de distribution établi constitué de grossistes qui distribué nos produits pour le marché des pièces de rechange et ateliers de réparation en Turquie. Sahin a exporté ses produits plus de 50 pays dans les 5 continents au cours des années. Nous exportons actuellement en Europe, Le Moyen-Orient, L'Afrique et L'Amerique du Sud.

Notre société a les certificats de qualité ISO-TS 16949 et ISO 9001:2008, l'environnement ISO 14001:2004 et Santé Au Travail et Système de Gestion de la Sécurité 18001:2007. Nous nous efforçons constamment d'atteindre un niveau de qualité supérieure.

"Sahin Coussinet de Moteur" ont été reconnus dans le monde éntier comme le produit de choix en terme de prix concurrentiels de qualité et une vaste service après-vente.

Nous fournissons le coussinet de moteur pour les moteurs des vehicules suivante:

- Voitures particulières
- Véhicules Utilitaires
- Buses
- Camions
- Tracteurs
- Tanks et les autres véhicules militaires
- Compresseurs aériens
- Véhicules marins
- Trains
- Générateurs de pouvoir
- Machines industrielle

COMMENT UTILISER CE CATALOGUE

TR EN **FR** DE

ABRÉVIATIONS:

TYPE DE PRODUIT


- KL : COUSSINET DE BIELLE
- AN : COUSSINET DE PALIER
- AY : FLASQUE DE BUTÉE
- KB : BAGUE DE BIELLE
- EB : BAGUE D'ARBRE À CAME
- DB : BAGUE D'AUTRE

TYPE DE MATIÈRE PREMIÈRE

- SA : ALUMINIUM-ETAIN ALLIAGE SUR SUPPORT ACIER
- SAP : ALUMINIUM-ETAIN ALLIAGE SUR SUPPORT ACIER, REVÊTEMENT
- LC : CUIVRE-ETAIN-PLOMBE ALLIAGE SUR SUPPORT ACIER, REVÊTEMENT
- L : CUIVRE-ETAIN-PLOMBE ALLIAGE SUR SUPPORT ACIER
- LF : SANS PLOMB
- ALSI : ALUMINIUM-ETAIN-SILICIUM ALLIAGE SUR SUPPORT ACIER
- M : METAL BLANC SUR SUPPORT ACIER
- A : ALUMINIUM SOLIDE

NUMÉRO SET: LE NUMÉRO SET DU PRODUIT TEL QUE VENDU DANS LA MARCHÉ

EX:



PAIRES: LES NUMÉROS DANS LES PAIRES COLONNES INDIQUENT PIÈCES NON LA PAIRE POUR LA BAGUE DE BIELLE ET D'ARBRE À CAME. TOUTES LES NUMÉROS DANS CETTE COLONNE INDIQUENT PAIRES SAUF CONTRAIRE COMME "PCS".

NOMBRE DE PARTIE: INDIQUE SAHIN REFERENCE DE PARTIE

Mission

Sahin Gleitlager hält eine strategische Position in der türkischen Automobilteileindustrie. Mit ihrer Flexibilität in der Produktion, ihrem hohen Anspruch für Qualitätsstandard und Engineering-Know-how mit 60 Jahren, ist sie ein Unternehmen in der Branche die ihresgleichen sucht.

Unsere Mission ist es, eine dynamische und offene Wettbewerbsfähige-Strategie, unter Berücksichtigung der Unternehmensidentität und der Konzentration auf die kontinuierliche Verbesserung unserer Prozesse sowohl auf nationaler und internationaler Ebene zu führen. Das wird dazu beitragen gemeinsame Werte, für unsere Kunden, Mitarbeiter und Teilhaber zu schaffen, um somit unsere Marke als führender Hersteller von Gleitlagern zu implementieren.

Profil

Sahin ist Hersteller von Gleitlagern seit 1955 und verfügt derzeit mehr als 1000 Werkzeuge, welche unserem Unternehmen ermöglicht weltweit die Lagersätze für Diesel- und Benzinmotoren anzubieten. Dank des Engineering-Know-Hows in der Gleitlagertechnologie können wir stets unsere Märkte für verschiedene Motorarten erweitern.

Sahin führt die Massenproduktion von verschiedenen Wanddicken für alle Arten von Benzin- und Dieselmotoren. Die Produktpalette besteht aus Hauptlager, Pleuellager, Anlaufscheiben, Pleuelbuchsen sowie exzentrischen Buchsen.

Sahin vertreibt seine Produkte an Original Equipment Manufacturer (OEM), Original Equipment Services (OES), After-Sales-Ersatzteilmarkt und staatliche Unternehmen sowohl national als auch international. Wir haben ein etabliertes Vertriebsnetz, bestehend aus Großhändlern, die unsere Produkte auf den Ersatzteilmarkt und in den Reparaturwerkstätten in der Türkei verteilen. Unser Ziel ist es, unser Händlernetz in verschiedenen Regionen auszubauen, um somit unsere Marktpenetration zu erhöhen. Sahin exportiert seine Produkte in mehr als 50 Ländern auf 5 Kontinenten. Wir sind derzeit im Nahen Osten, in Europa, Afrika und Südamerika aktiv.

Als Unternehmen, das mit den ISO-TS 16949:2002, ISO 9001:2008, ISO 14001:2004 und OHSAS 18001:2007 Qualitätszertifikaten ausgezeichnet ist, sind wir ständig bestrebt, einen höheren Qualitätsstandard zu erreichen. Sahin Gleitlager haben sich weltweit als das Produkt der Wahl in Bezug auf Qualität, wettbewerbsfähige Preise und mit einem umfassenden After-Sales-Service einen Namen gemacht. Dies verdanken wir unserer Umsetzung der up-to-date-Technologie, unsere Anpassung eines modernen Führungsstils und Teamgeist.

Wir bieten Lagersätze für Motoren der folgenden Fahrzeuge und Geräte:

- Personenkraftfahrzeuge
- Nutzfahrzeuge
- Busse
- Lastkraftwagen
- Zugmaschinen (Traktoren)
- Panzer und andere militärische Fahrzeuge
- Druckluftkompressoren
- Marinefahrzeuge
- Eisenbahnzüge
- Stromerzeuger
- Industriemaschinen

BENUTZERHINWEISE

TR EN FR **DE**

ABKÜRZUNGEN:

PRODUKT BEZOGEN


- KL : PLEUELLAGER
- AN : HAUPTLAGER
- AY : ANLAUFSCHNEIBEN
- KB : PLEUELBUCHSEN
- EB : NOCKENWELLENLAGER
- DB : ANDERE BUCHSEN

ROHMATERIAL BEZOGEN

- SA : STAHLRÜCKEN ALUMINIUM
- SAP : STAHLRÜCKEN ALUMINIUM, MIT GLEITSCHICHT
- LC : STAHLRÜCKEN SINTERBRONZE OHNE GLEITSCHICHT
- L : STAHLRÜCKEN BRONZE- MIT BLEI
- LF : BLEIFREI
- ALSI : STAHLRÜCKEN, ALUMINIUM SILIKON LEGIERUNG
- M : STAHLRÜCKEN, WEISSMETALL
- A : ALUMINIUM

SATZ-NUMMER: DIE SATZ-NUMMER DES PRODUKTS WIE ES IM MARKT VERKAUFT WIRD

BEISP.:



PAARE: IN DER SPALTE 'PAARE' FÜR PLEUELBUCHSEN UND NOCKENWELLENLAGER HANDELT ES SICH STETS UM STÜCKZAHLEN, IST IMMER ANGEZEIGT. BEI ALL ANDEREN LAGERN HANDELT ES SICH STETS UM PAARE.

EINZELTEILNUMMER: KENNZEICHNET DIE NUMMER EINES EINZIGEN LAGER

İçindekiler / Index

AUSTIN / LEYLAND / BMC

BEDFORD

BERLIET

CITROEN

CUMMINS

FIAT

DACIA

FIAT IVECO

FIAT TRACTOR

FORD TRACTOR (NEW HOLLAND)

FORD TRUCK

FORD PASSENGER CARS & LIGHT COMMERCIAL

FORD TRACTOR

HONDA

HYUNDAI

JOHN DEERE

INTERNATIONAL

ISUZU

KIA

K.H.DEUTZ

KOMATSU

LEYLAND

LADA

LISTER

MAZDA

MASSEY FERGUSON / PERKINS

MITSUBISHI

NISSAN

OPEL

RENAULT

RENAULT TRUCK

SUZUKI

TALBOT

TOYOTA

UNIVERSAL TRACTOR

VALMET

VOLKSWAGEN

VOLVO

ZETOR

STEYR

SKODA

SHIBAURA





SAME

PEUGEOT

ALFA ROMEO

KUBOTA

ALFA ROMEO



a)

301.00 / 301.68 / 301.24

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.00 X 67.20 mm
3.30 X 2.64

MODEL




33 / ALFA SUD

CC

1490 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4350 SA	Kol Yatak Con-rod bearing	4	2536	49.992 / 50.000 mm	53.696 / 53.708 mm	1.828 / 1.836 mm	17.800 mm	0.024 / 0.060 mm

AUSTIN / LEYLAND / BMC



a)

T 18

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
80,25 mm

MODEL
LEVEND 1.8 TDI

CC
1798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5224 SA	Ana Yatak Main bearing	3	2113	54.013 - 54.025	57.683-57.696 2.2709 " / 2.2715 "	1.84 .0724 "	27.85 1.096 "	
		2	2114	54.013 - 54.025	57.683-57.696	1.84	18.90	
KL 4269 LC	Kol Yatak Con-rod bearing	4	2112	51.60 mm	53.333-55.346 2.1863 " / 2.1789 "	1.85 .0728 "	21.45 .844 "	

AUSTIN / LEYLAND / BMC



a)

B SERIES

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.260 x 88.900 mm
3.1598 " x 3.500 "

MODEL




AUSTIN, 1800, 1800S, TM 30

CC

1798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5145 SA	Ana Yatak Main bearing	3	1470	54.013 - 54.026 2.1265 " / 2.1270 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.80 .071 "	28.70 1.2299 "	
		2	1471	54.013 - 54.026 2.1265 " / 2.1270 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.80 .071 "	19.55 .7701 "	
AY 2065 SA	Ay Yatak Thrustwasher	2	1781	59.436 - 59.690 2.3400 " / 2.3500 "	74.498 - 74.752 2.9330 " / 2.9430 "	2.34 .092 "		
EB 3005 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2237	49.560-49.570 1.9511" / 1.9515 "	52.502-52.527 2.0670" / 2.0679 "	1.46 .0574 "	37.35 1.4704"	
		1 Pcs.	2238	48.760-48.770 1.9196" / 1.9200 "	51.740-51.765 2.0370" / 2.038 "	1.48 .0582 "	28.75 1.1318"	
		1 Pcs.	2239	43.910-43.920 1.7287" / 1.7291 "	47.117-47.142 1.855" / 1.8559 "	1.58 .0622 "	20.80 .8188"	
KB 4008 L	Kol Burcu Con-rod bush	4 Pcs.	1713	25.400 1.000 "	28.575 1.1250 "	1.73 .0682 "	27.00 1.0630 "	
KL 4201 LC	Kol Yatak Con-rod bearing			1.8759 " / 1.8764 "	2.0210 " / 2.0215 "	.072 "	.785 "	
		4	1469	47.648 - 47.661	51.333 - 51.346	1.83	19.93	

AUSTIN / LEYLAND / BMC



a)

TD 25

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

92.900 x 100.000 mm
3.65 " x 3.93 "

MODEL




LEVEND 14+1 / 17+1 MINIBUS / LEVEND MDV
- MDH MINIBUS

CC

2496 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5187 LC	Ana Yatak Main bearing	5	1843	70.900 - 70.920 2.7914 " / 2.7922 "	74.980 - 75.000 2.9520 " / 2.9528 "	2.008 .0791 "	26.10 1.0276 "	0.044 - 0.104 .0018 " / .0041 "
AY 2094SA	Ay Yatak Thrustwasher	2	2369	78.600	93.800	2.337		
KB 4041L	Kol Burcu Con-rod bush	4 Pcs.	2368	28.000 1.1024"	31.000 / 31.020 1.2205" / 1.2213"	1.530 0.0602"	33.250 1,3090"	
KL 4235 LC	Kol Yatak Con-rod bearing	4	1842	56.913 - 56.926 2.2407 " / 2.2412 "	59.987 - 60.000 2.3617 " / 2.3622 "	1.509 .0594 "	26.10 1.0276 "	0.043 - 0.085 .0017 " / .0034 "

AUSTIN / LEYLAND / BMC



a)

57 J / 57 JC / 57 VD

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 120.000 mm

3.9370 " x 4.7244 "

MODEL




TM 140

CC

5655

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7125 SA	Ana Yatak Main bearing	3	1147	82.537 - 82.550 3.2495 " / 3.2500 "	86.805 - 86.830 3.4175 " / 3.4185 "	2.10 .082 "	28.70 1.1299 "	0.053 - 0.103 .0021 " - .0041 "
		4	1148	82.537 - 82.550 3.2495 " / 3.2500 "	86.805 - 86.830 3.4175 " / 3.4185 "	2.10 .082 "	40.77 1.6051 "	0.053 - 0.103 .0021 " - .0041 "
KB 6003 L	Kol Burcu Con-rod bush	6 Pcs.	1626	34.917 - 34.930 1.3747 " / 1.3752 "	39.688 - 39.702 1.5625 " / 1.5631 "	2.55 .100 "	31.87 1.2547 "	
KL 6154 SA	Kol Yatak Con-rod bearing	6	1146	66.662 - 66.675 2.6245 " / 2.6250 "	70.396 - 70.409 2.7715 " / 2.7720 "	1.84 .072 "	31.11 1.2252 "	0.0039 - 0.077 .0016 " - .003 "

BEDFORD



a)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.425 x 107.950
3.8750 " x 4.2500 "

MODEL




C3, D, D3, K, S3, T, TJ, TKEV SERIES

CC

3285

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5134 SA	Ana Yatak Main bearing	2	430	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	27.12 1.067 "	0.050 - 0.114
		1	431	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	31.11 1.2248 "	0.050 - 0.114
		1	432	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	34.46 1.3567 "	0.050 - 0.114
		1	433	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	35.30 1.3898 "	0.050 - 0.114
KB 4005 L	Kol Burcu Con-rod bush	4 Pcs.	1647	34.912 - 34.925 1.3745 " / 1.3750 "	38.100 - 38.125 1.500 " / 1.5010 "	1.77 .0696 "	35.05 1.3799 "	0.050 - 0.114
KL 4070 SA	Kol Yatak Con-rod bearing	4	429	60.300 - 60.325 2.3740 " / 2.3750 "	63.995 - 64.008 2.5195 " / 2.5200 "	1.80 .0709 "	31.80 1.2520 "	0.050 - 0.100 .0020 - .0040

BEDFORD



a)

300

6 Cylinders,Petrol/ Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.425 x 107.950 mm
3.8750 " x 4.2500 "

MODEL

J, S1, S2, SA, T, TKV, TJ SERIES

CC

4927

b)

330

6 Cylinders,Petrol/ Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

103.175 X 107.950 mm
4.0620" X 4.2500 "

MODEL





J SERIES

CC

5420

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 7180 SA	Ana Yatak Main bearing	4	430	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	27.12 1.067 "	0.050 - 0.114
		1	431	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	31.11 1.2248 "	0.050 - 0.114
		1	432	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	34.46 1.3567 "	0.050 - 0.114
		1	433	69.837 - 69.850 2.7495 " / 2.7500 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.08 .082 "	35.30 1.3898 "	0.050 - 0.114
KB 6005 L	Kol Burcu Con-rod bush	6 Pcs.	1647	34.912 - 34.925 1.3745 " / 1.3750 "	38.100 - 38.125 1.500 " / 1.5010 "	1.77 .0696 "	35.05 1.3799 "	
KL 6209 SA	Kol Yatak Con-rod bearing	6	429	60.300 - 60.325 2.3740 " / 2.3750 "	63.995 - 64.008 2.5195 " / 2.5200 "	1.80 .0709 "	31.80 1.2520 "	0.050 - 0.100

BERLIET



a)

4 Cylinders,Diesel

PISTON ÖLÇÜLERİ/PISTON SIZE

120.000 x 140.000 mm
4.7244 " x 5.5118 "

MODEL




M 420 MAGIC

CC

6333

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5222 LC	Ana Yatak Main bearing	3	2078 1-3-5	89.940 - 89.960 3.5409 " - 3.5417 "	96.000 - 96.027 3.7795 " - 3.7806 "	2975 .1171 "	63.62 2.5047 "	0.090 - 0.161 .0035 " - .0063 "
		2	2079 2-4	89.940 - 89.960 3.5409 " - 3.5417 "	96.000 - 96.027 3.7795 " - 3.7806 "	2975 .1171 "	40.25 1.5846 "	0.090 - 0.161 .0035 " - .0063 "
KL 4268 LC	Kol Yatak Con-rod bearing	4	2077	83.960 - 83.980 3.3055 " / 3.3063 "	90.000 - 90.020 3.5433 " / 3.5441 "	2975 .1171 "	45.00 1.7717 "	0.070 - 0.134 .0028 " / .0053 "

BERLIET



a)

MIDR 06 35 40

6 Cylinders,Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

135.000 x 140.000 mm
5.3149 " x 5.5118 "

MODEL




M 6.35.40A, C/M 6.35CD,CP/MD 06.35.40
06.35.40/MIDS, 06.35.40 B/MIDR
06.35.40 C, G, H
M 620 MAGIC , P , T , Z , MDZ 23 , MH 620

CC

12024

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7267 LC	Ana Yatak Main bearing	3	2078 1-4-7	89.940 - 89.960 3.5409 " - 3.5417 "	96.000 - 96.027 3.7795 " - 3.7806 "	2975 .1171 "	63.62 2.5047 "	0.090 - 0.161 .0035 " - .0063 "
		4	2079 2-3-5-6	89.940 - 89.960 3.5409 " - 3.5417 "	96.000 - 96.027 3.7795 " - 3.7806 "	2975 .1171 "	40.25 1.5846 "	0.090 - 0.161 .0035 " - .0063 "
KL 6019 LC	Kol Yatak Con-rod bearing	6	265	83.960 - 83.980 3.3055 " / 3.3063 "	90.000 - 90.020 3.5433 " / 3.5441 "	2975 .1171 "	45.00 1.7717 "	0.070 - 0.134 .0028 " / .0053 "
KL 6297 LC	Kol Yatak Con-rod bearing	6	2077	83.960 - 83.980 3.3055 " / 3.3063 "	90.000 - 90.020 3.5433 " / 3.5441 "	2975 .1171 "	45.00 1.7717 "	0.070 - 0.134 .0028 " / .0053 "

CITROEN



a)

XM7T

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.000 x 81.000 mm
3.3071 " x 3.1890 "

MODEL

C 25

CC

1796

b)

XN1, XN1P, XNA, XN1T

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.000 x 81.000 mm
3.4646 " x 3.1890 "

MODEL





C 25, C 32, UTILITAIRE

CC

1971

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5193 SA (OLD TYPE)	Ana Yatak Main bearing	1	1860 1	59.401 - 59.416 2.3386 " / 2.3392 "	63.227 - 63.246 2.4893 " / 2.4900 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1861 2	58.548 - 58.573 2.3050 " / 2.3060 "	62.384 - 62.403 2.4561 " / 2.4568 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1862 3	57.174 - 57.189 2.2509 " - 2.2515 "	61.000 - 61.019 2.4016 " / 2.4023 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1863 4	56.140 - 56.165 2.2102 " / 2.2112 "	59.976 - 59.995 2.3613 " / 2.3620 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1864 5	54.905 - 54.920 2.1616 " / 2.1622 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.889 .0744 "	29.35 1.1555 "	0.033 - 0.080 .0013 " / .0032 "
AN 5194 SA (NEW TYPE)	Ana Yatak Main bearing	1	1865 1	59.401 - 59.416 2.3386 " / 2.3392 "	63.227 - 63.246 2.4893 " / 2.4900 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1866 2	58.548 - 58.573 2.3050 " / 2.3060 "	62.384 - 62.403 2.4561 " / 2.4568 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1867 3	57.174 - 57.189 2.2509 " - 2.2515 "	61.000 - 61.019 2.4016 " / 2.4023 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1868 4	56.140 - 56.165 2.2102 " / 2.2112 "	59.976 - 59.995 2.3613 " / 2.3620 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1869 5	54.905 - 54.920 2.1616 " / 2.1622 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.889 .0744 "	29.35 1.1555 "	0.033 - 0.080 .0013 " / .0032 "
KL 4238 SA	Kol Yatak Con-rod bearing	4	1859	49.975 - 49.991 1.9675 " / 1.9681 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.819 " .0717 "	23.40 .9213 "	0.026 - 0.071 .0011 " / .0028 "

CITROEN



a)

XD88 , XDP88

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.000 x 80.000 mm
3.4645 " x 3.1496 "

MODEL




HY D

CC

1948

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5199 SA	Ana Yatak Main bearing	3	1886 1-3-5	54.994 - 55.009 2.1651 " / 2.1657 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.835 .0722 "	30.00 1.1811 "	0.052 - 0.100 .0021 " / .0040 "
		2	1887 2-4	54.994 - 55.009 2.1651 " / 2.1657 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.835 .0722 "	22.00 .8661 "	0.052 - 0.100 .0021 " / .0040 "
KL 4241 SA	Kol Yatak Con-rod bearing	4	1885	49.984 - 50.000 1.9679 " / 1.9685 "	53.695 - 53.708 2.1140 " / 2.1145 "	1.821 .0717 "	29.00 1.1417 "	0.053 - 0.096 .0021 " / .0038 "

CITROEN



a)

XUD7 - 161A - 19A

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.000 x 88.000 mm
3.1496 " x 3.4645 "

MODEL

BERLINGO
ZX
VISA
C 15
BX

CC

1769

b)

XUD9 SD/TF

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

83.000 x 88.000 mm
3.2677 " x 3.4645 "

MODEL





BERLINGO
JUMPY
XANTIA
XSARA
ZX

CC

1905

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5241 SA	Ana Yatak Main bearing	5	2183	59.981 - 60.000 2.3614 " / 2.3622 "	63.731 - 63.750 2.5091 " / 2.5098 "	1.845 .0726 "	19.50 .7678 "	0.041 / 0.104 .0017 " / .0041 "
AY 2085 LC	Ay Yatak Thrustwasher	2	2222	67.050 - 67.300 2.6398" / 2.6496"	83.050 - 83.300 3.2697" / 3.2796"	2.330 .0918"		
KB 4030 L	Kol Burcu Con-rod bush	4 Pcs.	2221	25.007-25.020 .9846 " / .9851 "	27.200-27.221 1.0709 " / 1.0717 "	1.40 .0552 "	24.05 .9469 "	
KL 4284 SA	Kol Yatak Con-rod bearing	4	2182	49.984 - 50.000 1.9679 " - 1.9685 "	53.695 - 53.708 2.1140 " - 2.1145 "	1.830 .7894 "	20.05 .7894 "	0.035 - 0.076 .0014 " / .0030 "

CITROEN



a)

8140.23 /.43 /.63

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.400 x 100.000 mm

3.7165" x 3.9370"

MODEL




JUMPER 2.8 TD

CC

2798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5252 LC	Ana Yatak Main bearing	4	2235	80.183 - 80.208 3.1568" - 3.1577"	84.587 - 84.615 3.3302" - 3.3312"	2.174 .08559"	23.80 .9370"	0.032 - 0.102 0013 " / .0040 "
		1	2236	86.182 - 86.208 3.3930" - 3.3940"	90.589 - 90.615 3.5665" - 3.5675"	2.174 .08559"	30.96 1.2188"	0.032 - 0.102 .0013 " / .0040 "
KB 4057 L	Kol Burcu Con-rod bush	4 Pcs.	2492	32.00 1.2598"	35.52 1.3984"	2.20 .0866"	30.10 1.1850"	
KL 4296 LC	Kol Yatak Con-rod bearing	4	2234	56.520 - 56.535 2.2252" - 2.2258"	60.333 - 60.348 2.3753" - 2.3759"	1.894 .07456"	24.60 .9685"	

CITROEN



a)

8HX (DV4TD)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

73.700 X 82.000
3.6866" X 32.283"

MODEL




C1,C2, C3, C4

CC

1399

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4046 L	Kol Burcu Con-rod bush	4 Pcs.	2442	24.995 - 25.000 0.9840"- 0.9842"	28.000 - 28.021 1.1024" - 1.1032"		19.95 0.7866"	
KL 4306 LC	Kol Yatak Con-rod bearing	4	2290	44.975 - 44.991 1.7706 " / 1.7712 "	48.655 - 48.671 1.9155 " / 1.9161 "	1.825 .0718 "	17.00 .6692 "	0.014 - 0.062 .0005 " / .0024 "

CITROEN



a)

9HY (DV6TED)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.000 x 88.300

2.9527" x 3.4763

MODEL





C3, C4, C5

CC

1560

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4053 L	Kol Burcu Con-rod bush	4 Pcs.	2488	25.988 - 25.999 1.0228" - 1.0229"	29.022 - 29.023 1.1425" - 1.1426"		20.00	
KL 4302 LC	Kol Yatak Con-rod bearing	4	2273	46.975 - 46.991 1.7706 " / 1.8500 "	50.655 - 50.674 1.9942 " / 1.9950 "	1.818 .0715 "	17.00 .6692 "	0.028 - 0.079 .0011 " / .0031 "

CITROEN



a)

DJ5TED THX

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
92.000 x 92.000

MODEL
Jumper 2.5 8V Direct Inj.

CC
2446

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5296 LC	Ana Yatak Main bearing	4	2553	63.981-64.000	68.690-68.709	2329	21.50	
		1	2554	63.981-64.000	68.690-68.709	2329	27.53	
KL 4355 LC	Kol Yatak Con-rod bearing	4	2252	53.981 - 54.000	57.675 - 57.695	1.821	22.65	0.02 - 0.09

CITROEN



a)

DJ5 T9A

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
92.000 x 92.000

MODEL
Jumper 2.5

CC
2446

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5297 LC	Ana Yatak Main bearing	4	2556	63.981 - 64.000	68.690 - 68.709	2.329	21.50	
		1	2557	63.981 - 64.000	68.690 - 68.709	2.329	27.53	
KL 4356 LC	Kol Yatak Con-rod bearing	4	2555	53.981 - 54.000	57.675 - 57.695	1.821	22.65	0.02-0.09 mm

CUMMINS



a) **3B , 3BT**

3 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
102.000 x 120.000 mm
4.016 " x 4.724 "

MODEL
B SERIES 3B 2.9 , 3 BT 2.9

CC
2900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3099 SA	Ana Yatak Main bearing	2	1894 1-3	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1	1894 2	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1	* 1895 2	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	37.38 1.4716 "	0.041 - 0.113 .0016 " / .0044 "
EB 1011 L	Eksantrik Burc Camshaft bush	1 Pcs.	2159	53.940 - 53.991 2.1236 " - 2.1256 "	57.198 - 57.234 2.2518 " - 2.2533 "	1586 .0624 "	25.50 1.0039 "	
KL 3061 LC	Kol Yatak Con-rod bearing	3	1893	68.986 - 69.011 2.7160 " / 2.7170 "	72.986 - 73.012 2.8735 " / 2.8745 "	1.968 .078 "	31.10 1.225 "	0.039 - 0.110 .0020 " / .0044 "

CUMMINS



a)

4B , 4BT , 4BTA

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 x 120.000 mm
4.016 " x 4.724 "

MODEL




B SERIES 4B 3.9 , 4 BT 3.9 , 4BTA 3.9
ISB SERIES

CC

3900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5200 SA	Ana Yatak Main bearing	4	1894 1-2-3-5	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1 pcs	1894 4	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1 pcs	* 1895 4	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	37.38 1.4716 "	0.041 - 0.113 .0016 " / .0044 "
EB 1011 L	Eksantrik Burc Camshaft bush	1 Pcs.	2159	53.940 - 53.991 2.1236 " - 2.1256 "	57.198 - 57.234 2.2518 " - 2.2533 "	1586 .0624 "	25.50 1.0039 "	
KL 1147 LC * TERS TIRNAK	Kol Yatak Con-rod bearing	1 pcs 1	2594 2594	68.986 - 69.011 2.7160 " / 2.7170 "	72.986 - 73.012 2.8735 " / 2.8745 "	1.968 .078 "	31.10 1.225 "	0.039 - 0.110 .0002 " / .0005 "
KL 4242 LC	Kol Yatak Con-rod bearing	4	1893	68.986 - 69.011 2.7160 " / 2.7170 "	72.986 - 73.012 2.8735 " / 2.8745 "	1.968 .078 "	31.10 1.225 "	0.039 - 0.110 .0002 " / .0005 "

CUMMINS



a)

6B , 6BT , 6BTA

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 x 120.000 mm
4.016 " x 4.724 "

MODEL




B SERIES 6B 5.9 , 6 BT 5.9 ,
6 BTA 5.9 (FATİH KAMYON)

CC

5900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7256 SA	Ana Yatak Main bearing	6	1894 1-2-3-4-5- 7	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1 pcs	1894 6	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1 pcs	* 1895 6	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	37.38 1.4716 "	0.041 - 0.113 .0016 " / .0044 "
EB 1011 L	Eksantrik Burc Camshaft bush	1 Pcs.	2159	53.940 - 53.991 2.1236 " - 2.1256 "	57.198 - 57.234 2.2518 " - 2.2533 "	1586 .0624 "	25.50 1.0039 "	
KB 6016 L	Kol Burcu Con-rod bush	6 Pcs.	2133	45.000 mm	42.987 - 43.013 mm	1.75	38.35	
					1.6924 " - 1.6934	.0688 "	1.5098 "	
KL 6292 LC	Kol Yatak Con-rod bearing	6	1893	68.986 - 69.011 2.7159 " / 2.7169 "	72.986 - 73.012 2.8734 " / 2.8744 "	1.968 .0774 "	31.10 1.2244 "	0.039 - 0.110 .0015 " / .0043 "

CUMMINS



a)

6CT , 6CTA

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

113.881 x 135.000 mm
4.484 " x 5.315 "

MODEL





6 C 8.3 , 6CT 8.3 ,
6CTA 8.3 (FATİH KAMYON)

CC

8267

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7262 SA	Ana Yatak Main bearing	6	2002 1-2-3-5-7	97.987 - 98.013 3.858 " / 3.859 "	104.982 - 105.018 4.134 " / 4.135 "	3455 .136 "	34.13 1.344 "	0.059 - 0.141 .0003 " / .0006 "
		1	* 2003 4	97.987 - 98.013 3.858 " / 3.859 "	104.982 - 105.018 4.134 " / 4.135 "	3455 .136 "	34.13 - 42.81 1.686 "	0.059 - 0.141 .0003 " / .0006 "
EB 7004 L	Eksantrik Burc Camshaft bush	7	2160	59,980 - 60,000 mm	63,983 - 64,008 mm	1,950 - 1,970 mm	25,000 mm	
KB 6015 L	Kol Burcu Con-rod bush	6 Pcs.	2134	44.997 - 45.003 1.7715 " - 1.7717 "	48.988 - 49.012 1.9286 " - 1.9296 "	2.30 .0905 "	45.00 1.7716 "	
KL 6294 LC	Kol Yatak Con-rod bearing	6	2001	75.986 - 76.014 2.9915 " / 2.9926 "	80.987 - 81.013 3.1884 " / 3.1894 "	2.468 .0971 "	38.13 1.5011 "	0.037 - 0.117 .0014 " / .0046 "

CUMMINS



a)

6C, 6CT, 6CTA, 6CTAA

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL




6C 8.3, 6CT 8.3, 6CTA 8.3 (FATİH KAMYON)
EURO2

CC

8267

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7307 SA	Ana Yatak Main bearing	1 Çift TH/BH	2676	97.987 - 98.013	104.982 - 105.018	3455	42.80 - 42.85	
		6 Çift TH/BH	2675	97.987 - 98.013	104.982 - 105.018	3455	31.90 - 32.10	
KL 6343 LC	Kol Yatak Con-rod bearing	6	2674	75.986 - 76.014	80.987 - 81.013	2.468	35.85 - 36.05	

DACIA



a)

K9K

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.000 x 80.500 mm
2.9921" x 3.1692"

MODEL





LOGAN 1.5 DCI
LOGAN MCV 1.5 DCI

CC

1461

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KB 4051 L (Conical)	Kol Burcu Con-rod bush	4 Pcs.	2486	26.00 1.0236"	28500 1.1220"	1.50 .0590"	20.60 .8110"	
KB 4060 L (Normal)	Kol Burcu Con-rod bush	4 Pcs.	2551	26.00 1.0236"	28500 1.1220"	1.50 .0590"		
KL 4375 LC	Kol Yatak Con-rod bearing	4 4	2621 2621	43.964 - 43.980 1.7308" / 1.7315"	47.614 - 47.625 1.8746" / 1.8750"	1.799 - 1.807 .07114"	18.75 .8169"	

DACIA



a)

K4M

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 x 80.500 mm
3.1299 " x 3.1692 "

MODEL




LOGAN 1.6 16V
LOGAN MCV 1.6 16V

CC

1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KL 4170 SA	Kol Yatak Con-rod bearing	4	1254	43.964 - 43.980 1.7309 " / 1.7315 "	47.614 - 47.625 1.8746 " / 1.8750 "	1.805 .0711 "	17.75 .6988 "	0.024 - 0.063 .0010 " / .0025 "

FIAT



a)

124 A/B/BL/FA.000

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

73.000 x 71.500 mm
2.8740 " x 2.8150 "

MODEL




124
128
241
PRIMULA

CC

1197

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5077 SA	Ana Yatak Main bearing	4	1140 1-2-4-5	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.521 2.1459 " / 2.1465 "	1.831 .072 "	20.25 .7972 "	0.038 - 0.087 .0015 " / .0034 "
		1	1141 3	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.521 2.1459 " / 2.1465 "	1.831 .072 "	22.75 .8957 "	0.038 - 0.087 .0015 " / .0034 "
AY 1009 SA	Ay Yatak Thrustwasher	1	1858	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
EB 3001 SA	Eksantrik Burc Camshaft bush	1 Pcs.	1623	36.875 - 36.900 1.4518 " / 1.4528 "	39.962 - 39.992 1.5733 " / 1.5745 "		15.00 .5906 "	
		1 Pcs.	1813	43.853 - 43.880 1.7265 " / 1.7276 "	46.920 - 46.950 1.9472 " / 1.8484 "		16.00 .6299 "	
		1 Pcs.	1814	48.033 - 48.058 1.8911 " / 1.8920 "	51.120 - 51.150 2.0126 " / 2.0138 "		14.20 .5591 "	
KB 4009 L	Kol Burcu Con-rod bush	4 Pcs.	1714	21.991 - 21.997 .8658 " / .8660 "	23.939 - 23.972 .9425 " / .9438 "	1.22 .048 "	25.20 .9922 "	
KL 4115 SA	Kol Yatak Con-rod bearing	4	1139	45.508 - 45.528 1.7917 " / 1.7924 "	48.629 - 48.646 1.9145 " / 1.9156 "	1.538 .060 "	19.20 .756 "	0.025 - 0.078 .0010 " / .0031 "

FIAT



a)

131A-AA/AZ/AZ

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.000 x 71.500 mm

3.1496 " x 2.8150 "

MODEL

238 BN




238 BS

CC

1438

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5077 SA	Ana Yatak Main bearing	4	1140 1-2-4-5	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.521 2.1459 " / 2.1465 "	1.831 .072 "	20.25 .7972 "	0.038 - 0.087 .0015 " / .0034 "
		1	1141 3	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.521 2.1459 " / 2.1465 "	1.831 .072 "	22.75 .8957 "	0.038 - 0.087 .0015 " / .0034 "
AY 1009 SA	Ay Yatak Thrustwasher	1	1858	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
EB 3001 SA	Eksantrik Burc Camshaft bush	1 Pcs.	1623	36.875 - 36.900 1.4518 " / 1.4528 "	39.962 - 39.992 1.5733 " / 1.5745 "		15.00 .5906 "	
		1 Pcs.	1813	43.853 - 43.880 1.7265 " / 1.7276 "	46.920 - 46.950 1.9472 " / 1.8484 "		16.00 .6299 "	
		1 Pcs.	1814	48.033 - 48.058 1.8911 " / 1.8920 "	51.120 - 51.150 2.0126 " / 2.0138 "		14.20 .5591 "	
KB 4009 L	Kol Burcu Con-rod bush	4 Pcs.	1714	21.991 - 21.997 .8658 " / .8660 "	23.939 - 23.972 .9425 " / .9438 "	1.22 .048 "	25.20 .9922 "	
KL 4115 SA	Kol Yatak Con-rod bearing	4	1139	45.508 - 45.528 1.7917 " / 1.7924 "	48.629 - 48.646 1.9145 " / 1.9156 "	1.538 .060 "	19.20 .756 "	0.025 - 0.078 .0010 " / .0031 "

FIAT






a)	124 A/B/BL/FA.000	4 Cylinders, Petrol	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 73.000 x 71.500 mm 2.8740 " x 2.8150 "	MODEL 124 128 241 PRIMULA	CC 1197

b)	131B1/132/ C/D.000	4 Cylinders, Petrol	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 84.000 x 71.500 mm 3.3071 " x 2.8150 "	MODEL 132 GL, GLS 1600	CC 1585

c)	132A.B.000-828	4 Cylinders, Petrol	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 80.000 x 79.200 mm 3.1496 " x 3.1181 "	MODEL 132 SPIDER	CC 1592

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5077 SA	Ana Yatak Main bearing	4	1140 1-2-4-5	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.521 2.1459 " / 2.1465 "	1.831 .072 "	20.25 .7972 "	0.038 - 0.087 .0015 " / .0034 "
		1	1141 3	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.521 2.1459 " / 2.1465 "	1.831 .072 "	22.75 .8957 "	0.038 - 0.087 .0015 " / .0034 "
AY 1009 SA	Ay Yatak Thrustwasher	1	1858	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
EB 3001 SA	Eksantrik Burc Camshaft bush	1 Pcs.	1623	36.875 - 36.900 1.4518 " / 1.4528 "	39.962 - 39.992 1.5733 " / 1.5745 "		15.00 .5906 "	
		1 Pcs.	1813	43.853 - 43.880 1.7265 " / 1.7276 "	46.920 - 46.950 1.9472 " / 1.8484 "		16.00 .6299 "	
		1 Pcs.	1814	48.033 - 48.058 1.8911 " / 1.8920 "	51.120 - 51.150 2.0126 " / 2.0138 "		14.20 .5591 "	
KB 4009 L	Kol Burcu Con-rod bush	4 Pcs.	1714	21.991 - 21.997 .8658 " / .8660 "	23.939 - 23.972 .9425 " / .9438 "	1.22 .048 "	25.20 .9922 "	
KL 4115 SA	Kol Yatak Con-rod bearing	4	1139	45.508 - 45.528 1.7917 " / 1.7924 "	48.629 - 48.646 1.9145 " / 1.9156 "	1.538 .060 "	19.20 .756 "	0.025 - 0.078 .0010 " / .0031 "
AN 5130 SA	Ana Yatak Main bearing	4	1341	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.730 2.2330 " / 2.2335 "	1.84 .072 "	20.75 .8169 "	0.030 - 0.079 .0012 " / .0031 "
		1	1342	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.730 2.2330 " / 2.2335 "	1.84 .072 "	24.25 .9547 "	0.030 - 0.079 .0012 " / .0031 "
AY 1005 SA	Ay Yatak Thrustwasher	1	1604	59.000 - 59.250 2.3228 " / 2.3327 "	73.600 - 73.850 2.8977 " / 2.9075 "	2.36 .093 "		
KL 4226 SA	Kol Yatak Con-rod bearing	4	1550	50.782 - 50.802 1.9993 " / 2.0001 "	53.897 - 53.913 2.1219 " / 2.1226 "	1.534 .060 "	19.50 .767 "	0.027 - 0.075 .0011 " / .0030 "

FIAT






a)	131.3D.09	4 Cylinders, Petrol	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 78.000 x 71.500 mm 3.0709 " x 2.8150 "	MODEL 131 CL, 131 L	CC 1367

b)	131B7.000	4 Cylinders, Petrol	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 78.000 x 71.500 mm 3.0709 " x 2.8150 "	MODEL 131	CC 1367

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5130 SA	Ana Yatak Main bearing	4	1341	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.730 2.2330 " / 2.2335 "	1.84 .072 "	20.75 .8169 "	0.030 - 0.079 .0012 " / .0031 "
		1	1342	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.730 2.2330 " / 2.2335 "	1.84 .072 "	24.25 .9547 "	0.030 - 0.079 .0012 " / .0031 "
AN 5170 SA	Ana Yatak Main bearing	4	1636	52.991 - 53.004 2.0863 " / 2.0868 "	56.717 - 56.735 2.2330 " / 2.2337 "	1.845 .072 "	20.75 .8169 "	0.030 - 0.079 .0012 " / .0031 "
		1	1637	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.735 2.2330 " / 2.2337 "	1.845 .072 "	24.25 .9547 "	0.030 - 0.079 .0012 " / .0031 "
AY 1005 SA	Ay Yatak Thrustwasher	1	1604	59.000 - 59.250 2.3228 " / 2.3327 "	73.600 - 73.850 2.8977 " / 2.9075 "	2.36 .093 "		
AY 2082 SA	Ay Yatak Thrustwasher	2	1604	59.000 - 59.250 2.3228 " / 2.3327 "	73.600 - 73.850 2.8977 " / 2.9075 "	2.36 .093 "		
KB 4009 L	Kol Burcu Con-rod bush	4 Pcs.	1714	21.991 - 21.997 .8658 " / .8660 "	23.939 - 23.972 .9425 " / .9438 "	1.22 .048 "	25.20 .9922 "	
KL 4183 SA	Kol Yatak Con-rod bearing	4	1340	48.224 - 48.244 1.8986 " / 1.8994 "	51.330 - 51.346 2.0209 " / 2.0215 "	1.53 .060 "	19.50 .767 "	0.024 - 0.072 .0009 " / .0028 "
KL 4216 SA	Kol Yatak Con-rod bearing	4	1589	48.224 - 48.244 1.8986 " / 1.8994 "	51.330 - 51.346 2.0209 " / 2.0215 "	1.53 .060 "	19.50 .767 "	0.024 - 0.072 .0009 " / .0028 "

FIAT



a)

160A1.000/M202PA.13.0

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.500 x 67.400 mm
3.1693 " x 2.6535 "

MODEL
TEMPRA
TİPO

CC
1372

b)

M202PB.15.0-220A2.000

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE




86.400 x 67.400 mm
3.4016 " x 2.6535 "

MODEL
TEMPRA
TİPO

CC
1581

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPI(mm/inch) SHAFT DIAMETER	YUVA ÇAPI(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5178 SA	Ana Yatak Main bearing	4	1707 1-2-4-5	50.780 - 50.800 1.9992 " / 2.000 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.844 .0726 "	20.25 .7973 "	0.019 - 0.064 .0008 " / .0026 "
		1	1708 3	50.780 - 50.800 1.9992 " / 2.000 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.844 .0726 "	22.75 .8957 "	0.019 - 0.064 .0008 " / .0026 "
AY 1008 SA	Ay Yatak Thrustwasher	1	1815	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
AY 1009 SA	Ay Yatak Thrustwasher	1	1858	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
KB 4009 L	Kol Burcu Con-rod bush	4 Pcs.	1714	21.991 - 21.997 .8658 " / .8660 "	23.939 - 23.972 .9425 " / .9438 "	1.22 .048 "	25.20 .9922 "	
KL 4227 SA	Kol Yatak Con-rod bearing	4	1706	45.508 - 45.528 1.7917 " / 1.7924 "	48.629 - 48.646 1.9145 " / 1.9152 "	1.541 .0607 "	19.20 .7559 "	0.019 - 0.068 .0008 " / .0027 "

FIAT



a)

182A4.000-182A6.000

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.400 x 67.400 mm

3.4016 " x 2.6535 "

MODEL




SIENA - MAREA - STILO - PALIO - BRAVA

CC

1581

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5245 SA	Ana Yatak Main bearing	4	2091 1-2-4-5	50.780 - 50.800 1.9992 " / 2.000 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.844 .0726 "	20.25 .7973 "	0.019 - 0.064 .0008 " / .0026 "
		1	2092 3	50.780 - 50.800 1.9992 " / 2.000 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.844 .0726 "	22.75 .8957 "	0.019 - 0.064 .0008 " / .0026 "
KB 4073 L	Kol Burcu Con-rod bush	4	2626	21,00 mm	23,939 - 23,972 mm	1,68 - 1,73 mm		
KL 4289 SA	Kol Yatak Con-rod bearing	4	2090	45.508 - 45.528 1.7917 " / 1.7924 "	48.629 - 48.646 1.9145 " / 1.9152 "	1.541 .0607 "	19.20 .7559 "	0.019 - 0.068 .0008 " / .0027 "

FIAT



a)

223A6.000 (1.9 DIESEL)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

82.000 X 90.400 mm

3.2284" X 3.5591"

MODEL




DOBLO 1,9 D

CC

1910

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5248 SA	Ana Yatak Main bearing	4 1	2211 2210	52.985 - 53.005 52.985 - 53.005 2.0861 " - 2.0869 "	56.717 - 56.730 56.717 - 56.730 2.2330 " - 2.2335 "	1.846 1.846 .0727 "	20.75 20.75 .8170 "	
AY 1015 SA	Ay Yatak Thrustwasher	1	2213	59.000 - 59.250 2.3229 " - 2.3327 "	73.550 - 73.800 2.8957 " - 2.9056 "	2.49 .0981 "		
KB 4029 L	Kol Burcu Con-rod bush	4 Pcs.	2214		28.939 - 28.972 1.1394 " - 1.1407 "	1.85 .0729 "	21.60 .8504 "	
KL 4291 LC	Kol Yatak Con-rod bearing	4	2212	50.787 - 50.805 1.9995 " - 2.0002 "	53.913 - 53.987 2.1226 " - 2.1255 "	1.532 .0604 "	19.50 .7678 "	

FIAT



a)

M 733 AT.12.Z (1.3 MULTIJET)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

69.600 X 82.000 mm
2.7402" X 3.2284"

MODEL




DOBLO 1.3 MJ 16V
DOBLO CARGO 1.3 JTD
PUNTO,PANDA 1.3 MJ 16V
ALBEA,PALIO,LINEA 1.3 MJ 16V

CC

1248

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5258 SA	Ana Yatak Main bearing	5	2292	50.982-51.000 2.0072" / 2.0079"	54.710-54.722 2.1540 " / 2.1544 "	1.846 .0727	19.00 .7481"	
AY 1019 SA	Ay Yatak Thrustwasher	1	2293	56.800-57.000 2.3363" / 2.2441"	71.770-72.020 2.8256 " / 2.8355 "	2.36 .0930"		
KB 4044 L	Kol Burcu Con-rod bush	4 Pcs.	2406	23.00 0.9055"	25.80 1.0157"		22.50	
KL 4307 LC	Kol Yatak Con-rod bearing	4	2291	42.582-42.600 1.6765" / 1.6772"	45.734-45.744 1.8006" /1.8010"	1.560 .0615"	20.00 .7874"	

FIAT



a)

182B9.000 (1.9 JTD)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

82.000 X 90.400 mm
3.2284" X 3.5591"

MODEL




DOBLO 1.9 JTD

CC

1910

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5266 SA	Ana Yatak Main bearing	5	2353	59.982-60.000 2.3615" / 2.3622"	63.705-63.718 2.5081 " / 2.5086 "	1,840 .0725	20,75 .8170"	
AY 1026 SA	Ay Yatak Thrustwasher	1	2354	67.790/68.040 2.6689" / 2.6788"	82.420-82.680 3.2449 " / 3.2552 "	2.490 .0981"		
KB 4029 L	Kol Burcu Con-rod bush	4 Pcs.	2214		28.939 - 28.972 1.1394 " - 1.1407 "	1.85 .0729 "	21.60 .8504 "	
KL 4291 LC	Kol Yatak Con-rod bearing	4	2212	50.787 - 50.805 1.9995 " - 2.0002 "	53.913 - 53.987 2.1226 " - 2.1255 "	1.532 .0604 "	19.50 .7678 "	

FIAT



a)

8140.23 /.43 /.63

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.400 x 100.000 mm

3.7165" x 3.9370"

MODEL




DUCATO 2.8 TD

CC

2798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5252 LC	Ana Yatak Main bearing	4	2235	80.183 - 80.208 3.1568" - 3.1577"	84.587 - 84.615 3.3302" - 3.3312"	2.174 .08559"	23.80 .9370"	0.032 - 0.102 0013 " / .0040 "
		1	2236	86.182 - 86.208 3.3930" - 3.3940"	90.589 - 90.615 3.5665" - 3.5675"	2.174 .08559"	30.96 1.2188"	0.032 - 0.102 .0013 " / .0040 "
KB 4057 L	Kol Burcu Con-rod bush	4 Pcs.	2492	32.00 1.2598"	35.52 1.3984"	2.20 .0866"	30.10 1.1850"	
KL 4296 LC	Kol Yatak Con-rod bearing	4	2234	56.520 - 56.535 2.2252" - 2.2258"	60.333 - 60.348 2.3753" - 2.3759"	1.894 .07456"	24.60 .9685"	

FIAT



a)

159A4.000-M610FA.18.C

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.000 X 79.200 mm
3.3071" X 3.1182"

MODEL




TEMPRA, TIPO 1.8 i.e

CC

1756

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5170 SA	Ana Yatak Main bearing	4	1636	52.991 - 53.004 2.0863 " / 2.0868 "	56.717 - 56.735 2.2330 " / 2.2337 "	1.845 .072 "	20.75 .8169 "	0.030 - 0.079 .0012 " / .0031 "
		1	1637	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.735 2.2330 " / 2.2337 "	1.845 .072 "	24.25 .9547 "	0.030 - 0.079 .0012 " / .0031 "
AY 2082 SA	Ay Yatak Thrustwasher	2	1604	59.000 - 59.250 2.3228 " / 2.3327 "	73.600 - 73.850 2.8977 " / 2.9075 "	2.36 .093 "		
KL 4334 LC	Kol Yatak Con-rod bearing	4	2427	50.792-50.805 1.9997"-2.0002"	53.892-53.910 2.1218"-2.1225"	1.537 .0606"	19.50 .7678"	

FIAT



a)

M601SA.20.0-M611AA.20.C

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.000 X 90.000 mm
3.3071" X 3.5433"

MODEL




CROMA, TEMPRA, TIPO,
COUPE 2.0 i.e. 16V

CC

1995

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5170 SA	Ana Yatak Main bearing	4	1636	52.991 - 53.004 2.0863 " / 2.0868 "	56.717 - 56.735 2.2330 " / 2.2337 "	1.845 .072 "	20.75 .8169 "	0.030 - 0.079 .0012 " / .0031 "
		1	1637	52.985 - 53.005 2.0860 " / 2.0868 "	56.717 - 56.735 2.2330 " / 2.2337 "	1.845 .072 "	24.25 .9547 "	0.030 - 0.079 .0012 " / .0031 "
AY 2082 SA	Ay Yatak Thrustwasher	2	1604	59.000 - 59.250 2.3228 " / 2.3327 "	73.600 - 73.850 2.8977 " / 2.9075 "	2.36 .093 "		
KL 4334 LC	Kol Yatak Con-rod bearing	4	2427	50.792-50.805 1.9997"-2.0002"	53.892-53.910 2.1218"-2.1225"	1.537 .0606"	19.50 .7678"	

FIAT



a)

188 A4.000 / 223 A.5000

4 Cylinders, Petrol




PİSTON ÖLÇÜLERİ/PISTON SIZE
70.800 x 78.900 mm

MODEL
PALIO,ALBEA 1.2
PUNTO,PANDA 1.2
8V / 16V

CC
1241

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5281 SA	Ana Yatak Main bearing	5	2432	47.988 - 48.000 1.8890" / 1.8898"	51.705 - 51.718 2.0356" / 2.0361"	1.848 0.0728"	19.00 0.748"	0.020 / 0.067 0.0008" / 0.0026"
AY 1031 SA	Ay Yatak Thrustwasher	1	2433	2.7047 " - 2.7145 " 68.700 - 68.950		0.0949 " 2.360		
KL 4336 SA	Kol Yatak Con-rod bearing	4	2431	41.988 - 42.008 1.6531" / 1.6538"	45.127 - 45.140 1.7766" / 1.7772"	1.548 0.0609"	19.00 0.748"	0.023 / 0.081 0.0009" / 0.0032"

FIAT



a)

DW10 TD / ATED

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
85.00 x 88.00 mm

MODEL
SCUDO 2.0 TD

CC
1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5241 SA	Ana Yatak Main bearing	5	2183	59.981 - 60.000 2.3614 " / 2.3622 "	63.731 - 63.750 2.5091 " / 2.5098 "	1.845 .0726 "	19.50 .7678 "	0.041 / 0.104 .0017 " / .0041 "
AY 2085 LC	Ay Yatak Thrustwasher	2	2222	67.050 - 67.300 2.6398" / 2.6496"	83.050 - 83.300 3.2697" / 3.2796"	2.330 .0918"		
KB 4047 L	Kol Burcu Con-rod bush	4 Pcs.	2443	27.997 - 28.000 1.1022" - 1.1023"	30.200 - 30.225 1.1889" - 1.1899"	1.45 .0570"	24.05 .9468"	
KL 4339 LC	Kol Yatak Con-rod bearing	4	2453	49.984 - 50.000 1.9678" - 1.9685"	53.695 - 53.708 2.1139" - 2.1144"	1.837 .0723"	20.00 .7874"	0.020 / 0.073 0.0008" / 0.0029"

FIAT



a)

F1AE0481C

4 Cylinders Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
88.00 x 94.00 mm

MODEL
DUCATO 2.3 MULTIJET 16V

CC
2286

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5307 SA	Ana Yatak Main bearing	1 3 * 1	2611 TH / BH 2612 TH / BH 2613 TH	76,182 - 76,208 mm 71,182 - 71,208 mm 71,182 - 71,208 mm	80,588 - 80,614 mm 75,588 - 75,614 mm 75,588 - 75,614 mm	2,167 - 2,174 mm 2,167 - 2,174 mm 2,167 - 2,174 mm	27,000 mm	0,032 - 0,084 mm 0,032 - 0,084 mm 0,032 - 0,084 mm
KB 4076 L	Kol Burcu Con-rod bush	4	2638	31.00 mm	34.47 - 34.48 mm	1.90 - 2.00 mm		
KL 4372 LC	Kol Yatak Con-rod bearing	4	2610 TH / BH	59,015 - 59,038 mm	62,833 - 62,848 mm	1,877 - 1,885 mm		0,027 - 0,065 mm

FIAT IVECO



a)	8030.02	3 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 110.000 mm 3.9370 " x 4.3307 "	MODEL 613 N3	CC 2592




b)	8065/8060.11-12	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 110.000 mm 3.9370 " x 4.3307 "	MODEL 314, 414, 416A, 314/2BUS, 645N2, 645N3, 650N3, 662N2, 662N3, 655N, 655N1, 672N, 662T, 6640/A(4X4), 75PC(4X4)PM, 80NC, 90NC, 110NC, 90PC(4X4), PM110NC/PC/NR	CC 5181

c)	853 A	3 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 110.000 mm 3.9370 " x 4.3307 "	MODEL 613 N3	CC 2600

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1022 LC	Ana Yatak Main bearing	1	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 4095 LC (1980 --->)	Ana Yatak Main bearing	4	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 4095 SA (1980 --->)	Ana Yatak Main bearing	4	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
KB 3005 L (1978 ---->)	Kol Burcu Con-rod bush	3 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 3006 L (1967 - 1977)	Kol Burcu Con-rod bush	3 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 1123 LC (----> 1979)	Kol Yatak Con-rod bearing	1	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.70 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 3019 LC (----> 1979)	Kol Yatak Con-rod bearing	3	640-ALC	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 3019 SA (----> 1979)	Kol Yatak Con-rod bearing	3	640-ASA	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "

EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO






a)	804A(8040.01)	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 95.000 x 110.000 mm 3.7402 " x 4.3307 "	MODEL 616 N2, 616 N4, 625 N1, 625 N2, ORSETTO	CC 3117

b)	8062.24	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 103.000 x 110.000 mm 4.0551 " x 4.3307 "	MODEL 79.4, 79F.13, 80.14PC, 80.16, 80.16PC, 80F.13, 90PM16, 90F.13, 95.14, 100F.13, 109.14, 110F.13, 115.17, 120F.13, 313, 314, 315, A90.13, BUS	CC 5499

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5164 LC (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 4178 LC (---> 1979)	Kol Yatak Con-rod bearing	4	640 - LC	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 LC (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO



a)

8040.02

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 110.000 mm
3.9370 " x 4.3307 "

MODEL




35NC, 40NC, 50A1, 50NC,

CC

3455

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5164 LC (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 4178 LC (---> 1979)	Kol Yatak Con-rod bearing	4	640 - LC	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 LC (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO






a)	8040.02	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 110.000 mm 3.9370 " x 4.3307 "	MODEL 35NC, 40NC, 50A1, 50NC,	CC 3455

b)	8040.04	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 103.000 x 110.000 mm 4.0551 " x 4.3307 "	MODEL 50.8, 55.8, 60.8, 65 PC	CC 3666

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5164 LC (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 4178 LC (---> 1979)	Kol Yatak Con-rod bearing	4	640 - LC	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 LC (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO







a)	8040.05	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 115.000 mm 3.9370 " x 4.5276 "	MODEL 40 NC , 50 NC , 55 NC , 65 PC50.8, 55.8, 60.8 65 PC 50.8, 55.8, 60.8	CC 3611

b)	8040.06	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.0945 " x 4.5276 "	MODEL 40 NC , 50 NC , 55 NC , 65 PC , 50.8, 55.8, 60.8	CC 3900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1112LC	Ana Yatak Main bearing	1	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AN 5165 LC	Ana Yatak Main bearing	5	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 1113LC	Kol Yatak Con-rod bearing	1	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "
KL 4215 LC	Kol Yatak Con-rod bearing	4	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FIAT IVECO



a)

8140.23 / .43 / .63

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.400 X 100.000 mm
3.7165" x 3.9370"

MODEL




DAILY 2.8 TD

CC

2798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5252 LC	Ana Yatak Main bearing	4	2235	80.183 - 80.208 3.1568" - 3.1577"	84.587 - 84.615 3.3302" - 3.3312"	2.174 .08559"	23.80 .9370"	0.032 - 0.102 0013 " / .0040 "
		1	2236	86.182 - 86.208 3.3930" - 3.3940"	90.589 - 90.615 3.5665" - 3.5675"	2.174 .08559"	30.96 1.2188"	0.032 - 0.102 .0013 " / .0040 "
KB 4057 L	Kol Burcu Con-rod bush	4 Pcs.	2492	32.00 1.2598"	35.52 1.3984"	2.20 .0866"	30.10 1.1850"	
KL 4296 LC	Kol Yatak Con-rod bearing	4	2234	56.520 - 56.535 2.2252" - 2.2258"	60.333 - 60.348 2.3753" - 2.3759"	1.894 .07456"	24.60 .9685"	

FIAT IVECO






a)	8060.05	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 115.000 mm 3.9370 " x 4.5276 "	MODEL 75PC, 75PM, 90PC, 90PM, 79.13, 80.13, 90.13, 100.13, 120.13, 80NC, 90NC, 100NC, 110NC	CC 5400

b)	8060.06	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.0945 " x 4.5276 "	MODEL 75PC, 75PM, 90PC, 90PM, 79.13, 80.13, 90.13, 100.13, 120.13, 80NC, 90NC, 100NC, 110NC	CC 5900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7272 LC	Ana Yatak Main bearing	7	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 6013 L	Kol Burcu Con-rod bush	6 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 6304 LC	Kol Yatak Con-rod bearing	6	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FIAT IVECO



a)

806A(8060.01/.11)

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.000 x 110.000 mm
3.7402 " x 4.3307 "

MODEL




416A, 645N1, 645N2, 650N1,
650N2, 655N, 662N1, 662N2,
672N2

CC

4678

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO



a)

8065/8060.11-12

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 110.000 mm
3.9370 " x 4.3307 "

MODEL




314, 414, 416A, 314/2BUS, 645N2,
645N3, 650N3, 662N2, 662N3, 655N,
655N1, 672N, 662T, 6640/A(4X4),
75PC(4X4)PM, 80NC, 90NC, 110NC,
90PC(4X4), PM110NC/PC/NR

CC

5181

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO



a)

8060.02

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 110.000 mm
3.9370 " x 4.3307 "

MODEL




662 N3

CC

5184

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO






a)	8060.04	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 103.000 x 110.000 mm 4.0551 " x 4.3307 "	MODEL 79.13, 80.13, 90.13, 95.14, 109.14, 110.14P, 115.14, 120.13, 120.13P, 130.13, 135.14, 315.13, 316.13, A55F.13, A79.14, BUS	CC 5499

b)	806A(8060.01/.11)	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 95.000 x 110.000 mm 3.7402 " x 4.3307 "	MODEL 416A, 645N1, 645N2, 650N1, 650N2, 655N, 662N1, 662N2, 672N2	CC 4678

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		

FIAT IVECO



a)

8062.24

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

103.000 x 110.000 mm
4.0551 " x 4.3307 "

MODEL




79.4, 79F.13, 80.14PC, 80.16, 80.16PC,
80F.13, 90PM16, 90F.13, 95.14, 100F.13,
109.14, 110F.13, 115.17, 120F.13, 313, 314,
315, A90.13, BUS

CC

5499

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7273 LC	Ana Yatak Main bearing	7	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 6305 LC	Kol Yatak Con-rod bearing	6	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT IVECO






a)	8040.05	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 115.000 mm 3.9370 " x 4.5276 "	MODEL 40 NC , 50 NC , 55 NC , 65 PC50.8, 55.8, 60.8 65 PC 50.8, 55.8, 60.8	CC 3611
b)	8040.06	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.0945 " x 4.5276 "	MODEL 40 NC , 50 NC , 55 NC , 65 PC , 50.8, 55.8, 60.8	CC 3900
c)	8040.25.200/1/2/3	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL TURBOZETA, TURBOZETA EURO CARGO	CC 3908
d)	8040.25B.4200/.4220.	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL EUROCARGO	CC 3908
e)	8060.05	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 115.000 mm 3.9370 " x 4.5276 "	MODEL 75PC, 75PM, 90PC, 90PM, 79.13, 80.13, 90.13, 100.13, 120.13, 80NC, 90NC, 100NC, 110NC	CC 5400
f)	8060.06	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.0945 " x 4.5276 "	MODEL 75PC, 75PM, 90PC, 90PM, 79.13, 80.13, 90.13, 100.13, 120.13, 80NC, 90NC, 100NC, 110NC	CC 5900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1112LC	Ana Yatak Main bearing	1	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AN 5165 LC	Ana Yatak Main bearing	5	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	

KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 1113LC	Kol Yatak Con-rod bearing	1	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "
KL 4215 LC	Kol Yatak Con-rod bearing	4	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "
AN 5254 LC	Ana Yatak Main bearing	5	2230	79.791 - 79.810 3.414-3.1421	84.200 - 84.230 3.3149-3.3161	2,18 0,0858	24.99 0.9839	
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
KL 4277 LC	Kol Yatak Con-rod bearing	4	2119	63.725 - 63.744 2.5089 " - 2.5096 "	67.407 - 67.422 2.6538 " - 2.6544 "	1.815 .0715 "	28.70 1.1299 "	
AN 7272 LC	Ana Yatak Main bearing	7	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KB 6013 L	Kol Burcu Con-rod bush	6 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 6304 LC	Kol Yatak Con-rod bearing	6	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "




FIAT IVECO



a)	8040.25 x .4000/8040.25.4990	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL CARGO INDIA, EURO CARGO	CC 3908
b)	8040.25.200/1/2/3	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL TURBOZETA, TURBOZETA EURO CARGO	CC 3908
c)	8040.25B.4200/.4220.	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL EURO CARGO	CC 3908

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5254 LC	Ana Yatak Main bearing	5	2230	79.791 - 79.810 3.414-3.1421	84.200 - 84.230 3.3149-3.3161	2,18 0,0858	24.99 0.9839	
KL 4277 LC	Kol Yatak Con-rod bearing	4	2119	63.725 - 63.744 2.5089 " - 2.5096 "	67.407 - 67.422 2.6538 " - 2.6544 "	1.815 .0715 "	28.70 1.1299"	
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs. 1 Pcs. 1 Pcs.	2124 2125 2126	49.975 - 50.000 1.9675 " - 1.9685 " 50.975 - 51.000 2.0068 " - 2.0078 " 50.475 - 50.500 1.9872 " - 1.9881 "	53.780 - 53.805 2.1173 " - 2.1183 " 54.780 - 54.805 2.1566 " - 2.1576 " 54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 " 1862 .0733 " 1862 .0733 "	24.00 .9448 " 28.00 1.1023 " 28.00 1.1023 "	
KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	




FIAT IVECO



a)	8040.25.200/1/2/3	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL TURBOZETA, TURBOZETA EURO CARGO	CC 3908
b)	8040.25B.4200/.4220.	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL EUROCARGO	CC 3908
c)	8040.25X.4000/8040.25.4990	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 X 115.000 mm 4.09" X 4.52"	MODEL CARGO INDIA, EUROCARGO	CC 3908
d)	8360.03 / 05	6 CYLINDERS , DIESEL .	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 115 x 110 4.5276 " x 4.3307 "	MODEL ENGINES 8360.04 / 8361.4 110.14 , 120.14 , 129.14 , 130.14 , 140.14 ENGINES 8360.03 / 05 - 8361.05 150 NC 17 , 150 NC , NR , NT , 159 NC 17	CC 6850

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5254 LC	Ana Yatak Main bearing	5	2230	79.791 - 79.810 3.414-3.1421	84.200 - 84.230 3.3149-3.3161	2,18 0,0858	24.99 0.9839	
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs. 1 Pcs. 1 Pcs.	2124 2125 2126	49.975 - 50.000 1.9675 " - 1.9685 " 50.975 - 51.000 2.0068 " - 2.0078 " 50.475 - 50.500 1.9872 " - 1.9881 "	53.780 - 53.805 2.1173 " - 2.1183 " 54.780 - 54.805 2.1566 " - 2.1576 " 54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 " 1862 .0733 " 1862 .0733 "	24.00 .9448 " 28.00 1.1023 " 28.00 1.1023 "	
KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 4277 LC	Kol Yatak Con-rod bearing	4	2119	63.725 - 63.744 2.5089 " - 2.5096 "	67.407 - 67.422 2.6538 " - 2.6544 "	1.815 .0715 "	28.70 1.1299"	
AN 7228 LC	Ana Yatak Main bearing	3 4	1591 1-4-7 1592 2-3-5-6	79.782 - 79.800 3.1410 " / 3.1417 " 79.782 - 79.800 3.1410 " / 3.1417 "	84.206 - 84.226 3.3152 " / 3.3160 " 84.206 - 84.226 3.3152 " / 3.3160 "	2.179 .0858 " 2.179 .0858 "	42.50 1.6733 " 32.50 1.2796 "	0.048 - 0.110 .0019 " / .0044 " 0.048 - 0.110 .0019 " / .0044 "
KL 6261 LC	Kol Yatak Con-rod bearing	6	1590	72.482 - 72.500 2.8536 " / 2.8543 "	76.695 - 76.713 3.0195 " / 3.0202 "	2.070 .0815 "	35.03 1.3780 "	0.055 - 0.111 .0022 " / .0044 "

FIAT IVECO



a)

8360.03 / 05

6 CYLINDERS , DIESEL .

PİSTON ÖLÇÜLERİ/PISTON SIZE

115 x 110
4.5276 " x 4.3307 "

MODEL

ENGINES 8360.04 / 8361.4 110.14 , 120.14 ,
129.14 , 130.14 , 140.14
ENGINES 8360.03 / 05 - 8361.05 150 NC 17 ,
150 NC , NR , NT , 159 NC 17

CC

6850

b)

8360.04

6 CYLINDERS , DIESEL .

PİSTON ÖLÇÜLERİ/PISTON SIZE

115 x 110
4.5276 " x 4.3307 "

MODEL




ENGINES 8360.04 / 8361.4 110.14 , 120.14 ,
129.14 , 130.14 , 140.14
ENGINES 8360.03 / 05 - 8361.05 150 NC 17 ,
150 NC , NR , NT , 159 NC 17

CC

6850

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7228 LC	Ana Yatak Main bearing	3	1591 1-4-7	79.782 - 79.800 3.1410 " / 3.1417 "	84.206 - 84.226 3.3152 " / 3.3160 "	2.179 .0858 "	42.50 1.6733 "	0.048 - 0.110 .0019 " / .0044 "
		4	1592 2-3-5-6	79.782 - 79.800 3.1410 " / 3.1417 "	84.206 - 84.226 3.3152 " / 3.3160 "	2.179 .0858 "	32.50 1.2796 "	0.048 - 0.110 .0019 " / .0044 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
KL 6261 LC	Kol Yatak Con-rod bearing	6	1590	72.482 - 72.500 2.8536 " / 2.8543 "	76.695 - 76.713 3.0195 " / 3.0202 "	2.070 .0815 "	35.03 1.3780 "	0.055 - 0.111 .0022 " / .0044 "

FIAT IVECO



a)

8360.03 / 05

6 CYLINDERS , DIESEL .

PİSTON ÖLÇÜLERİ/PISTON SIZE

115 x 110

4.5276 " x 4.3307 "

MODEL

ENGINES 8360.04 / 8361.4 110.14 , 120.14 ,
129.14 , 130.14 , 140.14




ENGINES 8360.03 / 05 - 8361.05 150 NC 17 ,
150 NC , NR , NT , 159 NC 17

CC

6850

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7228 LC	Ana Yatak Main bearing	3	1591 1-4-7	79.782 - 79.800 3.1410 " / 3.1417 "	84.206 - 84.226 3.3152 " / 3.3160 "	2.179 .0858 "	42.50 1.6733 "	0.048 - 0.110 .0019 " / .0044 "
		4	1592 2-3-5-6	79.782 - 79.800 3.1410 " / 3.1417 "	84.206 - 84.226 3.3152 " / 3.3160 "	2.179 .0858 "	32.50 1.2796 "	0.048 - 0.110 .0019 " / .0044 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
KL 6261 LC	Kol Yatak Con-rod bearing	6	1590	72.482 - 72.500 2.8536 " / 2.8543 "	76.695 - 76.713 3.0195 " / 3.0202 "	2.070 .0815 "	35.03 1.3780 "	0.055 - 0.111 .0022 " / .0044 "




FIAT IVECO



a)	8040.25.200/1/2/3	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL TURBOZETA, TURBOZETA EURO CARGO	CC 3908	
b)	8040.25B.4200/.4220.	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.09 " x 4.52 "	MODEL EUROCARGO	CC 3908	
c)	8040.25X.4000/8040.25.4990	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 X 115.000 mm 4.09" X 4.52"	MODEL CARGO INDIA, EUROCARGO	CC 3908	
d)	8360.04 / 8361.04	6 CYLINDERS , DIESEL .		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 115 x 130 4.5276 " x 5.1181 "	MODEL ENGINES 8360.04 / 8361.4 110.14 , 120.14 , 129.14 , 130.14 , 140.14	CC 8102	

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	ÇİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5254 LC	Ana Yatak Main bearing	5	2230	79.791 - 79.810 3.414-3.1421	84.200 - 84.230 3.3149-3.3161	2,18 0,0858	24.99 0.9839	
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs. 1 Pcs. 1 Pcs.	2124 2125 2126	49.975 - 50.000 1.9675 " - 1.9685 " 50.975 - 51.000 2.0068 " - 2.0078 " 50.475 - 50.500 1.9872 " - 1.9881 "	53.780 - 53.805 2.1173 " - 2.1183 " 54.780 - 54.805 2.1566 " - 2.1576 " 54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 " 1862 .0733 " 1862 .0733 "	24.00 .9448 " 28.00 1.1023 " 28.00 1.1023 "	
KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 4277 LC	Kol Yatak Con-rod bearing	4	2119	63.725 - 63.744 2.5089 " - 2.5096 "	67.407 - 67.422 2.6538 " - 2.6544 "	1.815 .0715 "	28.70 1.1299"	

FIAT TRACTOR






a)	8065.05 / 8065.25	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 115.00 mm 3.9370 " x 4.5276 "	MODEL 100-90, 115-90, 130-90, 980, 1000, 1180	CC 5400

b)	8065.06	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.000 x 115.000 mm 4.0945 " x 4.5276 "	MODEL 100-90, 115-90, 130-90, 980, 1000, 1180	CC 5900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAĞT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 7272 LC	Ana Yatak Main bearing	7	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 4006 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2249	51.475 - 51.500 2.0265 " - 2.0275 "	55.280 - 55.305 2.1763 " - 2.1773 "	1862 .0733 "	28.00 1.1023 "	
KL 6304 LC	Kol Yatak Con-rod bearing	6	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FIAT TRACTOR



a)

8025.05

2 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 115.000 mm
3.9370 " x 4.5276 "

MODEL

200, 250, 300, 350, 355

CC

1800

b)

8025.06

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.000 x 115.000 mm
4.0945 " x 4.5276 "

MODEL




200, 250, 300, 350, 355

CC

1953

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 3100 LC	Ana Yatak Main bearing	3	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
KB 2001 L	Kol Burcu Con-rod bush	2 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 2071 LC	Kol Yatak Con-rod bearing	2	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FIAT TRACTOR



a) **8035.01**

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.000 x 110.000 mm
3.7402 " x 4.3307 "

MODEL

355, 400, 420, 450, 450F, 450R, 455,
455C, 460, 470, 470S, 480/8F

CC

2338

b) **8035.02**

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 X 110.000 mm
3.9370 " x 4.3307 "

MODEL




450DAL, 455C, 455CS, 480, 480S,
480/8, 500, 500S, 505C, 540, 540S

CC

2592

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	CİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 4094 LC (---> 1979)	Ana Yatak Main bearing	4	642-ALC	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 4094 SA (---> 1979)	Ana Yatak Main bearing	4	642-ASA	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 4095 LC (1980 --->)	Ana Yatak Main bearing	4	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 4095 SA (1980 --->)	Ana Yatak Main bearing	4	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
KB 1001 L (1967 - 1977)	Kol Burcu Con-rod bush	1 Pcs.	1766	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	16.65 .6567 "	
KB 1002 L (1978 ---->)	Kol Burcu Con-rod bush	1 Pcs.	1767	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	16.65 .6567 "	
KB 3005 L (1978 ---->)	Kol Burcu Con-rod bush	3 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 3006 L (1967 - 1977)	Kol Burcu Con-rod bush	3 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 3019 LC (---> 1979)	Kol Yatak Con-rod bearing	3	640-ALC	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 3019 SA (---> 1979)	Kol Yatak Con-rod bearing	3	640-ASA	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 3055 LC (1980 --->)	Kol Yatak Con-rod bearing			2.3122 " / 2.3127 "	2.4570 " / 2.4575 "	.0717 "	1.1300 "	.0010 " / .0028 "
		3	640-ALC	58.730 - 58.743	62.408 - 62.420	1.82	28.70	0.025 - 0.070
KL 3055 SA (1980 --->)	Kol Yatak Con-rod bearing	3	640-ASA	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.70 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT TRACTOR



a)

8035.04

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

103.000 x 110.000 mm
4.0551 " x 4.3307 "

MODEL




500CS, 570, 580

CC

2748

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4094 LC (---> 1979)	Ana Yatak Main bearing	4	642-ALC	76.187-76.200 2.9995 " / 3.000 "	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 4094 SA (---> 1979)	Ana Yatak Main bearing	4	642-ASA	76.187-76.200 2.9995 " / 3.000 "	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 4095 LC (1980 --->)	Ana Yatak Main bearing	4	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 4095 SA (1980 --->)	Ana Yatak Main bearing	4	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
KB 1001 L (1967 - 1977)	Kol Burcu Con-rod bush	1 Pcs.	1766	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	16.65 .6567 "	
KB 1002 L (1978 ---->)	Kol Burcu Con-rod bush	1 Pcs.	1767	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	16.65 .6567 "	
KB 3005 L (1978 ---->)	Kol Burcu Con-rod bush	3 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 3006 L (1967 - 1977)	Kol Burcu Con-rod bush	3 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 3019 LC (---> 1979)	Kol Yatak Con-rod bearing	3	640-ALC	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 3019 SA (---> 1979)	Kol Yatak Con-rod bearing	3	640-ASA	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 3055 LC (1980 --->)	Kol Yatak Con-rod bearing			2.3122 " / 2.3127 "	2.4570 " / 2.4575 "	.0717 "	1.1300 "	.0010 " / .0028 "
		3	640-ALC	58.730 - 58.743	62.408 - 62.420	1.82	28.70	0.025 - 0.070
KL 3055 SA (1980 --->)	Kol Yatak Con-rod bearing	3	640-ASA	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.70 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT TRACTOR






a)	8045.01	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 95.000 x 110.000 mm 3.7402 " x 4.3307 "	MODEL 550, 555	CC 3119	
b)	8045.04	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 103.000 x 110.000 mm 4.0551 " x 4.3307 "	MODEL 765 C, 766, 780, 855 C	CC 3666	
c)	804A/8040.1/8045.01	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 95.000 x 100.000 mm 3.7402 " x 3.9370 "	MODEL 616 N2, 616 N4,	CC 2834	
d)	804A/8040.1/8045.02	4 Cylinders, Diesel		
	PİSTON ÖLÇÜLERİ/PISTON SIZE 95.000 x 100.000 mm 3.7402 " x 3.9370 "	MODEL 625 N1, 625 N2	CC 2834	

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	ÇİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1022 SA	Ana Yatak Main bearing	1	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 5151 LC (---> 1979)	Ana Yatak Main bearing	5	642-ALC	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 5151 SA (---> 1979)	Ana Yatak Main bearing	5	642-ASA	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 5164 LC (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 5164 SA (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
KB 1001 L (1967 - 1977)	Kol Burcu Con-rod bush	1 Pcs.	1766	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	16.65 .6567 "	
KB 1002 L (1978 ---->)	Kol Burcu Con-rod bush	1 Pcs.	1767	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	16.65 .6567 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KL 1122 SA	Kol Yatak Con-rod bearing	1	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4178 LC (---> 1979)	Kol Yatak Con-rod bearing	4	640 - LC	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

KL 4178 SA (---> 1979)	Kol Yatak Con-rod bearing	4	640 - SA	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 LC (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 SA (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT TRACTOR



a)

8045.02

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 X 110.000 mm
3.9370 " x 4.3307 "

MODEL




600, 605C, 640,
670, 680

CC

3456

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1022 SA	Ana Yatak Main bearing	1	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 5151 LC (---> 1979)	Ana Yatak Main bearing	5	642-ALC	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 5151 SA (---> 1979)	Ana Yatak Main bearing	5	642-ASA	76.187-76.200 2.9995 " / 3.0000 "	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856 "	25.00 .9843 "	
AN 5164 LC (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AN 5164 SA (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
KB 1001 L (1967 - 1977)	Kol Burcu Con-rod bush	1 Pcs.	1766	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	16.65 .6567 "	
KB 1002 L (1978 ---->)	Kol Burcu Con-rod bush	1 Pcs.	1767	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	16.65 .6567 "	
KB 1019 L	Kol Burcu Con-rod bush	1 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KB 1020 L	Kol Burcu Con-rod bush	1 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KL 1122 SA	Kol Yatak Con-rod bearing	1	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4178 LC (---> 1979)	Kol Yatak Con-rod bearing	4	640 - LC	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4178 SA (---> 1979)	Kol Yatak Con-rod bearing	4	640 - SA	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 LC (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.65 1.1300 "	0.025 - 0.070 .0010 " / .0028 "
KL 4206 SA (1980 --->)	Kol Yatak Con-rod bearing	4	640	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT TRACTOR



a)

8035.05

3 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.000 x 115.000 mm
4.0944 " x 4.5275 "

MODEL




45-66, 55-65, 55-66, 55-90, 60-90, 60-65, 60-66
5546 TRACTOR

CC

2930

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4096 LC	Ana Yatak Main bearing	4	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 3056 LC	Kol Yatak Con-rod bearing	3	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FIAT TRACTOR



a)

8045.05

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.000 x 115.000 mm
4.0944 " x 4.5275 "

MODEL




70-65, 70-66, 70-90, 80-65, 80-66, 80-90
6546 TRACTOR

CC

3900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1112LC	Ana Yatak Main bearing	1	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AN 5165 LC	Ana Yatak Main bearing	5	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
EB 3003 SA	Eksantrik Burc Camshaft bush	1 Pcs.	2124	49.975 - 50.000 1.9675 " - 1.9685 "	53.780 - 53.805 2.1173 " - 2.1183 "	1862 .0733 "	24.00 .9448 "	
		1 Pcs.	2125	50.975 - 51.000 2.0068 " - 2.0078 "	54.780 - 54.805 2.1566 " - 2.1576 "	1862 .0733 "	28.00 1.1023 "	
		1 Pcs.	2126	50.475 - 50.500 1.9872 " - 1.9881 "	54.280 - 54.305 2.1370 " - 2.1379 "	1862 .0733 "	28.00 1.1023 "	
KB 4004 L	Kol Burcu Con-rod bush	4 Pcs.	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80 1.3701 "	
KL 1113LC	Kol Yatak Con-rod bearing	1	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "
KL 4215 LC	Kol Yatak Con-rod bearing	4	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FIAT TRACTOR



a)

8040.04

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

103.000 x 110.000 mm

4.0551 " x 4.3307 "

MODEL




50.8, 55.8, 60.8, 65 PC(6618B)

CC

3666

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5164 LC (1980 --->)	Ana Yatak Main bearing	5	642 - C	76.187 - 76.200 2.9995 " / 3.0000 "	80.586 - 80.607 3.1727 " / 3.1735 "	2.174 .0856 "	25.00 .9843 "	0.038 - 0.092 .0015 " / .0037 "
AY 2074 SA (1977 --->)	Ay Yatak Thrustwasher	2	1823	85.100 - 85.350 3.3504 " / 3.3603 "	106.550 - 106.800 4.1949 " / 4.2048 "	3.429 .1350 "		
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
KB 4003 L	Kol Burcu Con-rod bush	4 Pcs.	1906	34.005 - 34.012 1.3388 " / 1.3391 "	37.846 - 37.884 1.4900 " / 1.4915 "	2.21 .087 "	34.80 1.3701 "	
KB 4016 L	Kol Burcu Con-rod bush	4 Pcs.	1904	32.005 - 32.012 1.2600 " / 1.2603 "	35.861 - 35.899 1.4119 " / 1.4133 "	2.21 .087 "	34.80 1.3701 "	
KL 4178 SA (---> 1979)	Kol Yatak Con-rod bearing	4	640 - SA	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

FIAT TRACTOR



a)

8055.05

5 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.000 x 115.000 mm

4.0945 " x 4.5276 "

MODEL

90-90, 95-55, 880




90-90,95-55,880

CC

4900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 6016 LC	Ana Yatak Main bearing	6	1586	79.791 - 79.810 3.1414 " / 3.1421 "	84.200 - 84.230 3.3150 " / 3.3161 "	2.178 .0858 "	25.00 .9843 "	0.034 - 0.103 .0014 " / .0041 "
AY 2058 LC	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
AY 2058 SA	Ay Yatak Thrustwasher	2	1587	87.799 - 88.033 3.4567 " / 3.4659 "	111.510 - 111.764 4.3902 " / 4.4002 "	3.429 .1350 "		
KB 5001 L	Kol Burcu Con-rod bush	5	1910	38.004 - 38.014 1.4962 " / 1.4966 "	41.846 - 41.884 1.6475 " / 1.6490 "		34.80	
KL 5015 LC	Kol Yatak Con-rod bearing	5	1585	63.725 - 63.744 2.5089 " / 2.5096 "	67.407 - 67.422 2.6538 " / 2.6544 "	1.815 .0715 "	28.70 1.1299 "	0.033 - 0.087 .0013 " / .0035 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

KL13,KL13G,KL13H,KL13L

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.985 x 62.996
3.1884 " x 2.4802 "

MODEL




ANADOL
CAPRI MK I , 1300 GT , ESCORT 1300 SUPER
DE LUXE
CORTINA 1300 DE LUXE
CORTINA

CC

1298 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5096 SA	Ana Yatak Main bearing	5	1236	53.993 - 54.003 2.1257 " / 2.1261 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.832 .0722 "	25.50 1.0039 "	0.016 - 0.053 .0006 " / .0020 "
KB 4007 L	Kol Burcu Con-rod bush	4 Pcs.	1689	20.625 - 20.632 .8120 " / .8123 "	22.327 - 22.352 .8790 " / .8800 "	1.08 .0425 "	26.54 1.0449 "	
KL 4153 SA	Kol Yatak Con-rod bearing	4	1204	49.200 - 49.213 1.9370 " / 1.9375 "	52.896 - 52.908 2.0825 " / 2.0830 "	1.832 .0722 "	22.35 .8800 "	0.019 - 0.056 .0008 " / .0022 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

2737E,711M,KL16G,KL16L

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.985 x 77.605
3.1883 " x 3.0553 "

MODEL




ESCORT 1600 , SPORT , GHIA
FIESTA XR 2

CC

1599 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5096 SA	Ana Yatak Main bearing	5	1236	53.993 - 54.003 2.1257 " / 2.1261 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.832 .0722 "	25.50 1.0039 "	0.016 - 0.053 .0006 " / .0020 "
KB 4007 L	Kol Burcu Con-rod bush	4 Pcs.	1689	20.625 - 20.632 .8120 " / .8123 "	22.327 - 22.352 .8790 " / .8800 "	1.08 .0425 "	26.54 1.0449 "	
KL 4153 SA	Kol Yatak Con-rod bearing	4	1204	49.200 - 49.213 1.9370 " / 1.9375 "	52.896 - 52.908 2.0825 " / 2.0830 "	1.832 .0722 "	22.35 .8800 "	0.019 - 0.056 .0008 " / .0022 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

TL 18H

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.200 x 76.940 mm
3.3937 " x 3.0291 "

MODEL




GRANADA
CAPRI
CONSUL
CORTINA
ESCORT

CC

1796

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5146 SA	Ana Yatak Main bearing	5	1477	56.980 - 57.000 2.2433 " / 2.2441 "	60.620 - 60.640 2.3866 " / 2.3874 "	1.804 .0711 "	23.75 .9350 "	0.012 - 0.064 .0005 " / .0026 "
AY 2066 SA	Ay Yatak Thrustwasher	2	1782	63.600 - 63.850 2.5039 " / 2.5138 "	80.250 - 80.500 3.1594 " / 3.1693 "	2.34 .0922 "		
KL 4202 SA	Kol Yatak Con-rod bearing	4	1476	51.990 - 52.000 2.0469 " / 2.0472 "	55.000 - 55.020 2.1654 " / 2.1661 "	1.496 .0589 "	20.13 .7926 "	0.008 - 0.050 .0004 " / .0020 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

N8C (TL20H)

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

90.820 x 76.900 mm
3.5756 " x 3.0276 "

MODEL




GRANADA, SCORPIO,
SIERRA
SIERRA SAPPHIRE
TAUNUS
SCORPIO

CC

1993

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5146 SA	Ana Yatak Main bearing	5	1477	56.980 - 57.000 2.2433 " / 2.2441 "	60.620 - 60.640 2.3866 " / 2.3874 "	1.804 .0711 "	23.75 .9350 "	0.012 - 0.064 .0005 " / .0026 "
AY 2066 SA	Ay Yatak Thrustwasher	2	1782	63.600 - 63.850 2.5039 " / 2.5138 "	80.250 - 80.500 3.1594 " / 3.1693 "	2.34 .0922 "		
KL 4202 SA	Kol Yatak Con-rod bearing	4	1476	51.990 - 52.000 2.0469 " / 2.0472 "	55.000 - 55.020 2.1654 " / 2.1661 "	1.496 .0589 "	20.13 .7926 "	0.008 - 0.050 .0004 " / .0020 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

DL2.OH

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.000 x 86.000 mm
3.38 " x 3.38 "

MODEL




GRANADA SHAPPHIRE,
SIERRA

CC

1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5216 SA	Ana Yatak Main bearing	5	2058	54.980 - 55.000 2.1646 " / 2.1654 "	59.287 - 59.300 2.3341 " / 2.3346 "	2.140 .0843 "	18.70 .7363 "	0.007 - 0.052 .0003 " / .0021 "
KL 4261 SA	Kol Yatak Con-rod bearing	4	2057	50.890 - 50.910 2.0035 " / 2.0043 "	53.890 - 53.910 2.1217 " / 2.1224 "	1.483 .0584 "	20.70 .8150 "	0.014 - 0.066 .0006 " / .0026 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

XD 2S

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.000 x 83.000 mm
3.7 " x 3.2677 "

MODEL

GRANADA, SCORPIO,
SIERRA

CC

2304

b)

XD3 / XD3P

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.000 x 90.000 mm
3.7 " x 3.5433 "

MODEL




GRANADA
SCORPIO

CC

2498

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5162 SA	Ana Yatak Main bearing	3	1580 1-3-5	59.994 - 60.021 2.3620 " / 2.3630 "	63.737 - 63.750 2.5093 " / 2.5098 "	1.835 .0723 "	30.00 1.1811 "	0.046 - 0.102 .0019 " / .0041 "
		2	1581 2-4	59.994 - 60.021 2.3620 " / 2.3630 "	63.737 - 63.750 2.5093 " / 2.5098 "	1.835 .0723 "	24.00 .9449 "	0.046 - 0.102 .0019 " / .0041 "
AY 2057 LC	Ay Yatak Thrustwasher	2	1582	67.000 - 67.250 2.6378 " / 2.6476 "	84.750 - 85.000 3.3366 " / 3.3465 "	2.35 .0926 "		
KB 4020 L	Kol Burcu Con-rod bush	4 Pcs.	2084	30.007 - 30.020 1.1814 " / 1.1819 "	33.000 - 33.025 1.2992 " / 1.3002 "	1.75 .0689 "	29.70 1.1693 "	
KL 4214 SA	Kol Yatak Con-rod bearing	4	1579	54.994 - 55.021 2.1651 " / 2.1662 "	58.737 - 58.750 2.3125 " / 2.3130 "	1.836 .0723 "	29.00 1.1417 "	0.044 - 0.096 .0018 " / .0038 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

XDP4-90

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

90.000 x 83.000 mm

3.5433 " x 3.2678 "

MODEL




GRANADA

CC

2112

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5199 SA	Ana Yatak Main bearing	3	1886 1-3-5	54.994 - 55.009 2.1651 " / 2.1657 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.835 .0722 "	30.00 1.1811 "	0.052 - 0.100 .0021 " / .0040 "
		2	1887 2-4	54.994 - 55.009 2.1651 " / 2.1657 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.835 .0722 "	22.00 .8661 "	0.052 - 0.100 .0021 " / .0040 "
KL 4241 SA	Kol Yatak Con-rod bearing	4	1885	49.984 - 50.000 1.9679 " / 1.9685 "	53.695 - 53.708 2.1140 " / 2.1145 "	1.821 .0717 "	29.00 1.1417 "	0.053 - 0.096 .0021 " / .0038 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

EV30H

6 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

93.647 x 72.410 mm
3.6869 " x 2.8508 "

MODEL




GRANADA, CAPRI,
CONSUL, ZODIAC

CC

2994

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4115 SA	Ana Yatak Main bearing	4	1162	63.525 - 63.536 2.5010 " / 2.5014 "	67.701 - 67.721 2.6654 " / 2.6662 "	2.071 .0816 "	20.95 .8248 "	0.011 - 0.054 .0005 " / .0022 "
KL 6306 SA	Kol Yatak Con-rod bearing	6	1161	60.353 - 60.373 2.3761 " / 2.3769 "	64.033 - 64.046 2.5210 " / 2.5215 "	1.821 .0717 "	17.90 .7048 "	0.018 0.063 .0007 " / .0025 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

G8DA / G8DB (DV6TED)

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.000 x 88.300

2.9527" x 3.4763

MODEL




FOCUS,C-MAX,FUSION, FIESTA 1.6 TDCi

CC

1560

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4053 L	Kol Burcu Con-rod bush	4 Pcs.	2488	25.988 - 25.999 1.0228" - 1.0229"	29.022 - 29.023 1.1425" - 1.1426"		20.00	
KL 4302 LC	Kol Yatak Con-rod bearing	4	2273	46.975 - 46.991 1.7706 " / 1.8500 "	50.655 - 50.674 1.9942 " / 1.9950 "	1.818 .0715 "	17.00 .6692 "	0.028 - 0.079 .0011 " / .0031 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

F6JA/F6JB (DV4TD)

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

73.700 X 82.000
3.6866" X 32.283"

MODEL




FUSION, FIESTA 1.4 TDCi

CC

1399

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4046 L	Kol Burcu Con-rod bush	4 Pcs.	2442	24.995 - 25.000 0.9840" - 0.9842"	28.000 - 28.021 1.1024" - 1.1032"		19.95 0.7866"	
KL 4306 LC	Kol Yatak Con-rod bearing	4	2290	44.975 - 44.991 1.7706 " / 1.7712 "	48.655 - 48.671 1.9155 " / 1.9161 "	1.825 .0718 "	17.00 .6692 "	0.014 - 0.062 .0005 " / .0024 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

TV 23

6 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

90.000 x 60.070 mm
3.5433 " x 2.3650 "

MODEL




GRANADA, CAPRI, CONSUL,
CORTINA, SIERRA, TAUNUS,
TURNIER

CC

2293

TAKİM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4046 SA	Ana Yatak Main bearing	3	1214 1-2-4	56.980 - 57.000 2.2433 " / 2.2441 "	60.620 - 60.640 2.3866 " / 2.3874 "	1.80 .0709 "	21.58 .8496 "	0.020 - 0.072 .0008 " / .0029 "
		1	* 1215 3	56.980 - 57.000 2.2433 " / 2.2441 "	60.620 - 60.640 2.3866 " / 2.3874 "	1.80 .0709 "	26.28 1.0347 "	0.020 - 0.072 .0008 " / .0029 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1215	Std.	26.28 / 1.0347 "		26.28	
				.010 - .020 - .030 .040 - .050 - .060	26.54 / 1.0450 " 26.79 / 1.055 "			
KL 6179 SA	Kol Yatak Con-rod bearing	6	1213	53.980 - 54.000 2.1252 " / 2.1260 "	56.820 - 56.840 2.2370 " / 2.2378 "	1.400 .0552 "	16.48 .6489 "	0.020 - 0.072 .0008 " / .0029 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

UY

6 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

90.000 x 66.830 mm

3.5433 " x 2.6311 "

MODEL




GRANADA, CAPRI,
TAUNUS, TURNIER

CC

2551

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4046 SA	Ana Yatak Main bearing	3	1214 1-2-4	56.980 - 57.000 2.2433 " / 2.2441 "	60.620 - 60.640 2.3866 " / 2.3874 "	1.80 .0709 "	21.58 .8496 "	0.020 - 0.072 .0008 " / .0029 "
		1	* 1215 3	56.980 - 57.000 2.2433 " / 2.2441 "	60.620 - 60.640 2.3866 " / 2.3874 "	1.80 .0709 "	26.28 1.0347 "	0.020 - 0.072 .0008 " / .0029 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1215	Std.	26.28 / 1.0347 "		26.28	
				.010 - .020 - .030	26.54 / 1.0450 "			
				.040 - .050 - .060	26.79 / 1.055 "			
KL 6179 SA	Kol Yatak Con-rod bearing	6	1213	53.980 - 54.000 2.1252 " / 2.1260 "	56.820 - 56.840 2.2370 " / 2.2378 "	1.400 .0552 "	16.48 .6489 "	0.020 - 0.072 .0008 " / .0029 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

D 25, D25 T

4 CYLINDERS, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

93.648 x 90.540

3.6869 " x 3.5646 "

MODEL




2.5 DIRECT INJECTION

CC

2496 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5176 SA	Ana Yatak Main bearing	3	1565 1-2-4 3	69.990 - 70.000 2.7555 " / 2.7559 "	74.000 - 74.020 2.9134 " / 2.9142 "	1.983 .0781 "	23.10 .9090 "	0.034 - 0.080 .0014 " / .0032 "
		1	1567 5	76.990 - 77.000 3.0311 " / 3.0315 "	81.000 - 81.020 3.1890 " / 3.1898 "	1.981 .0780 "	22.10 .8701 "	0.034 - 0.080 .0014 " / .0032 "
		1	1566	69.990 - 70.000	74.000 - 74.020	1.983	27.10	0.034 - 0.080
AY 2083 SA	Ay Yatak Thrustwasher	2	2120	78.750 - 79.000 3.1003 " - 3.1102 "	94.000 - 94.250 3.7008 " - 3.7106 "	2.83 .1114 "		
EB 5002 L	Eksantrik Burc Camshaft bush	1 Pcs.	2121	55.944 - 55.957	61.000 - 61.046	2.50	19.10	
		4 Pcs.	2122	55.944 - 55.957 2.2026 " - 2.2131 "	61.000 - 61.046 2.4016 " - 2.4034 "	2.50 0985 "	19.10 7481 "	
KB 4027 L	Kol Burcu Con-rod bush	4 Pcs.	1746	28.992 - 28.997 1.1414 " / 1.1416 "	32.000 - 32.024 1.2598 " / 1.2608 "	1.770 .0697 "	32.00 1.2598 "	
KL 4211 SA	Kol Yatak Con-rod bearing	4	1564	59.980 - 60.000 2.3614 " / 2.3622 "	63.506 - 63.520 2.5002 " / 2.5008 "	1.737 .0684 "	26.13 1.0287 "	0.032 - 0.080 .0013 " / .0032 "
KL 4281 LC (TURBO)	Kol Yatak Con-rod bearing	4 4	2148 2148	59.980 - 60.000 2.3614 " / 2.3622 "	63.506 - 63.520 2.5002 " / 2.5008 "	1.737 .0684 "	26.13 1.0287 "	0.032 - 0.080 .0013 " / .0032 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

2401 E YORK

4 CYLINDERS ,DIESEL / PARENT BLOCK .

PİSTON ÖLÇÜLERİ/PISTON SIZE

93.645 X 85.600
3.6868 " X 3.3701 "

MODEL




2401 E YORK 2.4

CC

2358 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5159 SA	Ana Yatak Main bearing	3	1565 1-2-4	69.990 - 70.000 2.7555 " / 2.7559 "	74.000 - 74.020 2.9134 " / 2.9142 "	1.983 .0781 "	23.10 .9090 "	0.034 - 0.080 .0014 " / .0032 "
		1	1566 3	69.990 - 70.000 2.7555 " / 2.7559 "	74.000 - 74.020 2.9134 " / 2.9142 "	1.983 .0781 "	27.10 1.0669 "	0.034 - 0.080 .0014 " / .0032 "
		1	1567 5	76.990 - 77.000 3.0311 " / 3.0315 "	81.000 - 81.020 3.1890 " / 3.1898 "	1.981 .0780 "	22.10 .8701 "	0.038 - 0.084 .0015 " / .0033 "
AY 2083 SA	Ay Yatak Thrustwasher	2	2120	78.750 - 79.000 3.1003 " - 3.1102 "	94.000 - 94.250 3.7008 " - 3.7106 "	2.83 .1114 "		
EB 5002 L	Eksantrik Burc Camshaft bush	1 Pcs.	2121	55.944 - 55.957	61.000 - 61.046	2.50	19.10	
		4 Pcs.	2122	55.944 - 55.957 2.2026 " - 2.2131 "	61.000 - 61.046 2.4016 " - 2.4034 "	2.50 0985 "	19.10 7481 "	
KB 4013 L	Kol Burcu Con-rod bush	4 Pcs.	1746	28.992 - 28.997 1.1414 " / 1.1416 "	32.000 - 32.024 1.2598 " / 1.2608 "	1.770 .0697 "	32.00 1.2598 "	
KL 4211 SA	Kol Yatak Con-rod bearing	4	1564	59.980 - 60.000 2.3614 " / 2.3622 "	63.506 - 63.520 2.5002 " / 2.5008 "	1.737 .0684 "	26.13 1.0287 "	0.032 - 0.080 .0013 " / .0032 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

FYDA (ZH 16 Zetec S)

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.000 X 81.400 mm

3.1102" X 3.2047"

MODEL




FOCUS 1.6

CC

1597

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4287 LC	Kol Yatak Con-rod bearing	4	2200	43.985/ 44.000 1.7317"/ 1.723"	47.030/ 47.045 1.8516"/ 1.8522"	1,487- 1,493 .0585- .0587	15,30 .6023	0.020 - 0.050 0.0008" / 0.0020"

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

DHA ---->DHG

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

71.90 x 76.50

3.1102" X 3.2047"

MODEL




FIESTA 1.25 - 1.4 16V

CC

1242

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5244 SA	Ana Yatak Main bearing	4 pcs	2201	47.980 - 48.000	54.020 - 54.038	2.992- 2.999	16,10	0.020 / 0.057
				1.8890" / 1.8898"	2.1268" 2.1274"		.6338	.0008" / .0022"
		1 pcs	* 2599	47.980 - 48.000	54.020 - 54.038	2.992- 2.999	23.82	0.020 / 0.057
				1.8890" / 1.8898"	2.1268" 2.1274"	.1177- .1180	.9377	.0008" / .0022"
KL 4370 SA	Kol Yatak Con-rod bearing	4	2605	39,980 - 40,000 mm	43,025 - 43,045 mm	1,508 - 1,515 mm	15.10	0.020 - 0.052 mm

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

ZH 16 ZETEC E

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.000 X 88.000 mm

2.9921 " X 3.4645 "

MODEL

ESCORT

FIESTA

MONDEO




ORION

CC

1597

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5242SA	Ana Yatak Main bearing	4 pcs	2195	57.980-58.000	62.287- 62.300	2.128- 2.135	19.55	0.011 / 0.058
		5 pcs	2195	57.980-58.000 2.2826"-2.2834"	62.287-62.300 2.4522"-2.4527"	2.128- 2.135	19.55 .7696"	0.011 / 0.058 .0004" / .0023"
		1 pcs	* 2196	57.980-58.000 2.2826"-2.2834"	62.287-62.300 2.4522"-2.4527"	.0837"- .0840"	24.75 .9744"	0.011 / 0.058 .0004" / .0023"
						2.128- 2.135 .0837"- .0840"		
KL 4285 LC	Kol Yatak Con-rod bearing	4	2194	46.890-46.910	49.890-49.910	1.475- 1.482	20.40	0.030 - 0.095
				1.8460-1.8468	1.941-1.9649	.0580- .0583	.8031	0.0012" / 0.0037"

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

ZH 18 N/M/P ZETEC E

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.600 x 88.000

3.1700 x 3.4600

MODEL

ESCORT, FIESTA, MONDEO

FOCUS




ORION

CC

1796

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5242SA	Ana Yatak Main bearing	4 pcs	2195	57.980-58.000	62.287- 62.300	2.128- 2.135	19.55	0.011 / 0.058
		5 pcs	2195	57.980-58.000 2.2826"-2.2834"	62.287-62.300 2.4522"-2.4527"	2.128- 2.135	19.55 .7696"	0.011 / 0.058 .0004" / .0023"
		1 pcs	* 2196	57.980-58.000 2.2826"-2.2834"	62.287-62.300 2.4522"-2.4527"	.0837"- .0840"	24.75 .9744"	0.011 / 0.058 .0004" / .0023"
						2.128- 2.135 .0837"- .0840"		
KL 4285 LC	Kol Yatak Con-rod bearing	4	2194	46.890-46.910	49.890-49.910	1.475- 1.482	20.40	0.030 - 0.095
				1.8460-1.8468	1.941-1.9649	.0580- .0583	.8031	0.0012" / 0.0037"

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

ZH 20 ZETEC E

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.800 x 88.000
3.330 x 3.460

MODEL




COUGAR, FOCUS, MONDEO

CC

1988

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5242SA	Ana Yatak Main bearing	4 pcs	2195	57.980-58.000	62.287- 62.300	2.128- 2.135	19.55	0.011 / 0.058
		5 pcs	2195	57.980-58.000 2.2826"-2.2834"	62.287-62.300 2.4522"-2.4527"	2.128- 2.135	19.55 .7696"	0.011 / 0.058 .0004" / .0023"
		1 pcs	* 2196	57.980-58.000 2.2826"-2.2834"	62.287-62.300 2.4522"-2.4527"	.0837"- .0840"	24.75 .9744"	0.011 / 0.058 .0004" / .0023"
						2.128- 2.135 .0837"- .0840"		
KL 4285 LC	Kol Yatak Con-rod bearing	4	2194	46.890-46.910	49.890-49.910	1.475- 1.482	20.40	0.030 - 0.095
				1.8460-1.8468	1.941-1.9649	.0580- .0583	.8031	0.0012" / 0.0037"

FORD PASSENGER CARS & LIGHT COMMERCIAL



a) **D2FA -D4FA (DURATORQ DI - TDCI)**

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.000 X 86.000
3.3858" X 3.3858"

MODEL




MONDEO, TRANSİT
TRANSİT V184 (PUMA MOTOR)
TRANSİT V347 - V348 (PUMA MOTOR)

CC

1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5237 SA	Ana Yatak Main bearing	3 ad.	2142	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	24.20 .9173"	0.026 - 0.074 .0010 " / .0029 "
		1 ad.	*2143	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	30.20 1.1889"	
		4 ad.	2144	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	23.45 .9232"	
		2 ad.	2145	69.950 - 69.970 2.570" - 2.5578"	74.504 - 74.520 2.9332" - 2.9338"	2.254 .0887"	19.70 .7755"	
AN 5326 SA	Ana Yatak Main bearing	1 Ad.	2143	64.950 - 64.970	69.504 - 69.520	2.254	30.20	
		4 Ad.	2144	64.950 - 64.970	69.504 - 69.520	2.254	23.45	
		2 Ad.	2145	69.950 - 69.970	74.504 - 74.520	2.254	19.70	
		3 Ad.	2680 (ÇİFT DELİKLİ)	64.950 - 64.970	69.504 - 69.520	2.254	24.00	
KB 4025 L	Kol Burcu Con-rod bush	4 Pcs.	2146	32.00 1.2598"	35.100 - 35.120 1.3818" - 1.3826"	1.75 .0688"	28.75 1.1318"	
KB 4070 L (30 mm)	Kol Burcu Con-rod bush	4	2601	30,00 mm	33,11 mm	1,75 - 1,80 mm	24,05 mm	
KL 4354 LC	Kol Yatak Con-rod bearing	4	2140	52.980 - 53.000 2.0858" - 2.0866"	55.996 - 56.016 2.2045" - 2.2053"	1.485 .0584"	24.55 .9665"	0.025 - 0.084 .0009 " / .0033 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a) **SAFA 5 CYLINDER (DURATORQ TDCI)**

5 Cylinders Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
89.900 x 100.76 mm

MODEL
TRANSİT V347 200 HP

CC
3198

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 6025 SA	Ana Yatak Main bearing	4 ad.	2142	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	24.00 .9173"	0.026 - 0.074 .0010 " / .0029 "
		1 ad.	*2143	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	30.20 1.1889"	
		5 ad.	2144	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	23.45 .9232"	
		2 ad.	2145	69.950 - 69.970 2.570" - 2.5578"	74.504 - 74.520 2.9332" - 2.9338"	2.254 .0887"	19.70 .7755"	
KB 5004 L	Kol Burcu Con-rod bush	5	2146	32,00 mm	35,100 - 35,120 mm	1,75 mm	28,75 mm	
KL 5023LC	Kol Yatak Con-rod bearing	5	2140 2140	52.980 - 53.000 2.0858" - 2.0866"	55.996 - 56.016 2.2045" - 2.2053"	1.485 .0584"	24.55 .9665"	0.025 - 0.084 .0009 " / .0033 "

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

HCPA - BHPA - LYNX

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

82.450 X 82.000
3.2460" X 3.2283"

MODEL




TRANSİT CONNECT 1.8 75-90 HP

CC

1753

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5272 SA	Ana Yatak Main bearing	5	2374	53.970 - 53.990	57.683 - 57.696	1.830	22.25	0.033 - 0.091
			1	2.1248" - 2.1256"	2.2710" - 2.2715"	0.0720"	0.8720"	0.0013" - 0.0036"
			2375	53.970 - 53.990	57.683 - 57.696	1.830	21.70 - 23.10	0.033 - 0.091
			2-3-4-5	2.1248" - 2.1256"	2.2710" - 2.2715"	0.0720"	0.9016"	0.0013" - 0.0036"
AY 1029 SA	Ay Yatak Thrustwasher	1	2377 2377	59.346 - 59.690 2.3364" / 2.3500"	74.498 - 74.752 2.9330" / 2.9430"	2.362 0.0930"		
EB 5007 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2405	27.960 - 27.980 1.1007" - 1.1015"	30.500 - 30.525 1.2007" - 1.2017"	1.250 .0492"	17.65 .0392"	
KB 4055 L	Kol Burcu Con-rod bush	4 Pcs.	2490	28.00 1.1023"	31.00 - 31.05 1.2204" - 1.2224"	1.80 .0708	25.25 .9940	
KB 4056 L (OverSize)	Kol Burcu Con-rod bush	4 Pcs.	2491 2491	28.00 1.1023"	31.60 1.2440"	2.10 .0826"	25.25 .9940"	
KL 4320 LC	Kol Yatak Con-rod bearing	4 Pcs.	2376	48.970 - 48.990	52.000 - 52.020	1.496	21.60	0.020 - 0.085
		4 Pcs.	2376	1.9279" - 1.9287"	2.0472"-2.0480"	0.0589"	0.8500"	0.0008"-0.0033"

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

WL

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

93.000 X 92.000 mm
3.6614" X 3.6220"

MODEL




RANGER 2.5D & 2.5 TDCI

CC

2499

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5268 SA	Ana Yatak Main bearing	5	2358	66,940 - 66,955 2,6354 " / 2,6360	71,000 - 71,020 2,7953 " / 2,7960	2,008 0,0791	22.55 0,8902	0,029 - 0,076 0,0011 - 0,0030
AY 2070 SA	Ay Yatak Thrustwasher	2	2359	75209 2.9610"	91,796 3.6141"	2504 .0986"		
KB 4039 L	Kol Burcu Con-rod bush	4 Pcs.	2360 2360	32.00 1.2598"	35.02 1.3787"			
KL 4374 LC	Kol Yatak Con-rod bearing	4	2357	54,940 - 54,955 2,1630 " / 2,1636	58,000 - 58,020 2,2835 " / 2,2842	1,510 0,0594	23.55 0,9319	0,020 - 0,084 0,0008 " / 0,0033

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

CVH / L6B / LHA

4 Cylinders Gasoline




PİSTON ÖLÇÜLERİ/PISTON SIZE
80.00 x 79.50 mm

MODEL
ESCORT CVH

CC
1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5309 SA	Ana Yatak Main bearing	5	2620 TH / BH	57,980 - 58,000 mm	62,287 - 62,300 mm	2,131 - 2,137 mm	22.59 mm	0.020 - 0.059 mm
KL 4249 SA	Kol Yatak Con-rod bearing	4	1990 XX	47,890 - 47,910 mm	50,900 - 50,920 mm	1,474 - 1,480 mm	19.50 mm	0.020 - 0.071 mm

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

BL13H (JLA)

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

73.94 X 75.51 mm
2.91 X 2.97

MODEL




ESCORT 1300 / ORION 1300

CC

1297 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4351 SA	Kol Yatak Con-rod bearing	4	2537	42.990 / 43.010 mm	46.685 / 46.705 mm	1.830 mm	17.250 mm	0.060 mm

FORD PASSENGER CARS & LIGHT COMMERCIAL



a)

1.5 TDCI

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL




FORD FIESTA 1.5 TDCI / TRANSIT COURIER

CC

1500 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5321 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981	53.655 - 53.674	1.833	19.90	0.008 - 0.062
AY 1042 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480	71.350 - 71.700	2.46		
KB 4077 L	Kol Burcu Con-rod bush	4 pcs.	2488	25.988 - 25.999	29.022 - 29.023			
KL 4385 LC	Kol Yatak Con-rod bearing	4	2273	46.975 - 46.991	50.655 - 50.674	1.818	17.00	0.028 - 0.079

FORD TRACTOR



a)

40 D

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

106.698 x 106.910
4.2007 " x 4.2094 "

MODEL

3000

CC

2867

b)

BSD 333H

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

111.77 x 111.76

MODEL




4000

CC

3294

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4088 SA	Ana Yatak Main bearing	3	1418 1-3-4	85.634 - 85.654 3.3714 " / 3.3722 "	92.055 - 92.075 3.6242 " / 3.6250 "	3.175 .1250 "	28.19 1.1098 "	0.051 - 0.103 .0020 " / .0041 "
		1	* 1419 2	85.634 - 85.654 3.3714 " / 3.3722 "	92.055 - 92.075 3.6242 " / 3.6250 "	3.175 .1250 "	36.95 1.4550 "	0.051 - 0.103 .0020 " / .0041 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1419	Std. -.010-.020-.030 .040 - .050 - .060	36.95 / 1.4550 " 37.21 / 1.4650 "		36.95	
EB 4004 SA	Eksantrik Burc Camshaft bush	4 Pcs.	2149	60.700 - 60.710 2.3897 " - 2.3901 "	64.376 - 64.402 2.5344 " - 2.5355 "	1.82 .0716 "	19.55 .7696 "	
KB 3001 L	Kol Burcu Con-rod bush	3 Pcs.	1688	38.092 - 38.100 1.4997 " / 1.5000 "	41.265 - 41.285 1.6246 " / 1.6254 "	1.85 .0729 "	41.15 1.6201 "	
KL 3051 SA	Kol Yatak Con-rod bearing	3	1417	69.840 - 69.860 2.7496 " / 2.7504 "	74.706 - 74.727 2.9412 " / 2.9420 "	2.405 .0947 "	35.81 1.4098 "	0.036 - 0.089 .0015 " / .0035 "

FORD TRACTOR






a)	56 Q	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 106.698 x 106.770 4.2007 " x 4.2039 "	MODEL SUPER DEXTA TRACTOR	CC 3819

b)	6Y, 7A	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 106.698 x 106.680 4.2007 " x 4.2000 "	MODEL 5000, 5100, 5190,	CC 4200

c)	BSD 442	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 111.778 x 106.870 4.4007 " x 4.2076 "	MODEL 4830, 5030, 5110, 5610, 5900	CC 4195

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5140 SA	Ana Yatak Main bearing	4	1418 1-2-4-5	85.634 - 85.654 3.3714 " / 3.3722 "	92.055 - 92.075 3.6242 " / 3.6250 "	3.175 .1250 "	28.19 1.1098 "	0.051 - 0.103 .0020 " / .0041 "
		1	* 1419 3	85.634 - 85.654 3.3714 " / 3.3722 "	92.055 - 92.075 3.6242 " / 3.6250 "	3.175 .1250 "	36.95 1.4550 "	0.051 - 0.103 .0020 " / .0041 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1419	Std. -.010-.020-.030 .040 - .050 - .060	36.95 / 1.4550 " 37.21 / 1.4650 "		36.95	
EB 5003 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2149	60.700 - 60.710 2.3897 " - 2.3901 "	64.376 - 64.402 2.5344 " - 2.5355 "	1.82 .0716 "	19.55 .7696 "	
KB 4006 L	Kol Burcu Con-rod bush	4 Pcs.	1688	38.092 - 38.100 1.4997 " / 1.5000 "	41.265 - 41.285 1.6246 " / 1.6254 "	1.85 .0729 "	41.15 1.6201 "	
KL 4195 SA	Kol Yatak Con-rod bearing	4	1417	69.840 - 69.860 2.7496 " / 2.7504 "	74.706 - 74.727 2.9412 " / 2.9420 "	2.405 .0947 "	35.81 1.4098 "	0.036 - 0.089 .0015 " / .0035 "

FORD TRACTOR



a)

PİSTON ÖLÇÜLERİ/PISTON SIZE

111.778 x 111.760 mm
4.4007 " x 4.4000 "

6 Cylinders, Diesel

MODEL




8000, 9600
TW 20, TW 30
7810
8200
8400
8530
9200
9000

CC

6571

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7265 SA	Ana Yatak Main bearing	6	1418 1-2-3-5-6- 7	85.634 - 85.654 3.3714 " / 3.3722 "	92.055 - 92.075 3.6242 " / 3.6250 "	3.175 .1250 "	28.19 1.1098 "	0.051 - 0.103 .0020 " / .0041 "
		1	* 1419 4	85.634 - 85.654 3.3714 " / 3.3722 "	92.055 - 92.075 3.6242 " / 3.6250 "	3.175 .1250 "	36.95 1.4550 "	0.051 - 0.103 .0020 " / .0041 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1419	Std. -.010-.020-.030 .040 - .050 - .060	36.95 / 1.4550 " 37.21 / 1.4650 "		36.95	
EB 5003 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2149	60.700 - 60.710 2.3897 " - 2.3901 "	64.376 - 64.402 2.5344 " - 2.5355 "	1.82 .0716 "	19.55 .7696 "	
KB 6009 L	Kol Burcu Con-rod bush	6 Pcs.	1688	38.092 - 38.100 1.4997 " / 1.5000 "	41.265 - 41.285 1.6246 " / 1.6254 "	1.85 .0729 "	41.15 1.6201 "	
KL 6298 SA	Kol Yatak Con-rod bearing	6	1417	69.840 - 69.860 2.7496 " / 2.7504 "	74.706 - 74.727 2.9412 " / 2.9420 "	2.405 .0947 "	35.81 1.4098 "	0.036 - 0.089 .0015 " / .0035 "

FORD TRACTOR



a)

592 E

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 115.000 mm
3.9370 " x 4.5275 "

MODEL




MAJOR, POWER,
SUPER

CC

3610

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5091 SA	Ana Yatak Main bearing	3	1150 1-2-4	76.205 - 76.225 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.076 .0818 "	26.67 1.0500 "	0.052 - 0.097 .0021 " / .0039 "
		2	1151 3-5	76.205 - 76.225 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.076 .0818 "	36.20 1.4252 "	0.052 - 0.097 .0021 " / .0039 "
AY 2067 SA	Ay Yatak Thrustwasher	2	1783	84.200 - 84.455 3.3150 " / 3.3250 "	98.755 - 99.009 3.8880 " / 3.8980 "	2.36 .0930 "		
KB 4021 L	Kol Burcu Con-rod bush	4 Pcs.	1646	34.928 - 34.935 1.3752 " / 1.3754 "	38.125 - 38.163 1.5010 " / 1.5025 "	1.77 .0697 "	36.45 1.4351 "	
KL 4137 SA	Kol Yatak Con-rod bearing	4	1149	63.492 - 63.513 2.4997 " / 2.5005 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.828 .0720 "	34.03 1.3398 "	0.039 - 0.085 .0016 " / .0034 "

FORD TRACTOR (NEW HOLLAND)



a)

GENESIS GE7450SI 15

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

111.780 x 127.000 mm
3.937 " x 5.500 "




MODEL

Ford Tractor
Serie10:7810,7910,8210,8530,7810S
M115,M135,M160
Serie40:7740
Powerstar 7,5 Ford New Holland
Fiat Agri(New Holland)
Powerstar 7,5T Ford New Holland
6640 - 7740 / TC 56

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1127 SA	Ana Yatak Main bearing	1	2586	85,633 - 85,654 mm	92,055 - 92,075 mm	3,177 mm	28,190 mm	
AN 1128 SA (FLANGED)	Ana Yatak Main bearing	1	2587 ÇENELİ	85,633 - 85,654 mm	92,055 - 92,075 mm	3,177 mm	36,910 mm	
AN 7304 SA	Ana Yatak Main bearing	6 1	2586 SA 2587 SA	85.634 - 85.654 85.634 - 85.654 3,3714 " - 3,3722 " 3,3714 " - 3,3722 "	92.055 - 92.075 92.055 - 92.075 3,6242 " - 3,6250 " 3,6242 " - 3,6250 "	3.164 - 3.172 3.164 - 3.172 0,1245 " - 0,1248 " 0,1245 " - 0,1248 "	28.19 36.95 1,4547 " 1,1098 "	
KB 1051 L	Kol Burcu Con-rod bush	1	2632	41,278 - 41,280 mm	44,298 - 44,348 mm	1,70 - 1,80 mm	41,60 mm	
KL 1144 LC	Kol Yatak Con-rod bearing	1	2585	69,840 - 69,860 mm	74,706 - 74,727 mm	2,400 mm	31.80	
KL 6339 LC	Kol Yatak Con-rod bearing	6	2585	69.850 - 69.860 2,7500 " - 2,7503 "	74.707 - 74.717 2,9412 " - 2,9416 "	2.395 - 2.405 0,0942 " - 0,0946 "	31.80 1,2519 "	

FORD TRACTOR (NEW HOLLAND)



a)

4983 T

5 Cylinders, DIESEL




PİSTON ÖLÇÜLERİ/PISTON SIZE
111,77 mm

MODEL
Fiat Agri (New Holland)
M115,M135,M160
8160,8260,8360
TS 100, TS 110
Ford Tractor
Powerstar450T/PD Ford New Holland
Powerstar 4.4 Ford New Holland
Powerstar 5.0 Ford New Holland
Powerstar 5.0T Ford New Holland

CC
4983 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5303 SA	Ana Yatak Main bearing	4	2586 SA	85.634 - 85.654	92.055 - 92.075	3.164 - 3.172	28.19	
		1	2587 SA	85.634 - 85.654 3,3714 " - 3,3722 " 3,3714 " - 3,3722 "	92.055 - 92.075 3,6242 " - 3,6250 " 3,6242 " - 3,6250 "	3.164 - 3.172 1,1098 " - 0,1245 " - 0,1248 "	36.95 1,4547 " - 1,4547 "	
KB 1051 L	Kol Burcu Con-rod bush	1	2632	41,278 - 41,280 mm	44,298 - 44,348 mm	1,70 - 1,80 mm	41,60 mm	
KL 4365 LC	Kol Yatak Con-rod bearing	4	2585 LC XX	69.850 - 69.860 2,7500 " - 2,7503 "	74.707 - 74.717 2,9412 " - 2,9416 "	2.395 - 2.405 0,0942 " - 0,0946 "	31.80 1,2519 "	

FORD TRUCK







a)	2708 E/2703 E	6 Cylinders, DIESEL	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 100.000 x 114.800 mm 3.9370 " x 4.5196 "	MODEL D SERIES	CC 5410

b)	2713 E(365)	6 Cylinders, DIESEL	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 104.775 x 114.800 mm 4.1250 " x 4.5196 "	MODEL D 1010,D 1110,D 1210	CC 5981

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 7226 SA	Ana Yatak Main bearing	5	1152 1-2-3-5-6	76.205 - 76.225 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.078 .0818 "	26.67 1.0500 "	0.048 - 0.093 .0019 " / .0037 "
		2	1480 4-7	76.205 - 76.225 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.078 .0818 "	36.19 1.4252 "	0.048 - 0.093 .0019 " / .0037 "
AY 2067 SA	Ay Yatak Thrustwasher	2	1783	84.200 - 84.455 3.3150 " / 3.3250 "	98.755 - 99.009 3.8880 " / 3.8980 "	2.36 .0930 "		
EB 6001 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2150	55.486 - 55.499 2.1844 " - 2.1850 "	58.750 - 58.776 2.3129 " - 2.3140 "	1.625 .0639 "	24.10 .9500 "	
		1 Pcs.	2151	55.486 - 55.499 2.1844 " - 2.1850 "	58.750 - 58.776 2.3129 " - 2.3140 "	1.621 .0638 "	26.10 1.0295 "	
KB 6004 L	Kol Burcu Con-rod bush	6 Pcs.	1646	34.928 - 34.935 1.3752 " / 1.3754 "	38.125 - 38.163 1.5010 " / 1.5025 "	1.77 .0697 "	36.45 1.4351 "	
KL 6155 SA	Kol Yatak Con-rod bearing	6	1149	63.492 - 63.513 2.4997 " / 2.5005 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.828 .0720 "	34.03 1.3398 "	0.039 - 0.085 .0016 " / .0034 "

FORD TRUCK



a)

Dover 110 (6AA)

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.775 x 114.900 mm
4.1250 " x 4.5236 "

MODEL




CARGO SERIES TRUCKS ,
TRUCKS 0711, 0811, 0911, 1011,
TRUCKS 1111, TIPPER 1311

CC

5947

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7226 SA	Ana Yatak Main bearing	5	1152 1-2-3-5-6	76.205 - 76.225 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.078 .0818 "	26.67 1.0500 "	0.048 - 0.093 .0019 " / .0037 "
		2	1480 4-7	76.205 - 76.225 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.078 .0818 "	36.19 1.4252 "	0.048 - 0.093 .0019 " / .0037 "
AY 2069 LC	Ay Yatak Thrustwasher	2	1785	84.201 - 84.455 3.3150 " / 3.3250 "	98.755 - 99.009 3.8880 " / 3.8980 "	2.36 .0930 "		
EB 6001 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2150	55.486 - 55.499 2.1844 " - 2.1850 "	58.750 - 58.776 2.3129 " - 2.3140 "	1.625 .0639 "	24.10 .9500 "	
		1 Pcs.	2151	55.486 - 55.499 2.1844 " - 2.1850 "	58.750 - 58.776 2.3129 " - 2.3140 "	1.621 .0638 "	26.10 1.0295 "	
KB 6002 L	Kol Burcu Con-rod bush	6 Pcs.	1669	36.502 - 36.510 1.4371 " / 1.4374 "	39.700 - 39.751 1.5630 " / 1.5650 "	1.85 .0729 "	36.45 1.4350 "	
KL 6155 SA	Kol Yatak Con-rod bearing	6	1149	63.492 - 63.513 2.4997 " / 2.5005 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.828 .0720 "	34.03 1.3398 "	0.039 - 0.085 .0016 " / .0034 "
KL 6158 LC	Kol Yatak Con-rod bearing	6	1165	66.655 - 66.675 2.6243 " / 2.6250 "	70.879 - 70.891 2.7906 " / 2.7910 "	2.084 .0821 "	34.03 1.3398 "	0.036 - 0.084 .0015 " / .0033 "

FORD TRUCK



a)

Dover 150 (6CA)

6 Cylinders, DIESEL/Turbocharged

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.775 x 114.900 mm
4.1250 " x 4.5236 "

MODEL




CARGO SERIES,
TRUCKS D0914, D0915, D1114, D1314,
D1315, D1514, D1515, D1516, D2014,
D2114, D2115

CC

5947

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7226 LC	Ana Yatak Main bearing	5	1152 1-2-3-5-6	76.215 - 76.230 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.080 .0818 "	26.67 1.0500 "	0.039 - 0.085 .0016 " / .0034 "
		2	1480 4-7	76.215 - 76.230 3.0002 " / 3.0010 "	80.429 - 80.442 3.1665 " / 3.1670 "	2.080 .0818 "	36.19 1.4252 "	0.039 - 0.085 .0016 " / .0034 "
AY 2069 LC	Ay Yatak Thrustwasher	2	1785	84.201 - 84.455 3.3150 " / 3.3250 "	98.755 - 99.009 3.8880 " / 3.8980 "	2.36 .0930 "		
EB 6001 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2150	55.486 - 55.499 2.1844" - 2.1850 "	58.750 - 58.776 2.3129 " - 2.3140 "	1.625 .0639 "	24.10 .9500 "	
		1 Pcs.	2151	55.486 - 55.499 2.1844" - 2.1850 "	58.750 - 58.776 2.3129 " - 2.3140 "	1.621 .0638 "	26.10 1.0295 "	
KB 6017 L	Kol Burcu Con-rod bush	6 Pcs.	2188	41,000 mm	44.080 - 44.130 1.7354 " - 1.7374 "	1.78 .0700 "	36.40 1.4330 "	
KB 6024 L	Kol Burcu Con-rod bush	6	2618 L		44,080 - 44,130 mm	1,75 - 1,80 mm		
KL 6158 LC	Kol Yatak Con-rod bearing	6	1165	66.655 - 66.675 2.6243 " / 2.6250 "	70.879 - 70.891 2.7906 " / 2.7910 "	2.084 .0821 "	34.03 1.3398 "	0.036 - 0.084 .0015 " / .0033 "

FORD TRUCK



a)

ECOTORQ H298

6 Cylinders, DIESEL




PİSTON ÖLÇÜLERİ/PISTON SIZE
112,01 mm

MODEL
Cargo NHDD

CC
7330

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7295 LC	Ana Yatak Main bearing	7	2154	87,978 - 88,000	93,000 - 93,011	2,481	29,5	
EB 7005 L	Eksantrik Burc Camshaft bush	7	2157	52,981 - 53,030 mm	57,000 - 57,030 mm	2,400 - 2,500 mm	21,750 mm	
KB 6025 L	Kol Burcu Con-rod bush	6	2619 L	45,995 - 46,000 mm	50,000 - 50,025 mm	2,20 - 2,25 mm		
KL 6338 LC	Kol Yatak Con-rod bearing	6	2334	76,981 - 77,000	81,500 - 81,522	2,238	35,12	

FORD TRUCK



a)

ECOTORQ H476

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL




Cargo NHDD

CC

9000 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
EB 7005 L	Eksantrik Burc Camshaft bush	7	2157	52,981 - 53,030 mm	57,000 - 57,030 mm	2,400 - 2,500 mm	21,750 mm	
KB 6026 L	Kol Burcu Con-rod bush	6	2631	48,010 - 48,016 mm	52,000 - 52,030 mm	2,200 - 2,250 mm	33,10 mm	

HONDA



a)

ZC, D SERIES

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.000 x 90.000 mm

2.9527" x 3.5433"

MODEL





CIVIC 1.6 INJ. (D16)

CC

1590

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5250 LC	Ana Yatak Main bearing	5	2218	MAX. 55.000 2.1653"	MIN. 59.000 2.3228"	1.988- 2.006 .0782" - .0789"	20.00 .7874"	0.020 - 0.060 0.0008" / 0.0024"
KL 4293 LC	Kol Yatak Con-rod bearing	4	2217	MAX.45.000 1.7716 "	MIN 48.000 1.8897 "	1.492- 1.500 .0587" - .0590"	18.50 .7283"	0.020 - 0.059 0.0008" / 0.0023"

HONDA



a)

D15

4 Cylinders Gasoline




PİSTON ÖLÇÜLERİ/PISTON SIZE
75,000 mm

MODEL
CIVIC - CRX

CC
1488 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5316 SA	Ana Yatak Main bearing	5	2641	45,000 mm	49,000 mm	1,991 - 1,997 mm	19,80 mm	
KL 4381 LC	Kol Yatak Con-rod bearing	4	2640	42,000 mm	45,000 mm	1,494 - 1,502 mm	18,30 mm	

HYUNDAI



a)

4D55

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.100 x 90.000 mm
3.5867 " x 3.5433 "

MODEL




H 100
4D 55, DIESEL
4D 55 T, TURBO DIESEL

CC

2346

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5217 SA	Ana Yatak Main bearing	4	2081	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
		1	2082	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	30.96 1.2189 "	0.023 - 0.079 .0009 " / .0032 "
			REF	UNDERSIZE	OVERALL LENGTH			
			2082	Std. - 0.75 1.00	30.96 / 1.2189 " 31.34 / 1.2339 "		30.96	
DB 1024 SA		1	2394	43.000-43.020 1.6930 " / 1.6937 "	46.030-46.050 1.8122 " / 1.8130 "	1.49 .0587 "	20.05 .7894 "	
KB 4028 L	Kol Burcu Con-rod bush	4 Pcs.	2202	29.00 1.1417 "	32.000-32.029 1.2598 " / 1.2609 "	1800 .0708 "	31.75 1.2500 "	
KL 4263 SA	Kol Yatak Con-rod bearing	4	2080	52.973 - 53.000 2.0856 " / 2.0867 "	56.007 - 56.021 2.2050 " / 2.2056 "	1.492 .0588 "	25.13 .9894 "	0.023 - 0.076 .0009 " / .0030 "

HYUNDAI



a)

G4EH - G4EA

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

71.500 x 83.500 mm

2.8150 " x 3.2874 "

MODEL

ACCENT 1.3 - 1.5




ACCENT ERA 1.4 - 1.6 CVVT

CC

1341

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5232 SA	Ana Yatak Main bearing	4	2105	49.944 - 49.962 1.9663 " / 1.9670 "	54.000 - 54.018 2.1260 " / 2.1267 "	2.006 .0790 "	18.10 .7126 "	0.026 - 0.074 .0011 " / .0030 "
		1	2106	49.944 - 49.962 1.9663 " / 1.9670 "	54.000 - 54.018 2.1260 " / 2.1267 "	2.006 .0790 "	22.90 .9016 "	0.026 - 0.074 .0011 " / .0030 "
KL 4274 SA	Kol Yatak Con-rod bearing	4	2104	44.948 - 44.966 1.7696 " / 1.7704 "	48.000 - 48.018 1.8898 " / 1.8905 "	1.506 .0593 "	19.10 .7520 "	0.022 - 0.070 .0009 " / .0028 "

HYUNDAI



a)

D3EA

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.000 x 84.500
2.9527" x 3.3267

MODEL




ACCENT 1.5 CRDI - GETZ 1.5 CRDI

CC

1495 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4126 SA	Ana Yatak Main bearing	3	2348	60.020 2.3630"	64.020 2.5205"	1.977 .0779"	21.60 .8504"	
		1	2349	60.020 2.3630"	64.020 2.5205"	1.977 .0779"	27.88 1.0977"	
KB 3008 L	Kol Burcu Con-rod bush	4 Pcs.	2487	28.00 1.1023"	31.00 1.2204"	1.78 .0700"	27.80 1.0944"	
KL 3068 LC	Kol Yatak Con-rod bearing	3	2347	50.020 1.9693"	53.020 2.0874"	1.480 .0583"	22.05 .8682"	

HYUNDAI



a)

D4BH

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.100 x 95.000 mm

3.5867" x 3.7402"

MODEL




STAREX MINIBUS TCI

CC

2476

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5217 SA	Ana Yatak Main bearing	4	2081	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
		1	2082	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	30.96 1.2189 "	0.023 - 0.079 .0009 " / .0032 "
			REF	UNDERSIZE	OVERALL LENGTH			
			2082	Std. - 0.75 1.00	30.96 / 1.2189 " 31.34 / 1.2339 "		30.96	
KB 4028 L	Kol Burcu Con-rod bush	4 Pcs.	2202	29.00 1.1417 "	32.000-32.029 1.2598 " / 1.2609 "	1800 .0708 "	31.75 1.2500 "	
KL 4309 LC (TURBO)	Kol Yatak Con-rod bearing	4	2297	52.985-53.000 2.0861 " / 2.0867 "	56.000 - 56.018 2.2048 " / 2.2055 "	1.493 .0588 "	25.10 .9882 "	0.014 / 0.070 .0006 / .0028

HYUNDAI



a)

D4CB

4 Cylinders, Turbo Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.100 x 96.000 mm

3.5866" x 3.7795"

MODEL

STAREX 2.5 CRDI (140 - 170 HP)





H1 Minibus - Van

CC

2497

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5270 SA	Ana Yatak Main bearing	5	2345	66.980 - 67.000 2.637"	71.020 2.7960"	1.996 .0785"	24.10 .9488"	
AY 2043 SA	Ay Yatak Thrustwasher	2	2346	73.250 - 73.550 2.8839 " / 2.8957 "	89.400 - 89.700 3.5197 " / 3.5315 "	1.97 .0776"		
KB 4069 L	Kol Burcu Con-rod bush	4	2606	33,000 mm	36,050 mm	1,75 - 1,85 mm		
KL 4318 LC	Kol Yatak Con-rod bearing	4	2344	56.980 - 57.000 2.243" - 2.244"	60.020 2.3629"	1.494 .0588"	27.05 1.0551"	

HYUNDAI



a)

D4FA

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
75 MM

MODEL
ACCENT ERA 1.5 CRDI

CC
1493

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5300 SA	Ana Yatak Main bearing	4	2563	53,980	58,016	1,997	18,05	
		1	2564	53,980	58,016	1,994	23,80	
		4	2563	2.1251"	2.2840"	.0786"	.7106"	
		1	2564	2.1251"	2.2840"	.0785"	.9370"	
KB 4064 L	Kol Burcu Con-rod bush	4 Pcs.	2595	28.000 mm	31,000	1,780	18,950	
		4 Pcs.			1.2204"	.0700"	.7460"	
KL 4361 LC	Kol Yatak Con-rod bearing	4	2562	45,990	49,016	1,490	18,700	
		4		1.8106"	1.9297"	.0586"	.7362"	

HYUNDAI



a)

D4EA

4 Cylinders Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
83 MM

MODEL
TUCSON - SANTA FE - SONATA

CC
1991

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5310 SA	Ana Yatak Main bearing	4	2348	60,020	64,020	1,977	21,60	
		1	*2349	60,020	64,020	1,977	27,88	
KB 4052 L	Kol Burcu Con-rod bush	4	2487	28,00	31,00	1,78	27,80	
KL 4376 LC	Kol Yatak Con-rod bearing	4	2347	50,020	53,020	1,480	22,05	

HYUNDAI



a)

G4LA

4 Cylinders, Petrol




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
İ10 - İ20 16V

CC
1248

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5319 SA	Ana Yatak Main bearing	5 TH / BH	2652	42.97	47.018	2.050 - 2.015	2.015	
KL 4384 SA	Kol Yatak Con-rod bearing	4	2651	38.97	42.020	1.500 - 1.510	13.80 - 14.00	

INTERNATIONAL



a)

BC 144 - BD 144

4 Cylinders, Diesel/Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

85.725 x 101.600 mm
3.3750 " x 4.000 "

MODEL




TRACTORS B275 - B 414
ENGINES BC 144 - BD 144

CC

2344

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5127 SA	Ana Yatak Main bearing	4	1296	53.950 - 53.975 2.1240 " / 2.1250 "	58.331 - 58.357 2.2955 " / 2.2975 "	2.163 .0852 "	26.97 1.072 "	0.030 - 0.097 .0012 " / .0039 "
		1	* 1298	53.950 - 53.975 2.1240 " / 2.1250 "	58.331 - 58.357 2.2955 " / 2.2975 "	2.163 .0852 "	33.27 1.310 "	0.030 - 0.097 .0012 " / .0039 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1298	STD-.060	33.27 / 1.31 "		33.27	
KL 4179 SA	Kol Yatak Con-rod bearing	4	1295	44.425 - 44.450 1.7490 " / 1.7500 "	47.638 - 47.650 1.8755 " / 1.8760 "	1.579 .0622 "	27.27 1.0737 "	0.030 - 0.083 .0012 " / .0033 "

INTERNATIONAL



a)

BD 154

4 Cylinders, Diesel/Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.900 x 101.600 mm
3.500 " x 4.000 "

MODEL




BD 154 500 LOADER , 7000 FORK LIFT
B238 , B2424 , B2444 , B364 , B384 ,
B3414 , B3444 , B275 , B354
B414 , B424 , B434 , B444 TRACTORS

CC

2521

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5127 SA	Ana Yatak Main bearing	4	1296	53.950 - 53.975 2.1240 " / 2.1250 "	58.331 - 58.357 2.2955 " / 2.2975 "	2.163 .0852 "	26.97 1.072 "	0.030 - 0.097 .0012 " / .0039 "
		1	* 1298	53.950 - 53.975 2.1240 " / 2.1250 "	58.331 - 58.357 2.2955 " / 2.2975 "	2.163 .0852 "	33.27 1.310 "	0.030 - 0.097 .0012 " / .0039 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1298	STD-.060	33.27 / 1.31 "		33.27	
KL 4179 SA	Kol Yatak Con-rod bearing	4	1295	44.425 - 44.450 1.7490 " / 1.7500 "	47.638 - 47.650 1.8755 " / 1.8760 "	1.579 .0622 "	27.27 1.0737 "	0.030 - 0.083 .0012 " / .0033 "

INTERNATIONAL



a)

D 155

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.400 x 111.100 mm
3.8740 " x 4.3740 "

MODEL

27 - 36 KW (36 - 49 PS)

CC

2533

b)

D 179

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.400 x 128.500 mm
3.8740 " x 5.059 "

MODEL




36 - 40 KW (49 - 54 PS)

CC

2930

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4116 LC	Ana Yatak Main bearing	3	1244	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	25.80 1.0157 "	0.066 - 0.131 .0026 " / .0052 "
		1	*1245	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	36.51 1.4374 "	0.066 - 0.131 .0026 " / .0052 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1245	STD	36.51 / 1.4374 "		36.51	
				0.25	36.76 / 1.4473 "			
				0.50	37.01 / 1.4571 "			
				0.75	37.26 / 1.4670 "			
				1.00	37.51 / 1.4768 "			
KB 3003 L	Kol Burcu Con-rod bush	3 Pcs.	1772	35.996 - 36.000 1.4172 " / 1.4173 "	39.700 39.750 1.5630 " / 1.5650 "	2.13 .0839 "	34.10 1.3426 "	
KL 3062 LC	Kol Yatak Con-rod bearing	3	1243	63.971 - 63.990 2.5158 " / 2.5193 "	68.000-68.019 2.6772 " / 2.6779 "	1.975 .0778 "	32.10 1.2638 "	0.060 - 0.122 .0024 " / .0048 "

INTERNATIONAL






a)	D 206	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.400 x 111.100 mm 3.8740 " x 4.3740 "	MODEL D - 206 40-49 KW (54-67 PS)	CC 3378

b)	D 239,246,268	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.400 x 128.500 mm 3.8740 " x 5.059 "	MODEL D- 239,246,268 47-56 KW (64-76 PS)	CC 3907

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPI(mm/inch) SHAFT DIAMETER	YUVA ÇAPI(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 1023LC	Ana Yatak Main bearing	1	1244	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	25.80 1.0157 "	0.066 - 0.131 .0026 " / .0052 "
AN 1024 LC	Ana Yatak Main bearing	1	*1245	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	36.51 1.4374 "	0.066 - 0.131 .0026 " / .0052 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1245	STD	36.51 / 1.4374 "			
				0.25	36.76 / 1.4473 "			
				0.50	37.01 / 1.4571 "			
				0.75	37.26 / 1.4670 "			
				1.00	37.51 / 1.4768 "			
AN 5123 LC	Ana Yatak Main bearing	4	1244	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	25.80 1.0157 "	0.066 - 0.131 .0026 " / .0052 "
		1	*1245	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	36.51 1.4374 "	0.066 - 0.131 .0026 " / .0052 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1245	STD	36.51 / 1.4374 "		36.51	
				0.25	36.76 / 1.4473 "			
				0.50	37.01 / 1.4571 "			
				0.75	37.26 / 1.4670 "			
				1.00	37.51 / 1.4768 "			
KB 4019 L	Kol Burcu Con-rod bush	4 Pcs.	1772	35.996 - 36.000 1.4172 " / 1.4173 "	39.700 39.750 1.5630 " / 1.5650 "	2.13 .0839 "	34.10 1.3426 "	
KL 1049LC	Kol Yatak Con-rod bearing	1	1243	63.971 - 63.990 2.5158 " / 2.5193 "	68.000-68.019 2.6772 " / 2.6779 "	1.975 .0778 "	32.10 1.2638 "	0.060 - 0.122 .0024 " / .0048 "
KL 4172 LC	Kol Yatak Con-rod bearing	4	1243	63.971 - 63.990 2.5158 " / 2.5193 "	68.000-68.019 2.6772 " / 2.6779 "	1.975 .0778 "	32.10 1.2638 "	0.060 - 0.122 .0024 " / .0048 "

INTERNATIONAL



a)

D - DT 358

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.400 x 128.500 mm
3.8740 " x 5.059 "

MODEL

D , DT - 358

71-101 KW(96-138 PS)

CC

5860

b)

D 310

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.400 x 111.100 mm
3.8740 " x 4.3740 "

MODEL

D - 310

56-87 KW(81-119 PS)

CC

5067

c)

DT 402

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 139.700 mm
3.937 " x 5.500 "

MODEL




DT-402 TURBO 118 KW (1600 PS)

CC

6580

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7178 LC	Ana Yatak Main bearing	6	1244	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	25.80 1.0157 "	0.066 - 0.131 .0026 " / .0052 "
		1	*1245	79.971 - 79.990 3.1485 " / 3.1492 "	86.000 - 86.022 3.3858 " / 3.3867 "	2.972 .1170 "	36.51 1.4374 "	0.066 - 0.131 .0026 " / .0052 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1245	STD	36.51 / 1.4374 "		36.51	
				0.25	36.76 / 1.4473 "			
				0.50	37.01 / 1.4571 "			
				0.75	37.26 / 1.4670 "			
				1.00	37.51 / 1.4768 "			
KB 6008 L	Kol Burcu Con-rod bush	6 Pcs.	1772	35.996 - 36.000 1.4172 " / 1.4173 "	39.700 39.750 1.5630 " / 1.5650 "	2.13 .0839 "	34.10 1.3426 "	
KL 6205 LC	Kol Yatak Con-rod bearing	6	1243	63.971 - 63.990 2.5158 " / 2.5193 "	68.000-68.019 2.6772 " / 2.6779 "	1.975 .0778 "	32.10 1.2638 "	0.060 - 0.122 .0024 " / .0048 "

ISUZU



a)

4 BD1

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 x 118.000 mm

4.0157 " x 4.6457 "

MODEL




KS 22 / NPR 59

CC

3268

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5181 LC	Ana Yatak Main bearing	9 pcs 1 pcs	1744 1745	79.905 - 79.925 79.905 - 79.925 3.1459 " / 3.1467 "	85.000 - 85.019 85.000 - 85.019 3.3465 " / 3.3472 "	2.518 2.518 .0992 "	26.83 26.83 .10591 "	0.039 - 0.098 0.039 - 0.098 .0016 " / .0039 "
AY 2105 LC	Ay Yatak Thrustwasher	2	2600	88,250 Max	101,000 mm	2,45 - 2,50 mm		
EB 3009 SA	Eksantrik Burc Camshaft bush	2 Pcs 1 Pcs	2470 2471	55,970 Max. 55,970 Max. 2,2035 " Max.	60,000 Min 60,000 Min 2,3622 " Min.	2,00 Max 2,00 Max 0,0787 Max.	20,00 Max. 20,00 Max. 0,7874 Max.	
KB 4049 L	Kol Burcu Con-rod bush	4 Pcs	2472	35,000 Max 1,3779 " Min	38,000 Min 1,4961 " Max	1,50 - 1,53 0,0591 " - 0,0602 "	37,70 - 38,00 1,4843 " - 1,4960 "	
KL 4230 LC	Kol Yatak Con-rod bearing	4	1743	63.932 - 63.944 2.5170 " / 2.5175 "	68.000 - 68.015 2.6772 " / 2.6778 "	2.010 .0792 "	29.93 1.1792 "	0.036 - 0.083 .0015 " / .0033 "

ISUZU



a)

4HF1

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

112.000 x 110.000
4.4094 " x 4.3307 "

MODEL




NPR CHAMPION
NKR 66,NPR 66 Truck,MD 23/25/27 Bus
CHAMPION 4,3

CC

4334

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5271 LC	Ana Yatak Main bearing	5	2366	81,905 - 81,925 3,2246 " / 3,2254	87,000 - 87,019 3,4252" / 3,4259	2,523 0,0994	27,25 1,0729	
AY 3006 SA	Ay Yatak Thrustwasher	2 Pcs 1 Pcs	2473 2474	92,748 Max 3,6515 " Max 92,750 Max	109,750 Min 4,3209 " Min 109,750 Min	3,00 0,1181 " Max 3,00 Max		
EB 5006 SA	Eksantrik Burc Camshaft bush	10 Pcs.	2475	39,975 Max. 1,5738 " Max.	43,000 Max. 1,6929 " Min.	1,492 - 1,500 0,0587 " Max.	21,90 - 22,10 0,8622 " - 0,8700 "	
EB 5008 SA (DAR TİP)	Eksantrik Burc Camshaft bush	10 Pcs.	2596	39,975 Max. 1,5738 " Max.	43,000 Max. 1,6929 " Min.	1,492 - 1,500 0,0587 " Max.	15,90 - 16,10	
KB 4050 L	Kol Burcu Con-rod bush	4 Pcs.	2476	36,000 Max 1,4173 " Max	40,000 Min 1,5748 " Min	2,15 - 2,25 0,0847 " - 0,0885 "	29,40 - 29,80 / 40,45 - 40,85 1,1575 - 1,1732 " / 1,5925 - 1,6082 "	
KL 4319 LC	Kol Yatak Con-rod bearing	4	2365	65,902 - 65,922 2,5946 " / 2,5953	69,985 - 70,000 2,7553 " / 2,7559	2,013 0,0793	30,40 1,1969	

ISUZU



a)

4JB1

4 Cylinders, DIESEL





PİSTON ÖLÇÜLERİ/PISTON SIZE

**MODEL
NKR 13**

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5301 SA	Ana Yatak Main bearing	5	2581	69,932 Max. 2,7532 " Max.	74,000 Min. 2,9134 " Min.	1,996 - 2,004 0,0785 " - 0,0788 "	22,80 - 23,00 0,8977 " - 0,9055 "	
AY 1037 SA	Ay Yatak Thrustwasher	1	2579	78,050 Max 3,0728 Max	92,950 Min 3,695 Min	2,43 - 2,48 0,0957 " - 0,0976 "		
EB 3010 SA	Eksantrik Burc Camshaft bush	1 Pcs 2 Pcs	2577 2578	49,975 Max. 49,975 Max. 1,9675 " Max.	54,000 - 54,035 54,000 - 54,035 2,1259 " - 2,1274 "	1,990 - 2,020 1,990 - 2,020 0,0783 " - 0,0795 "	24,75 - 25,00 24,75 - 25,00 0,9744 " - 0,9842 "	
KB 4063 L	Kol Burcu Con-rod bush	4 Pcs.	2576	31,000 Max 1,2204 " Max	34,000 - 34,025 1,3386 " - 1,3395 "	1,50 - 1,53 0,0591 " - 0,0602 "	32,75 - 33,00 1,2894 " - 1,2992 "	
KL 4362 LC	Kol Yatak Con-rod bearing	4	2580	52,930 Max. 2,0838 " Max.	56,000 Min. 2,2047 " Min.	1,505 - 1,513 0,0596 " - 0,0595 "	25,60 - 25,80 1,0079 " - 1,0157 "	

ISUZU



a)

4HE1

4 Cylinders, DIESEL




PİSTON ÖLÇÜLERİ/PISTON SIZE

**MODEL
NQR 70**

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5271 LC	Ana Yatak Main bearing	5	2366	81,905 - 81,925 3,2246 " / 3,2254	87,000 - 87,019 3,4252" / 3,4259	2,523 0,0994	27,25 1,0729	
AY 3006 SA	Ay Yatak Thrustwasher	2 Pcs 1 Pcs	2473 2474	92,748 Max 3,6515 " Max 92,750 Max	109,750 Min 4,3209 " Min 109,750 Min	3,00 0,1181 " Max 3,00 Max		
EB 5006 SA	Eksantrik Burc Camshaft bush	10 Pcs.	2475	39,975 Max. 1,5738 " Max.	43,000 Max. 1,6929 " Min.	1,492 - 1,500 0,0587 " Max.	21,90 - 22,10 0,8622 " - 0,8700 "	
KB 4061 L	Kol Burcu Con-rod bush	4	2558	40,000 mm (MAX)	44,000 mm (MIN)	2,20 - 2,30 mm		
KL 4358 LC	Kol Yatak Con-rod bearing	4	2559	72,902 - 72,922 2,8701 " - 2,8709 "	77,985 - 78,000 3,0703 " - 3,0708 "	2,505 - 2,517 0,0986 " - 0,0991 "	30,15 - 30,40 1,1870 " - 1,1968 "	

ISUZU



a)

4HF1

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

112.000 x 110.000
4.4094 " x 4.3307 "

MODEL

NPR CHAMPION
NKR 66,NPR 66 Truck,MD 23/25/27 Bus
CHAMPION 4,3

CC

4334

b)

4HG1

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE





MODEL

NQR 70
CHAMPION 4,3

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5271 LC	Ana Yatak Main bearing	5	2366	81,905 - 81,925 3,2246 " / 3,2254	87,000 - 87,019 3,4252 " / 3,4259	2,523 0,0994	27,25 1,0729	
AY 3006 SA	Ay Yatak Thrustwasher	2 Pcs	2473	92,748 Max 3,6515 " Max	109,750 Min 4,3209 " Min	3,00 0,1181 " Max		
		1 Pcs	2474	92,750 Max	109,750 Min	3,00 Max		
EB 5006 SA	Eksantrik Burc Camshaft bush	10 Pcs.	2475	39,975 Max. 1,5738 " Max.	43,000 Max. 1,6929 " Min.	1,492 - 1,500 0,0587 " Max.	21,90 - 22,10 0,8622 " - 0,8700 "	
EB 5008 SA (DAR TİP)	Eksantrik Burc Camshaft bush	10 Pcs.	2596	39,975 Max. 1,5738 " Max.	43,000 Max. 1,6929 " Min.	1,492 - 1,500 0,0587 " Max.	15,90 - 16,10	
KB 4050 L	Kol Burcu Con-rod bush	4 Pcs.	2476	36,000 Max 1,4173 " Max	40,000 Min 1,5748 " Min	2,15 - 2,25 0,0847 " - 0,0885 "	29,40 - 29,80 / 40,45 - 40,85 1,1575 - 1,1732 " / 1,5925 - 1,6082 "	
KL 4319 LC	Kol Yatak Con-rod bearing	4	2365	65,902 - 65,922 2,5946 " / 2,5953	69,985 - 70,000 2,7553 " / 2,7559	2,013 0,0793	30,40 1,1969	
KB 4061 L	Kol Burcu Con-rod bush	4	2558	40,000 mm (MAX)	44,000 mm (MIN)	2,20 - 2,30 mm		
KL 4358 LC	Kol Yatak Con-rod bearing	4	2559	72,902 - 72,922 2,8701 " - 2,8709 "	77,985 - 78,000 3,0703 " - 3,0708 "	2,505 - 2,517 0,0986 " - 0,0991 "	30,15 - 30,40 1,1870 " - 1,1968 "	

ISUZU



a)

4 JA1 / 4 JC1 / 4 JD1

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
93 mm

MODEL
TFR 54 / D-MAX

CC
2499 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5311 SA	Ana Yatak Main bearing	5	2622	59,920 - 59,932 mm	63,987 - 64,000 mm	1,99 - 2,00	22,80 mm	
AY 1038 SA	Ay Yatak Thrustwasher	1	2639	72,799 - 73,050 mm	86,949 - 87,201 mm	2,43 - 2,47 mm		
KB 4063 L	Kol Burcu Con-rod bush	4 Pcs.	2576	31,000 Max 1,2204 " Max	34,000 - 34,025 1,3386 " - 1,3395 "	1,50 - 1,53 0,0591 " - 0,0602 "	32,75 - 33,00 1,2894 " - 1,2992 "	
KL 4362 LC	Kol Yatak Con-rod bearing	4	2580	52,930 Max. 2,0838 " Max.	56,000 Min. 2,2047 " Min.	1,505 - 1,513 0,0596 " - 0,0595 "	25,60 - 25,80 1,0079 " - 1,0157 "	

JOHN DEERE



a)

3164 DL 03

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 x 109.610 mm

4.0157 " x 4.3154 "

MODEL




TRACTORS 830,890,925,930,1020

CC

2696

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1039 SA	Ana Yatak Main bearing	1	1350	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	29.45 1.1603 "	0.044 - 0.109 .0018 " / .0043 "
AN 1040 SA	Ana Yatak Main bearing	1	1351	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	38.85 1.5296 "	0.044 - 0.109 .0018 " / .0043 "
KL 1058 SA	Kol Yatak Con-rod bearing	1	1349	69.799 - 69.824 2.7480 " / 2.7420 "	73.660 - 73.685 2.9000 " / 2.9010 "	1.903 .0750 "	30.13 1.1863 "	0.030 - 0.094 0.012 " / .0037 "

JOHN DEERE



a)

3179 D

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

106.426 x 109.980 mm
4.1900 " x 4.3300 "

MODEL




TRACTORS 940, 1040, 1140, 1630

CC

2935

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4101 SA	Ana Yatak Main bearing	3	1350 1 - 2 - 3	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	29.45 1.1603 "	0.044 - 0.109 .0018 " / .0043 "
		1	1351 4	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	38.85 1.5296 "	0.044 - 0.109 .0018 " / .0043 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1351	STD - .060	38.85 / 1.5296 "		38.85	
KL 3057 SA	Kol Yatak Con-rod bearing	3	1349	69.799 - 69.824 2.7480 " / 2.7420 "	73.660 - 73.685 2.9000 " / 2.9010 "	1.903 .0750 "	30.13 1.1863 "	0.030 - 0.094 0.012 " / .0037 "

JOHN DEERE



a)

4219 DL 03 - 4180 - 4202D

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.425 x 109.550 mm
3.8750 " x 4.3130 "

MODEL




2270,2280,2340,2420 WINDROWER 2440
TRACTOR,

CC

3590

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5131 SA	Ana Yatak Main bearing	4	1350 1 - 2 - 3-4	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	29.45 1.1603 "	0.044 - 0.109 .0018 " / .0043 "
		1	1351 5	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	38.85 1.5296 "	0.044 - 0.109 .0018 " / .0043 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1351	STD - .060	38.85 / 1.5296 "		38.85	
KL 4184 SA	Kol Yatak Con-rod bearing	4	1349	69.799 - 69.824 2.7480 " / 2.7420 "	73.660 - 73.685 2.9000 " / 2.9010 "	1.903 .0750 "	30.13 1.1863 "	0.030 - 0.094 0.012 " / .0037 "

JOHN DEERE



a) **6068 6.8D/T (POWERTECH ENGINE)**




PİSTON ÖLÇÜLERİ/PISTON SIZE
106,50 mm

MODEL
6700,7445,7455,9935

CC
6800

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1125 SA	Ana Yatak Main bearing	1	2548	79.324-79.350 3.123"-3.124"	84.455-84.480 3.325"-3.326"	2.525- 2.532 .0994"- .0997"	30.45 1199	
AN 1126 SA	Ana Yatak Main bearing	1	2547	79.324-79.350 3.123"-3.124"	84.455-84.480 3.325"-3.326"	2.525- 2.532 .0994"- .0997"	38.84 1.529"	
KL 1141 LC	Kol Yatak Con-rod bearing	1	2494	77.800-77.826 3.063"-3.064"	82.677-82.702 3.255"-3.256"	2.400- 2.413 .0944"- .0950"	32.00 1.260"	

JOHN DEERE



a)

JOHN DEERE 300

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

106.375 x 127.000




MODEL

2630D/2640D Tractor, 4276D/4276TD Turbo &
Non Turbo, 440C Loader, 540B Loader

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1039 SA	Ana Yatak Main bearing	1	1350	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	29.45 1.1603 "	0.044 - 0.109 .0018 " / .0043 "
AN 1040 SA	Ana Yatak Main bearing	1	1351	79.324 - 79.349 3.1230 " / 3.1240 "	84.455 - 84.481 3.3250 " / 3.3260 "	2.531 .0997 "	38.85 1.5296 "	0.044 - 0.109 .0018 " / .0043 "
KL 1145LC	Kol Yatak Con-rod bearing	1	2592	77.800-77.825	82.676-82.702	2.413	26,62	0,038-0,114

K.H.DEUTZ



a) **F4L 912 / F6L 812 / F5L 912 / F4L 911 / F6L 913**

4 - 6 Cylinders, DIESEL

PISTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 120.000 mm
3.9370 " x 4.7244 "

MODEL




53 - 110 PS

CC

3768

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5048 LC	Ana Yatak Main bearing	5	453	69.971 - 69.990 2.7547 " / 2.7555 "	74.500 - 74.519 2.9330 " / 2.9338 "	2230 .087 "	27.00 1.063 "	0.055 - 0.108 .0022 " / .0043 "
AY 2046 SA	Ay Yatak Thrustwasher	1	1952	3.1220 "	3.7378 "	.117 "		
		1	1952	79300 3.1220 "	101964 4.0144 "	2.98 .117 "		
		1	1953	79300	94964	2.98		
KB 4026 L	Kol Burcu Con-rod bush	4 Pcs.	2135	34.995 - 35.000 1.3777 " - 1.3779 "	38.000 - 38.016 1.4960 " - 1.4966 "	1.49 .0586 "	33.80 1.3307 "	
KL 4005 LC	Kol Yatak Con-rod bearing	4	452	59.941 - 59.960 2.3559 " / 2.3606 "	64.000 - 64.019 2.5197 " / 2.5204 "	2.000 .078 "	25.00 .984 "	0.040 - 0.098 .0016 " / .0039 "

K.H.DEUTZ



a) **F1L 514 - F2L 514 - F3L 514 - F4L 514 - F6L 514**

2 - 3 - 4 - 6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

110.000 x 140.000 mm

4.3307 " x 5.5118 "




MODEL

12,5 - 112 PS

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3022 LC	Ana Yatak Main bearing	2	* 24	74.971 - 74.990 2.951 " / 2.952 "	90.000 - 90.035 3.543 " / 3.544 "	7470 .294 "	39.00 1.535 "	0.070 - 0.148 .0028 " / .0059 "
		1	* 25	74.971 - 74.990 2.951 " / 2.952 "	90.000 - 90.035 3.543 " / 3.544 "	7470 .294 "	45.83 1.804 "	0.070 - 0.148 .0028 " / .0059 "
KL 2001 LC	Kol Yatak Con-rod bearing	2	* 23	74.791 - 74.990 2.951 " / 2.952 "	85.000 - 85.035 3.347 " / 3.3478 "	4.975 .196 "	45.88 1.806 "	0.060 - 0.140 .0024 " / .0056 "

K.H.DEUTZ



a)

F3L 712 / F4L 812

3 / 4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.000 x 120.000 mm
3.7402 " x 4.7244 "

MODEL




45 - 53 PS

CC

2550

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4015 LC	Ana Yatak Main bearing	4	1109	69.971 - 69.990 2.7548 " / 2.7556 "	77.000 - 77.019 3.0315 " / 3.0323 "	3.480 .1370 "	28.00 1.1024 "	0.050 - 0.114 .0020 " / .0045 "
KL 3007 LC	Kol Yatak Con-rod bearing	3	1108	59.971 - 59.990 2.3611 " / 2.3619 "	66.000 - 66.019 2.5985 " / 2.5992 "	2.980 .1174 "	25.00 .9843 "	0.050 - 0.108 .0020 " / .0043 "

K.H.DEUTZ



a)

BF4 L 913 - BF6 L 913

4 - 6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 x 125.00 mm

4.0157 " x 4.9212 "

MODEL




64 - 200 PS

CC

4086

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5225 LC	Ana Yatak Main bearing	5	1848	74.791 - 74.990 2.9516 " / 2.9523 "	79.000 - 79.019 3.1102 " / 3.1110 "	1.98 .078 "	25.00 .984 "	0.040 - 0.102 .0015 " / .0040 "
KL 4270 LC	Kol Yatak Con-rod bearing	4	1847	65.971 - 65.990 2.5973 " / 2.5980 "	70.000 / 70.019 2.7559 " / 2.7566 "	1.98 .078 "	25.00 .984 "	0.040 - 0.098 .0015 " / .0039 "

K.H.DEUTZ



a) **F4 L 413 R/F5 L 413 R/F6 L 413 R**

4 -5 - 6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

120.000 x 130.000 mm

4.7244 " x 5.1182 "

MODEL





F4 L 413 R/F5 L 413 R/F6 L 413 R

CC

5900

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5188 LC	Ana Yatak Main bearing	5	1845	102.966 - 102.988 4.0538 " / 4.0547 "	109.000 - 109.022 4.2914 " / 4.2922 "	2.970 .1170 "	30.00 1.1811 "	0.072 - 0.142 .0029 " / .0056 "
AY 2071 SA	Ay Yatak Thrustwasher	2	1846	113.900 - 114.200 4.4843 " / 4.4961 "	129.500 - 129.800 5.0985 " / 5.1103 "	2.930 .1154 "		
KL 4236 LC	Kol Yatak Con-rod bearing	4	1844	81.966 - 81.988 3.2270 " / 3.2279 "	87.000 - 87.022 3.4252 " / 3.4261 "	2.475 .0975 "	28.00 1.1024 "	0.062 - 0.130 .0025 " / .0052 "

K.H.DEUTZ



a)

F4 M 716 / BF6 M 716 / F6 M 716

4 Cylinders, DIESEL / 6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

135.000 x 160.000 mm

5.3150 " x 6.2993 "

MODEL




F4 M 716 / BF6 M 716 / F6 M 716 (66 - 362 PS)

CC

9200

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5236 LC	Ana Yatak Main bearing	5	1397	99.966 - 99.988 3.9357 " / 3.9365 "	105.000 - 105.022 4.1338 " / 4.1347 "	2.470 .0973 "	38.75 1.5256 "	0.072 - 0.142 .0029 " / .0056 "
KL 4279 LC	Kol Yatak Con-rod bearing	4	1396	91.966 - 91.988 3.6207 " / 3.6216 "	97.000 - 97.022 3.8189 " / 3.8198 "	2.470 .0973 "	35.75 1.4075 "	0.072 - 0.142 .0029 " / .0056 "

K.H.DEUTZ



a)

F6L 513 / F8L / F10L / F12L

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

128.000 x 130.000
5.0394 " x 5.1181 "

MODEL




(105 / 480 PS)

CC

9572 / 10037 / 12763 /
13740 / 14410

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4114 LC	Ana Yatak Main bearing	3	1900	94.966 - 94.988 3.7388 " / 3.7397 "	101.000 - 101.022 3.9764 " / 3.9772 "	2.97 .116 "	29.00 1.141 "	0.072 - 0.140 .0028 " / .0055 "
		1	* 1901	94.966 - 94.988 3.7388 " / 3.7397 "	101.000 - 101.022 3.9764 " / 3.9772 "	2.97 .116 "	40.83 1.607 "	0.072 - 0.140 .0028 " / .0055 "
			REF	UNDERSIZE	OVERALL LENGTH			
			1901	Std.	40.77 - 40.83		40.83	
				0.25	41.020 - 41.080			
				0.50	41.270 - 41.330			
				0.75	41.520 - 41.580			
				1.00	41.770 - 41.830			
KL 6303 LC	Kol Yatak Con-rod bearing	6	1899	74.971 - 74.990 2.9516 " / 2.9523 "	80.000 - 80.019 3.1496 " / 3.1503 "	2.475 .097 "	27.90 1.098 "	0.060 - 0.122 .0023 " / .0048 "

K.H.DEUTZ



a) **F6L / A6L / F12L / A8L / F8L 613 / 614**

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

110.000 x 130.000 mm
4.3307" x 5.1182 "




MODEL

82 - 250 PS

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4069 LC	Ana Yatak Main bearing	3	* 707	89.966 - 89.988 3.5420 " / 3.5428 "	100.000 - 100.022 3.9370 " / 3.9379 "	4.950 .1949 "	41.00 1.6142 "	0.112 - 0.182 .0044 " / .0072 "
		1	* 708	89.966 - 89.988 3.5420 " / 3.5428 "	100.000 - 100.022 3.9370 " / 3.9379 "	4.950 .1949 "	45.85 1.8052 "	0.112 - 0.182 .0044 " / .0072 "
			REF	UNDERSIZE	OVERALL LENGTH			
			708	STD.	45.85 / 1.8052 "		45.85	
				0.25 - 0.50	46.80 / 1.8426 "			
				0.75 - 1.50	47.30 / 1.8622 "			
KL 6203 LC	Kol Yatak Con-rod bearing	6	* 706	74.971 - 74.990 2.9516 " / 2.9523 "	85.000 - 85.022 3.3465 " / 3.3473 "	4.960 .1953 "	34.85 1.3721 "	0.090 - 0.155 .0036 " / .0061 "

K.H.DEUTZ



a)

F6L 714 / F8L / F12L / F10L

6 / 8 / 10 / 12 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

120.000 x 140.000 mm

4.7244 " x 5.5119 "




MODEL

F6L 714 / F8L / F12L / F10L

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4036 LC	Ana Yatak Main bearing	3	782	92.966 - 92.988 3.6601 " / 3.6609 "	100.000 - 100.022 3.9370 " / 3.9379 "	3.467 .1365 "	35.00 1.3780 "	0.078 - 0.148 .0031 / .0059 "
		1	* 783	92.966 - 92.988 3.6601 " / 3.6609 "	100.000 - 100.022 3.9370 " / 3.9379 "	3.467 .1365 "	45.85 1.8052 "	0.078 - 0.148 .0031 / .0059 "
			REF	UNDERSIZE	OVERALL LENGTH			
			783	STD	45.85 / 1.8052 "		45.85	
				0.25 - 0.50	46.85 / 1.8445 "			
				0.75 - 1.50	47.35 / 1.8642 "			
KL 6186 LC	Kol Yatak Con-rod bearing	6	758	77.971 - 77.990 3.0697 " / 3.0704 "	85.000 - 85.022 3.3465 " / 3.3473 "	3.470 .1367 "	29.10 1.1417 "	0.070 - 0.135 .0027 " / .0053 "

K.H.DEUTZ



a)

F4M / F6M / F8M

4 Cylinders, DIESEL / 6 Cylinders, DIESEL / 8 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE




130.000 x 170.000 mm
5.1182 " x 6.6930 "

MODEL
82 - 200 PS

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5047 L	Ana Yatak Main bearing	4	* 427 1-2-3-4	89.966 - 89.988 3.5420 " / 3.5428 "	110.000 - 110.022 4.3307 " / 4.3315 "	9.978 .3929 "	44.00 1.732 "	0.056 - 0.126 .0022 " / .0050 "
		1	* 428 5	89.966 - 89.988 3.5420 " / 3.5428 "	110.000 - 110.022 4.3307 " / 4.3315 "	9.978 .3929 "	54.85 2.1595 "	0.056 - 0.126 .0022 " / .0050 "
			REF	UNDERSIZE	OVERALL LENGTH			
			428	STD.	54.85 / 2.1595 "			
				0.50	55.85 / 2.1989 "			
				1.00	56.35 / 2.2185 "			
KL 4006 L	Kol Yatak Con-rod bearing	4	* 426	84.966 - 84.988 3.3451 " / 3.3460 "	95.000 - 95.022 3.7402 " / 3.7410 "	4.975 .1959 "	59.85 2.3563 "	0.062 - 0.132 .0025 " / .0052 "

KIA



a)

SL

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 110.000
3.9370" x 4.3307"

MODEL




K-3500 S KAMYON
E-3500 JUMBO TİTAN,P-WEL4AF
P-WEL4AT,P-WEL4C,P-WEL4T TRADE

CC

3499

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5190 SA	Ana Yatak Main bearing	4	1853	75.805 - 75.825	80.080 - 80.100	2105	28.65	0.045 - 0.097
		1	1854	75.805 - 75.825 2.9845 " / 2.9853 "	80.080 - 80.100 3.1528 " / 3.1536 "	2105 .0829 "	28.65 1.1280 "	0.045 - 0.097 .0018 " / .0039 "
KL 4237 SA	Kol Yatak Con-rod bearing	4	1852	61.112 - 61.125 2.4060 " / 2.4065 "	MAX. 64.870 2.5540 "	1.842 .0726 "	27.95 1.1004 "	0.060 - 0.086 .0024 " / .0034 "

KIA



a)

S2 / HW

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.900 x 89.000 mm
3.500 " x 3.504 "

MODEL




220D BA2SV8,BONGO MULTIVAN
220D BA2SV88V BONGO MULTIVAN
220D BA2SV89 BONGO MULTIVAN

CC

2210

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5184 LC	Ana Yatak Main bearing	4	1793	64.987 - 65.000	69.000 - 69.022	1980	28.60	0.040-0.095
		1	1794	64.987 - 65.000 2.5586 " / 2.5591 "	69.000 - 69.022 2.7166 " / 2.7174 "	1980 .0780 "	28.60 1.1260 "	0.040-0.095 .0016 " / .0038 "
AY 2089SA	Ay Yatak Thrustwasher	2	2240	73.400 - 73.700 2.8897" / 2.9015"	90.100 - 90.400 3.5472" / 3.5590"	2340 .0921		
KB 4017 L	Kol Burcu Con-rod bush	4 Pcs.	1963	MAX 28.00 1.1024 "	31.000 - 31.030 1.2205 " / 1.2323 "	1730 .0682 "	26.50 1.0433 "	
KL 4233 LC	Kol Yatak Con-rod bearing	4	1792	52.985 - 53.000 2.0861 " / 2.0867 "	56.687 - 56.708 2.2318 " / 2.2326 "	1.830 .0721 "	28.60 1.1260 "	0.027 - 0.083 .0011 " / .0033 "

KIA



a)

R2

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

89.000 x 94.000 mm
3.504 " x 3.700 "

MODEL




E2200
BESTA (NB 1)
SPORTAGE

CC

2184

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5198 SA	Ana Yatak Main bearing	4	1881 1 - 2 - 4 - 5	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	19.10 .7520 "	0.020 - 0.072 .0008 / .0029
		1	1882 3	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	21.10 .8370 "	0.020 - 0.072 .0008 / .0029
AY 2091SA	Ay Yatak Thrustwasher	2	2242	68.400 - 68.800 2.6929" / 2.7086"	83.900 - 84.300 3.3031" / 3.3188"	2060 .0811"		
KB 4012 L	Kol Burcu Con-rod bush	4 Pcs.	1958	MAX.25.00 .9843 "	28.000 - 28.035 1.1024 " / 1.1038 "	1730 .0682 "	26.50 1.0433 "	
KL 4240 SA	Kol Yatak Con-rod bearing	4	1880	50.935 - 50.955 2.0054 " / 2.0061 "	54.000 - 54.020 2.1260 " / 2.1268 "	1.510 .0595"	21.10 .8307"	0.025 - 0.075 .0010 " / .0030 "

KIA



a)

J2

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.500 X 95.000 mm
3.7205 " X 3.7402 "

MODEL




BONGO, PREGGIO PANELVAN 2.7

CC

2665

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5233 SA	Ana Yatak Main bearing	3	2116	70.000 - 70.020	74.070 - 74.090	2011	27.00	0.028 0.082
		2	2116	70.000 - 70.020 2.7559 " - 2.7567 "	74.070 - 74.090 2.9162 " / 2.9170 "	2011 .0792 "	27.00 1.0630 "	0.028 0.082 .0011 " / .0032 "
AY 2090SA	Ay Yatak Thrustwasher	2	2241	73.400 - 73.700 2.8897" / 2.9015"	90.100 - 90.400 3.5472" / 3.5590"	2340 .0921		
KB 4054 L	Kol Burcu Con-rod bush	4 Pcs.	2489	29.994-30.00	32980	1.65-1.75	34.10	
KL 4275 SA	Kol Yatak Con-rod bearing	4	2115	57.100 - 57.120 2.2481 " - 2.2489 "	60.820 - 60.830 2.3945 " - 2.3949 "	1.831 .0721 "	27.65 1.0886 "	0.038 - 0.082 .0015 " / .0032 "

KIA



a)

D4BH

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.100 X 95.000 mm
3,5867" X 3,7402"

MODEL




BONGO K2500 TCI

CC

2476

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5217 SA	Ana Yatak Main bearing	4	2081	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
		1	2082	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	30.96 1.2189 "	0.023 - 0.079 .0009 " / .0032 "
			REF	UNDERSIZE	OVERALL LENGTH			
			2082	Std. - 0.75 1.00	30.96 / 1.2189 " 31.34 / 1.2339 "		30.96	
KB 4028 L	Kol Burcu Con-rod bush	4 Pcs.	2202	29.00 1.1417 "	32.000-32.029 1.2598 " / 1.2609 "	1800 .0708 "	31.75 1.2500 "	
KL 4309 LC (TURBO)	Kol Yatak Con-rod bearing	4	2297	52.985-53.000 2.0861 " / 2.0867 "	56.000 - 56.018 2.2048 " / 2.2055 "	1.493 .0588 "	25.10 .9882 "	0.014 / 0.070 .0006 / .0028

KIA



a)

NB-3 BT-57 1.5

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

78.000 X 78.400 mm
3.0709" X 3.0867"

MODEL

AVELLA 1500 SEPHIA 1500

CC

1498

b)

NB-3 BT-57 1.6

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

78.000 X 83.600 mm
3.0709" X 3.2914"

MODEL




AVELLA 1600 SEPHIA 1600

CC

1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5215 SA	Ana Yatak Main bearing	5	2047	49.940-49.955 1.9661" / 1.9667"	54.000-54.018 2.1259 " / 2.1266 "	2.015 .0793 "	17.60 .6929 "	
AY 1012 SA	Ay Yatak Thrustwasher	1	2046	57.000-57.250 2.2441" / 2.2540"	69.000-69.500 2,7166" / 2.7363"	2.550 .1004		
KL 4260 SA	Kol Yatak Con-rod bearing	4	2045	39.940-39.955 1.5724" / 1.5730"	43.000-43.016 1.6929" /1.6935"	1.508 .0593"	17.13 .6744"	

KIA



a)

D4FA (D4CB)

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.000 X 96.000 mm
3.5826" X 3.7795"

MODEL




SORENTO 2.5 CRDI (140 -170 HP)

CC

2497

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5270 SA	Ana Yatak Main bearing	5	2345	66.980 - 67.000 2.637"	71.020 2.7960"	1.996 .0785"	24.10 .9488"	
AY 2043 SA	Ay Yatak Thrustwasher	2	2346	73.250 - 73.550 2.8839 " / 2.8957 "	89.400 - 89.700 3.5197 " / 3.5315 "	1.97 .0776"		
KB 4069 L	Kol Burcu Con-rod bush	4	2606	33,000 mm	36,050 mm	1,75 - 1,85 mm		
KL 4318 LC	Kol Yatak Con-rod bearing	4	2344	56.980 - 57.000 2.243" - 2.244"	60.020 2.3629"	1.494 .0588"	27.05 1.0551"	

KIA



a)

D4FA

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
RIO 1.5 CRDI
CERATO 1.5 CRDI

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5300 SA	Ana Yatak Main bearing	4	2563	53,980	58,016	1,997	18,05	
		1	2564	53,980	58,016	1,994	23,80	
		4	2563	2.1251"	2.2840"	.0786"	.7106"	
		1	2564	2.1251"	2.2840"	.0785"	.9370"	
KB 4064 L	Kol Burcu Con-rod bush	4 Pcs.	2595	28.000 mm	31,000	1,780	18,950	
		4 Pcs.			1.2204"	.0700"	.7460"	
KL 4361 LC	Kol Yatak Con-rod bearing	4	2562	45,990	49,016	1,490	18,700	
		4		1.8106"	1.9297"	.0586"	.7362"	

KOMATSU



a)

4D 94

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.00 X 106.00
3.7008" X 4.1732"

MODEL





4D 94

CC

2940

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5262 LC	Ana Yatak Main bearing	5	2310	70.000 Max. 2.7559"	75.019 Max. 2.9535"	2.470 .0973"	25.00 .9843"	
AY 2092 LC	Ay Yatak Thrustwasher	2	2311	77.250 Max. 3.0414"	86.000 Max. 3.3859"	2.61 .1028"		
KL 4311 LC	Kol Yatak Con-rod bearing	4	2309	60.000 Max. 2.3622"	64.019 Max. 2.5205"	1.982 .0781"	25.00 .9843"	

KOMATSU



a)

4D 94 YM SERIES

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
4D94 (YM SERIES)

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5264 SA	Ana Yatak Main bearing	5	2328	65.000 Max. 2.5591"	69.025 Max. 2.7176"	1.998 .0787"	23.00 .9056"	
KL 4313 SA	Kol Yatak Con-rod bearing	4	2327	58.000 Max. 2.2835"	61.025 Max. 2.4026"	1.496 .0589"	22.90 .9016"	

KOMATSU



a)

4D 95,6D95, S6D95 L

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.000 X 115.000 mm
3.740" X 4.520"

MODEL




GD461 A-1, GD511 R-1, GD513A R-1, INDUSTRIAL, PC100 L-5, PC120 I-5, 4D 95,6D95, S6D95 L
W180-1, WA150-1, INDUSTRIAL, PC100 L-5, PC120 I-5, GD461 A-1, GD511 R-1, GD513A R-1,
GD461 A-1, GD511 R-1, GD513A R-1, INDUSTRIAL, PC100 L-5, PC120 I-5, W180-1, WA150-1

CC

3260

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5261 LC	Ana Yatak Main bearing	5	2303	70.000-70.015 2.7559" / 2.7565"	74.000-74.020 2.9134 " / 2.9142 "	1.970 .0776"	25.00 .9843"	
AY 3002 LC	Ay Yatak Thrustwasher	3 pcs	2304	77.300 Max. 3.0433"	94.000 Min. 3.7008"	3.12 Max. .1229"		
EB 3006 LC	Eksantrik Burc Camshaft bush	2 Pcs.	2306					
		1 Pcs.	2307					
KB 4037 L	Kol Burcu Con-rod bush	4 Pcs.	2305					
KL 4310 LC	Kol Yatak Con-rod bearing	4	2302	57.000 57.015 2.2441" / 2.2447"	61.000-61.024 2.4016 " / 2.4026 "	1.980 .0780"	25.00 .9843"	

KOMATSU



a)

4D 106 YM SERIES

4 Cylinders, Petrol




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5263 SA	Ana Yatak Main bearing	5	2315	76.000 Max. 2.9922"	81.025 Max. 3.1900"	2.495 .0983"	27.00 1.0630"	
AY 1022 SA	Ay Yatak Thrustwasher	1	2316	85,200 Max. 3.3544"	100.85 Max. 3.9705"	2.46 .0969		
EB 4008 LC	Eksantrik Burc Camshaft bush	4 Pcs.	2318	58,00 mm	61.00 mm 2.4016"	1,50 mm .0591"	33.00 mm 1.2993"	
KB 4038 L	Kol Burcu Con-rod bush	4 Pcs.	2317		40.00 1.5748"	1480 .0583"	35.80 1.4095"	
KL 4312 SA	Kol Yatak Con-rod bearing	4	2314	64.000 Max. 2.5197"	68.025 Max. 2.6782"	1.988 .0783"	27.00 1.0630"	

KOMATSU



a)

6D95, S6D95 L

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.000 X 115.000 mm
3.740" X 4.520"

MODEL




GD461 A-1, GD511 R-1, GD513A R-1,
INDUSTRIAL, PC100 L-5, PC120 I-5,
W180-1, WA150-1

CC

4890

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7293 LC	Ana Yatak Main bearing	7	2303	70.000-70.015 2.7559" / 2.7565"	74.000-74.020 2.9134 " / 2.9142 "	1.970 .0776"	25.00 .9843"	
EB 4007 LC	Eksantrik Burc Camshaft bush	3 Pcs. 1 Pcs.	2306 2307					
KB 6019 L	Kol Burcu Con-rod bush	6 Pcs.	2305					
KL 6321 LC	Kol Yatak Con-rod bearing	6	2302	57.000 57.015 2.2441" / 2.2447"	61.000-61.024 2.4016 " / 2.4026 "	1.980 .0780"	25.00 .9843"	

KOMATSU



a)

6D105-1

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

105.000 X 125.000 mm
4.1339" X 4.9213"

MODEL

EG75-2, GD500 R,
GD505 R, PC200-1

CC

6490

b)

S6D105-1

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

105.000 X 125.000 mm
4.1339" X 4.9213"

MODEL




530-1, EG100-2,
JH63-2, PC220-1

CC

6490

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 7294 LC	Ana Yatak Main bearing	7	2320	84.950 Max. 3.3445"	91.000-91.022 3.5827 " / 3.5836 "	2.999 .1181"	30.10 1.1851"	
AY 3003 LC	Ay Yatak Thrustwasher	3 pcs	2321	95.250 Max. 3.7500"	116.00 Max. 4.5670"	2.43 .0957"		
EB 4009 LC	Eksantrik Burc Camshaft bush	4 Pcs.	2323					
KB 6020 L	Kol Burcu Con-rod bush	6 Pcs.	2322	39.993 Max. 1.5746"	44.035 Min. 1.7337"	2.02 Max. .0796"	38.00 1.4961"	
KL 6322 LC	Kol Yatak Con-rod bearing	6	2319	65.950 Max. 2.5965"	70.000-70.019 2.7559 " / 2.7567 "	2.001 .0788"	33.10 1.3032"	

KOMATSU



a)

6D155-4

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

155.00 X 170.00
6.10" X 6.69"

MODEL
INDUSTRIAL

CC
19260

b)

SA6D155-4

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE




155.00 X 170.00
6.10" X 6.69"

MODEL
D355

CC
19260

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 7241 LC	Ana Yatak Main bearing	5	1718	124.950 Max. 4.9193"	132.000-132.025 5.1969 " / 5.1979 "	3.490 .1379"	48.15 1.8957"	
		2	1719	124.950 Max. 4.9193"	132.000-132.025 5.1969 " / 5.1979 "	3.490 .1379"	74.15 2.9193"	
AY 2093 SA	Ay Yatak Thrustwasher	2	2324	126.500 Max. 4.9804"	156.100 Min. 6.1457"	5.43 .2138"		
EB 7002 LC	Eksantrik Burc Camshaft bush	7 Pcs.	2326					
KB 12003 L	Kol Burcu Con-rod bush	12 Pcs.	2325					
KL 6277 LC	Kol Yatak Con-rod bearing	6	1717	101.950 Max. 4.0138"	109.00-109.022 4.2914 " / 4.2922 "	3.490 .1374"	61.15 2.4075"	

KOMATSU



a)

S6D155 T

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

155.00 X 170.00
6.10" X 6.69"

MODEL




D150, D155, D155 C, D355 A,
D355 C, EG300

CC

19260

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7241 LC	Ana Yatak Main bearing	5	1718	124.950 Max. 4.9193"	132.000-132.025 5.1969 " / 5.1979 "	3.490 .1379"	48.15 1.8957"	
		2	1719	124.950 Max. 4.9193"	132.000-132.025 5.1969 " / 5.1979 "	3.490 .1379"	74.15 2.9193"	
AY 2093 SA	Ay Yatak Thrustwasher	2	2324	126.500 Max. 4.9804"	156.100 Min. 6.1457"	5.43 .2138"		
EB 7002 LC	Eksantrik Burc Camshaft bush	7 Pcs.	2326					
KB 12003 L	Kol Burcu Con-rod bush	12 Pcs.	2325					
KL 6277 LC	Kol Yatak Con-rod bearing	6	1717	101.950 Max. 4.0138"	109.00-109.022 4.2914 " / 4.2922 "	3.490 .1374"	61.15 2.4075"	

KOMATSU



a)

6 D 102

PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 x 120.000 mm




4.016 " x 4.724 "

MODEL

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7256 SA	Ana Yatak Main bearing	6	1894 1-2-3-4-5- 7	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1 pcs	1894 6	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	29.03 1.1429 "	0.041 - 0.113 .0016 " / .0044 "
		1 pcs	* 1895 6	82.993 - 83.013 3.268 " / 3.269 "	87.982 - 88.018 3.464 " / 3.466 "	2464 .097 "	37.38 1.4716 "	0.041 - 0.113 .0016 " / .0044 "
EB 1011 L	Eksantrik Burc Camshaft bush	1 Pcs.	2159	53.940 - 53.991 2.1236 " - 2.1256 "	57.198 - 57.234 2.2518 " - 2.2533 "	1586 .0624 "	25.50 1.0039 "	
KB 6016 L	Kol Burcu Con-rod bush	6 Pcs.	2133	45.000 mm	42.987 - 43.013 mm	1.75	38.35	
					1.6924 " - 1.6934	.0688 "	1.5098 "	
KL 6292 LC	Kol Yatak Con-rod bearing	6	1893	68.986 - 69.011 2.7159 " / 2.7169 "	72.986 - 73.012 2.8734 " / 2.8744 "	1.968 .0774 "	31.10 1.2244 "	0.039 - 0.110 .0015 " / .0043 "

KOMATSU



a)

6D 114

PİSTON ÖLÇÜLERİ/PISTON SIZE

113.881 x 135.000 mm
4.484 " x 5.315 "





MODEL

.

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7262 SA	Ana Yatak Main bearing	6	2002 1-2-3-5-7	97.987 - 98.013 3.858 " / 3.859 "	104.982 - 105.018 4.134 " / 4.135 "	3455 .136 "	34.13 1.344 "	0.059 - 0.141 .0003 " / .0006 "
		1	* 2003 4	97.987 - 98.013 3.858 " / 3.859 "	104.982 - 105.018 4.134 " / 4.135 "	3455 .136 "	34.13 - 42.81 1.686 "	0.059 - 0.141 .0003 " / .0006 "
KL 6294 LC	Kol Yatak Con-rod bearing	6	2001	75.986 - 76.014 2.9915 " / 2.9926 "	80.987 - 81.013 3.1884 " / 3.1894 "	2.468 .0971 "	38.13 1.5011 "	0.037 - 0.117 .0014 " / .0046 "

KUBOTA



a)

V2403

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
DC 60

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN-EB 5322 SA	Ana Yatak Main bearing	4 Çift 1 Ad.	2661 2659		64.00 64.97	2.00 - 2.08 2.477 - 2.500	18.08 - 19.00 19.90 - 20.10	
AY 2108 SA	Ay Yatak Thrustwasher	2 Çift	2660		78.70	2.00		
EB 1014 SA	Eksantrik Burc Camshaft bush	1 AD.	2659		64.97	2.477 - 2.500	19.90 - 20.10	
KL 4389 SA	Kol Yatak Con-rod bearing	4 Çift	2662		50.030	1.487 - 1.493	20.80 - 21.00	

LADA



a) **BA33/BA37/BA38/BA43/BA47-2102/5/6/7/77/2121**

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.000 x 80.000 mm
3.1103 " x 3.1496 "

MODEL





1600
2105
2107
NIVA 4X4
NOVA
SHIGULI,VAZ

CC

1588

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5167 SA	Ana Yatak Main bearing	4	1595	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.831 .0721 "	21.35 .8367 "	0.040 - 0.087 .0016 " / .0035 "
		1	1596	50.785 - 50.805 1.9994 " / 2.0002 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.831 .0721 "	22.75 .8957 "	0.040 - 0.087 .0016 " / .0035 "
AY 1009 SA	Ay Yatak Thrustwasher	1	1858	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
KL 4217 SA	Kol Yatak Con-rod bearing	4	1594	47.814 - 47.834 1.8825 " / 1.8832 "	51.330-51.346 2.0209 " / 2.0215 "	1.730 .0682 "	20.67 .8138 "	0.036 - 0.086 0.015 " / .0034 "

LADA



a)

B321083/B321093-2108/2109/21093/210822

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

82.000 x 71.000 mm
3.2284 " x 2.7953 "

MODEL




DIVA
FORMA
SAGONA
SAMARA
SAMARA 1500 GL, 1500 GSX,
1500 SL, 1500 SLX,

CC

1499

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5180 SA	Ana Yatak Main bearing	3	1741 1 -2-4	50.799 - 50.819 2.000 " / 2.0007 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.830 .0721 "	19.40 .7638 "	0.028 - 0.073 .0011 " / .0029 "
		2	1742 3-5	50.799 - 50.819 2.000 " / 2.0007 "	54.507 - 54.520 2.1459 " / 2.1465 "	1.830 .0721 "	19.40 .7638 "	0.028 - 0.073 .0011 " / .0029 "
AY 1009 SA	Ay Yatak Thrustwasher	1	1858	56.610 - 56.864 2.2287 " / 2.2387 "	69.596 - 69.850 2.7400 " / 2.7500 "	2.36 .093 "		
KL 4217 SA	Kol Yatak Con-rod bearing	4	1594	47.814 - 47.834 1.8825 " / 1.8832 "	51.330-51.346 2.0209 " / 2.0215 "	1.730 .0682 "	20.67 .8138 "	0.036 - 0.086 0.015 " / .0034 "

LEYLAND



a)

1.5 T

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

73.012 x 88.900 mm
2.8745 " x 3.500 "

MODEL




J SERIES, J2 SERIES, J4 SERIES,
JBA SERIES
JU SERIES

CC

1489

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3029 SA	Ana Yatak Main bearing	3	702	50.813 - 50.825 2.0005 " / 2.0010 "	54.508 - 54.521 2.1460 " / 2.1465 "	1.828 .072 "	31.05 1.2229 "	0.027 - 0.070 .0011 " / .0028 "
KB 4008 L	Kol Burcu Con-rod bush	4 Pcs.	1713	25.400 1.000 "	28.575 1.1250 "	1.73 .0682 "	27.00 1.0630 "	
KL 4193 SA	Kol Yatak Con-rod bearing	4	1399	50.813 - 50.825 2.0005 " / 2.0010 "	54.508 - 54.521 2.1460 " / 2.1465 "	1.828 .072 "	24.70 .9725 "	0.027 - 0.070 .0011 " / .0028 "

LEYLAND



a)

B SERIES

4 Cylinders, Diesel/Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.260 x 88.000 mm
3.1598 " x 3.4646 "

MODEL




J4 SERIES,1000 SAVA
SHERPA 185,215,220,240
SHERPA 250

CC

1798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5145 SA	Ana Yatak Main bearing	3	1470	54.013 - 54.026 2.1265 " / 2.1270 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.80 .071 "	28.70 1.2299 "	
		2	1471	54.013 - 54.026 2.1265 " / 2.1270 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.80 .071 "	19.55 .7701 "	
AY 2065 SA	Ay Yatak Thrustwasher	2	1781	59.436 - 59.690 2.3400 " / 2.3500 "	74.498 - 74.752 2.9330 " / 2.9430 "	2.34 .092 "		
KB 4008 L	Kol Burcu Con-rod bush	4 Pcs.	1713	25.400 1.000 "	28.575 1.1250 "	1.73 .0682 "	27.00 1.0630 "	
KL 4201 LC	Kol Yatak Con-rod bearing			1.8759 " / 1.8764 "	2.0210 " / 2.0215 "	.072 "	.785 "	
		4	1469	47.648 - 47.661	51.333 - 51.346	1.83	19.93	

LEYLAND



a)

57 J / 57 JC / 57 VD

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 120.000 mm
3.9370 " x 4.7244 "

MODEL





INDUSTRIAL WFK120,WFK140
INDUSTRIAL FFK140,FFK160,FFK360
TM 140 KAMYON

CC

5655

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7125 SA	Ana Yatak Main bearing	3	1147	82.537 - 82.550 3.2495 " / 3.2500 "	86.805 - 86.830 3.4175 " / 3.4185 "	2.10 .082 "	28.70 1.1299 "	0.053 - 0.103 .0021 " - .0041 "
		4	1148	82.537 - 82.550 3.2495 " / 3.2500 "	86.805 - 86.830 3.4175 " / 3.4185 "	2.10 .082 "	40.77 1.6051 "	0.053 - 0.103 .0021 " - .0041 "
KB 6003 L	Kol Burcu Con-rod bush	6 Pcs.	1626	34.917 - 34.930 1.3747 " / 1.3752 "	39.688 - 39.702 1.5625 " / 1.5631 "	2.55 .100 "	31.87 1.2547 "	
KL 6154 SA	Kol Yatak Con-rod bearing	6	1146	66.662 - 66.675 2.6245 " / 2.6250 "	70.396 - 70.409 2.7715 " / 2.7720 "	1.84 .072 "	31.11 1.2252 "	0.0039 - 0.077 .0016 " - .003 "

LISTER



a)

ST1 / ST 2 / ST3

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

92.250 X 88.900 mm
3.750" X 3.500"

MODEL





STM (MARINE);ST2 / INDUSTRIAL

CC

1270

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3103 LC	Ana Yatak Main bearing	2	1790-A	63.475-63.487 2.4990" / 2.4995"	67.196-67.221 2.6455 " / 2.6465 "	1.835 .0723"	44.50 1.752"	
		1	1791-A	63.475-63.487 2.4990" / 2.4995"	67.196-67.221 2.6455 " / 2.6465 "	1.835 .0723"	31.80 1.2520"	
AY 1025 LC	Ay Yatak Thrustwasher	1 1	2329 2329	68.961-69.215 2.7150" / 2.7250"	85.598-85.852 3.3700 " / 3.3800 "	2.36 .0930"		
KL 2075 LC	Kol Yatak Con-rod bearing	2	1789-A	63.487-63.500 2.4995" / 2.5000"	67.208-67.221 2.6460 " / 2.6465 "	1.835 .0723"	31.80 1.2520"	

LISTER



a)

LR 1 / SL 1 / LD 1

1 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.200 X 88.900 mm
3.000" X 3.500"

MODEL





24.7 CU.IN. / INDUSTRIAL

CC

405

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 2021 LC	Ana Yatak Main bearing	2	889	57.099-57.112 2.2480" / 2.2485"	60.820-60.846 2.3945 " / 2.3955 "	1.835 .0723"	44.57 1.7548"	
KL 1029 LC	Kol Yatak Con-rod bearing	1	745	53.962-53.975 2.1245" / 2.1250"	57.671-57.683 2.2706 " / 2.2710 "	1.840 .0725"	31.85 1.2540"	

LISTER



a)

LD 2 / LR 2 / SL 2

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.200 X 88.900 mm
3.000" X 3.500"

MODEL





49.5 CU İNS.

CC

811

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3076 LC	Ana Yatak Main bearing	2	889	57.099-57.112 2.2480" / 2.2485"	60.820-60.846 2.3945 " / 2.3955 "	1.835 .0723"	44.57 1.7548"	
		1	799	57.099-57.112 2.2480" / 2.2485"	60.820-60.846 2.3945 " / 2.3955 "	1.835 .0723"	31.87 1.2548"	
KL 2058 LC	Kol Yatak Con-rod bearing	2	745	53.962-53.975 2.1245" / 2.1250"	57.671-57.683 2.2706 " / 2.2710 "	1.840 .0725"	31.85 1.2540"	

LISTER



a)

SR1 / SR 2 / SR3 / LR2

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.900 X 88.900 mm
3.500" X 3.500"

MODEL





67.3 CU İNS,
28.2 HP

CC

1103

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3009 LC	Ana Yatak Main bearing	2	438	57.099-57.112 2.2480" / 2.2485"	60.820-60.846 2.3945 " / 2.3955 "	1.835 .0723"	44.55 1.754"	
		1	437	57.099-57.112 2.2480" / 2.2485"	60.820-60.846 2.3945 " / 2.3955 "	1.835 .0723"	31.88 1.2548"	
AY 1023 LC	Ay Yatak Thrustwasher	1	2330	62.611-62.865 2.4650" / 2.4750"	79.934-80.188 3.1470 " / 3.1570 "	2.36 .0930"		
KL 2009 LC	Kol Yatak Con-rod bearing	2	436	57.099-57.112 2.2480" / 2.2485"	60.820-60.846 2.3945 " / 2.3955 "	1.835 .0723"	31.85 1.2540"	

LISTER



a)

HR1 / HR2 / HR3 / HR4 / HR6 / HRS6 / H1

1 Cylinder, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

107.950 X 114.300 mm

4.2500" X 4.5000"




MODEL

INDUSTRIAL

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1016 LC	Ana Yatak Main bearing	1	704-A	82.525-82.537 3.2490" / 2.2495"	86.766-86.792 3.4160 " / 3.4170 "	2.089 .0823"	36.60 1.4410"	
AN 1017 LC	Ana Yatak Main bearing	1	705-A	82.525-82.537 3.2490" / 2.2495"	86.766-86.792 3.4160 " / 3.4170 "	2.089 .0823"	36.60 1.4410"	
AY 1024 LC	Ay Yatak Thrustwasher	1	2331	91.313-91.694 3.5950" / 3.6100"	112.344-112.730 4.4230 " / 4.4382 "	3.17 .1248"		
KL 1045 LC	Kol Yatak Con-rod bearing	1	703-A	69.817-69.830 2.7487" / 2.7492"	74.054-74.066 2.9155 " / 2.9160 "	2.089 .0823"	36.60 1.4410"	

LISTER



a)

FR 2 / FR3 / FR4 / FR6

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.250 x 114.300 mm





3.7500 " x 4.5000 "

MODEL

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3019 LC	Ana Yatak Main bearing	1	1114	76.137 - 76.149 2.9975" / 2.9980"	82.550 - 82.563 3.2500" / 3.2505"	3.178 .1252"	35.00 1.3780"	0.045 - 0.096 .0018" / .0038"
		1	1115	76.137 - 76.149 2.9975" / 2.9980"	82.550 - 82.563 3.2500" / 3.2505"	3.178 .1252"	66.75 2.6280"	0.045 - 0.096 .0018" / .0038"
		1	1116	76.137 - 76.149 2.9975" / 2.9980"	82.550 - 82.563 3.2500" / 3.2505"	3.178 .1252"	72.90 2.8701"	0.045 - 0.096 .0018" / .0038"
KL 2019 LC	Kol Yatak Con-rod bearing	2	1113	60.262 - 60.274 2.3725 " / 2.3730 "	66.688 - 66.700 2.6255 " / 2.6260 "	3.185 .1254 "	38.18 1.5032 "	0.044 - 0.088 .0018 " / .0035 "

LISTER



a)

HA

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

101.600 x 114.300 mm

4.0000 " x 4.500 "




MODEL

CC

1825

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3020 LC	Ana Yatak Main bearing	2	568	76.175 - 76.187	80.416 - 80.442	2.090	38.23	0.049 - 0.111
		1	617	76.175 - 76.187 2.9991 " / 2.9995 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.090 .0823 "	38.23 1.5052 "	0.049 - 0.111 .0020 " / .0044 "
AN 4017 LC	Ana Yatak Main bearing	2	568	76.175 - 76.187	80.416 - 80.442	2.090	38.22	0.049 - 0.111
		2	617	76.175 - 76.187 2.9991 " / 2.9995 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.090 .0823 "	38.22 1.5052 "	0.049 - 0.111 .0020 " / .0044 "
KL 2020 LC	Kol Yatak Con-rod bearing	2	616	66.637 - 66.650 2.6235 " / 2.6241 "	70.879 - 70.891 2.7906 " / 2.7910 "	2.090 .0823 "	38.23 1.5052 "	0.049 - 0.098 .0020 " / .0039 "
KL 3012 LC	Kol Yatak Con-rod bearing	3	616	66.637 - 66.650 2.6235 " / 2.6241 "	70.879 - 70.891 2.7906 " / 2.7910 "	2.090 .0823 "	38.20 1.5052 "	0.049 - 0.098 .0020 " / .0039 "

LISTER



a)

HA,HB

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

101.600 x 114.300 mm





4.0000 " x 4.500 "

MODEL

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5024 LC	Ana Yatak Main bearing	5	617	76.175 - 76.187 2.9991 " / 2.9995 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.090 .0823 "	38.22 1.5052 "	0.049 - 0.111 .0020 " / .0044 "
KL 4044 LC	Kol Yatak Con-rod bearing	4	616	66.637 - 66.650 2.6235 " / 2.6241 "	70.879 - 70.891 2.7906 " / 2.7910 "	2.090 .0823 "	38.23 1.5052 "	0.049 - 0.098 .0020 " / .0039 "

LISTER



a)

LT 1

1 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

82.550 x 76.200 mm

3.2500 " x 3.000 "

MODEL





INDUSTRIAL

AIRCOOLED

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 2027 LC	Ana Yatak Main bearing	2	1788	53.954 - 53.967 2.1242 " / 2.1247 "	57.671 - 57.696 2.2706 " / 2.2715 "	1.835 .0723 "	25.45 1.0020 "	0.034 - 0.092 .0014 " / .0037 "
KL 1037 LC	Kol Yatak Con-rod bearing	1	1787	53.977 - 53.990 2.1251 " / 2.1256 "	57.683 - 57.696 2.2710 " / 2.2715 "	1.835 .0723 "	22.25 .8760 "	0.023 - 0.069 .0009 " / .0028 "

LISTER



a)

LPW

2 / 3 / 4 Cylinder




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
LPW2, LPW3, LPW4, LPWT4

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1129 LC	Ana Yatak Main bearing	1	2589 (CENTER)	54,985 - 55,000 mm	58,535 - 58,560 mm	1,740 - 1,750 mm	24,00 mm	
AN 1130 LC	Ana Yatak Main bearing	1	2590 (FRONT)	54,985 - 55,000 mm	58,535 - 58,560 mm	1,740 - 1,750 mm	24,00 mm	
AN 1131 LC	Ana Yatak Main bearing	1	2591 (BACK)	69,985 - 70,000 mm	74,040 - 74,065 mm	1,990 - 2,000 mm	24,13 mm	
KL 1148 LC	Kol Yatak Con-rod bearing	1	2588	49,985 - 50,000 mm	53,525 - 53,545 mm	1,740 - 1,750 mm	18,85 mm	

MASSEY FERGUSON / PERKINS



a)

3.152 / 3.152 D / AD 3.152

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.491 x 127.000 mm
6.6020 " x 5.000 "

MODEL




MF 135 / 155 / 235 / 244 / 240 / 240 S

CC

1608

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4034 SA	Ana Yatak Main bearing	2	763 2-3	69.812 - 69.825 2.7485 " / 2.7490 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.089 .0823 "	25.40 1.0000 "	0.076 - 0.114 .0030 " / .0045 "
		1	764 1	69.812 - 69.825 2.7485 " / 2.7490 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.089 .0823 "	33.15 1.3051 "	0.076 - 0.114 .0030 " / .0045 "
		1	765 4	69.812 - 69.825 2.7485 " / 2.7490 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.089 .0823 "	40.77 1.6051 "	0.076 - 0.114 .0030 " / .0045 "
KL 3017 SA	Kol Yatak Con-rod bearing	3	762	2.2485 " / 2.2490 "	2.3950 " / 2.3955 "	.0718 "	1.1902 "	.0026 " / .0041 "
		3	762	57.112 - 57.125	60.833 - 60.846	1.822	30.23	0.064 - 0.102

MASSEY FERGUSON / PERKINS



a)

4.212 / 4.236 / 4.248

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.476 x 114.300 mm
3.8770" x 4.500"

MODEL




MF 165 / MF 185 / MF 265 / MF 285

CC

3470

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5007 SA	Ana Yatak Main bearing	4	245 1-2-4-5	76.162 - 76.175 2.9985 " / 2.9990 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	31.87 1.2548 "	0.063 - 0.116 .0025 " / .0046 "
		1	246 3	76.162 - 76.175 2.9985 " / 2.9990 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	36.70 1.4449 "	0.063 - 0.116 .0025 " / .0046 "
AY 2054 SA	Ay Yatak Thrustwasher	2	1947 1947	86.870 - 87.120 3.4201" / 3.4300"	103.840 - 104.090 4.0882" / 4.0981"	2.310 .0910 "		
KB 4001 L	Kol Burcu Con-rod bush	4 Pcs.	1668	34.920 - 34.925 1.3748 " / 1.3750 "	38.895 - 38.920 1.5313 " / 1.5323 "	2.22 .0874 "	33.90 1.3359 "	
KL 4055 SA	Kol Yatak Con-rod bearing	4	244	63.475 - 63.487 2.4990 " / 2.4995 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.841 .0725 "	31.88 1.2551 "	0.039 - 0.076 .0016 " / .0030 "

MASSEY FERGUSON / PERKINS



a)

FE 35

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.176 x 101.600 mm
3.314 " x 4.000 "

MODEL




MF 702 IND.

CC

2260

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3070 SA	Ana Yatak Main bearing	3	632	62.967 - 62.979 2.4790 " / 2.4795 "	66.675 - 66.688 2.6250 " / 2.6255 "	1.83 .072 "	38.23 1.505 "	0.028 - 0.065 .0011 " / .0025 "
KL 4162 SA	Kol Yatak Con-rod bearing	4	631	52.984 - 53.000 2.0860 " / 2.0866 "	56.711 - 56.731 2.2327 " / 2.2335 "	1.83 .072 "	24.77 .975 "	0.041 - 0.077 .0016 " / .0030 "

MASSEY FERGUSON / PERKINS



a)

AT 3.152 / 4

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.4 x 127
3.5985 " x 5 "




**3 CYLINDERS,DIESEL,DIRECT
INJECTION,TURBOCHARGED**

MODEL
MF 255 EP

CC
2500

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4111 LC	Ana Yatak Main bearing	1 pcs	2068 LC	69.812 - 69.825	74.079 - 74.105	2.100	33.15	0.054 min.
		1 pcs	2065 SA	69.812 - 69.825 2.7485 " - 2.7491 "	74.079 - 74.105 2.9165 " - 2.9176 "	2.100 .0826 "	32.35 1.2993 "	0.054 min. .0022 " min.
		2 pcs	2069 LC	69.812 - 69.825	74.079 - 74.105	2.100	25.40	0.054 min.
		2 pcs	2066 SA	69.812 - 69.825 2.7485 " - 2.7491 "	74.079 - 74.105 2.9165 " - 2.9176 "	2.100 .0826 "	23.80 .9843 "	0.054 min. .0022 " min.
		1 pcs	2070 LC	69.812 - 69.825	74.079 - 74.105	2.100	40.77	0.054 min.
		1 pcs	2067 SA	69.812 - 69.825	74.079 - 74.105	2.100	39.15	0.054 min.
KL 3060 LC	Kol Yatak Con-rod bearing	3	2071	57.112 - 57.125 2.2485 " - 2.2490 "	60.833 - 60.846 2.3950 " - 2.3955 "	1.828 .0720 "	30.23 1.1902 "	0.052 - 0.090 .0021 " - .0036 "

MASSEY FERGUSON / PERKINS



a)

AD 3.152

**3 CYLINDERS , DIESEL ,DIRECT INJECTION
, TURBOCHARGED.**

PİSTON ÖLÇÜLERİ/PISTON SIZE




91.491 x 127
3.6020 " x 5 "

MODEL
MF 240 S

CC
2500

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4110 SA	Ana Yatak Main bearing	1	2065	69.825 - 69.840 2.7490 " - 2.7496 "	74.070 - 74.092 2.9161 " / 2.9170 "	2.100 .0826 "	32.35 1.2736 "	0.030 - 0.080 .0012 " / .0032 "
		2	2066	69.825 - 69.840 2.7490 " - 2.7496 "	74.070 - 74.092 2.9161 " / 2.9170 "	2.100 .0826 "	23.80 .9370 "	0.030 - 0.080 .0012 " / .0032 "
		1	2067	69.825 - 69.840 2.7490 " - 2.7496 "	74.070 - 74.092 2.9161 " / 2.9170 "	2.100 .0826 "	39.15 1.5413 "	0.030 - 0.080 .0012 " / .0032 "
AY 2020 SA	Ay Yatak Thrustwasher	2	766	77.340-77.600 3.0449" / 3.0552"	90.220-90.470 3.5520" / 3.5619"	3.12 .1229 "		
KB 3002 L	Kol Burcu Con-rod bush	3 Pcs.	1679	31.742 - 31.750 1.2497 " / 1.2500 "	34.925 - 34.938 1.3750 " / 1.3755 "	1.84 .0725 "	26.87 1.0579 "	
KL 3017 SA	Kol Yatak Con-rod bearing	3	762	2.2485 " / 2.2490 "	2.3950 " / 2.3955 "	.0718 "	1.1902 "	.0026 " / .0041 "
		3	762	57.112 - 57.125	60.833 - 60.846	1.822	30.23	0.064 - 0.102

MASSEY FERGUSON / PERKINS



a)

1103 C EURO II MOTOR

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

105.000 X 127.000 mm
4.1339" X 5.000"




MODEL

MF 3050 / 3060

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4127 SA	Ana Yatak Main bearing	4	2356	76.162-76.175 2.9985" / 2.9991"	80.416-80.442 3.1660 " / 3.1670 "	2.089 .0823 "	31.87 1.2548 "	
KB 1048 L	Kol Burcu Con-rod bush	1	2419	39,68 mm	43,00 mm	2,06 - 2,10 mm	33.75	
KL 3069 LC	Kol Yatak Con-rod bearing	3	2355	63.475-63.487 2.4991" / 2.4995"	67.208-67.220 2.6460" /2.6465"	1.844 .0726"	31.88 1.2552"	

MASSEY FERGUSON / PERKINS



a)

1104 C EURO II MOTOR

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

105.000 X 127.000 mm
4.1339" X 5.000"

MODEL




MF 6460

CC

4400

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5267 SA	Ana Yatak Main bearing	5	2356	76.162-76.175 2.9985" / 2.9991"	80.416-80.442 3.1660 " / 3.1670 "	2.089 .0823 "	31.87 1.2548 "	
KB 1047 L	Kol Burcu Con-rod bush	1	2418	39,68 mm	43,00 mm	2,06 - 2,10 mm	33.75	
KL 4315 LC	Kol Yatak Con-rod bearing	4	2355	63.475-63.487 2.4991" / 2.4995"	67.208-67.220 2.6460" /2.6465"	1.844 .0726"	31.88 1.2552"	

MASSEY FERGUSON / PERKINS



a)

4.192 / 4.203 / 4.288

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.925 x 127.000 mm

3.5010 " x 5.000 "

MODEL




MF 65X / 203

CC

3140

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5058 SA	Ana Yatak Main bearing	2	763 2 - 4	69.812 - 69.825 2.7485 " / 2.7490 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.089 .0823 "	25.40 1.0000 "	0.076 - 0.114 .0030 " / .0045 "
		1	764 1	69.812 - 69.825 2.7485 " / 2.7490 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.089 .0823 "	33.15 1.3051 "	0.076 - 0.114 .0030 " / .0045 "
		2	765 3 - 5	69.812 - 69.825 2.7485 " / 2.7490 "	74.079 - 74.092 2.9165 " / 2.9170 "	2.089 .0823 "	40.77 1.6051 "	0.076 - 0.114 .0030 " / .0045 "
KB 4002 L	Kol Burcu Con-rod bush	4	1679	31.742 - 31.750 1.2497" / 1.2500"	34.925 - 34.938 1.3750" / 1.3755"	1.84 .0725 "	26.87 1.0579 "	
KL 4078 SA	Kol Yatak Con-rod bearing	4 4	762 762	57.112 - 57.125 2.2485 " / 2.2490 "	60.833 - 60.846 2.3950 " / 2.3955 "	1.822 .0718 "	30.23 1.1902 "	0.064 - 0.102 .0026 " / .0041 "

MASSEY FERGUSON / PERKINS



a)

AT4.236

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.476 x 114.300 mm
3.8770 " x 4.500 "

MODEL




MF 1007, MF 3065, MF 3080, MF 3370, AS 250
MF 698T

CC

3866

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5007 SA	Ana Yatak Main bearing	4	245 1-2-4-5	76.162 - 76.175 2.9985 " / 2.9990 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	31.87 1.2548 "	0.063 - 0.116 .0025 " / .0046 "
		1	246 3	76.162 - 76.175 2.9985 " / 2.9990 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	36.70 1.4449 "	0.063 - 0.116 .0025 " / .0046 "
AY 2054 SA	Ay Yatak Thrustwasher	2	1947 1947	86.870 - 87.120 3.4201" / 3.4300"	103.840 - 104.090 4.0882" / 4.0981"	2.310 .0910 "		
KB 1045 L	Kol Burcu Con-rod bush	1	2276	38,095 - 38,100 mm	42,069 - 42,094 mm	2,10 - 2,20 mm	33.90	
KB 4001 L	Kol Burcu Con-rod bush	4 Pcs.	1668	34.920 - 34.925 1.3748 " / 1.3750 "	38.895 - 38.920 1.5313 " / 1.5323 "	2.22 .0874 "	33.90 1.3359 "	
KL 4055 LC	Kol Yatak Con-rod bearing	4	244	63.475 - 63.487 2.4990 " / 2.4995 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.841 .0725 "	31.88 1.2551 "	0.039 - 0.076 .0016 " / .0030 "

MASSEY FERGUSON / PERKINS



a)

6.354

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.476 x 127.00 mm

MODEL




MF 507, MF 525, MF1100, AS 600

CC

5800 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7042 SA	Ana Yatak Main bearing	6	245 1-2-3-5-6- 7	76.162 - 76.175 2.9985 " / 2.9990 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	31.87 1.2548 "	0.063 - 0.116 .0025 " / .0046 "
		1	246 4	76.162 - 76.175 2.9985 " / 2.9990 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	36.70 1.4449 "	0.063 - 0.116 .0025 " / .0046 "
KB 6006 L	Kol Burcu Con-rod bush	6 Pcs.	1668	34.920 - 34.925 1.3748 " / 1.3750 "	38.895 - 38.920 1.5313 " / 1.5323 "	2.22 .0874 "	33.90 1.3359 "	
KL 6034 SA	Kol Yatak Con-rod bearing	6	244	63.475 - 63.487 2.4990 " / 2.4995 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.841 .0725 "	31.88 1.2551 "	0.039 - 0.076 .0016 " / .0030 "

MASSEY FERGUSON / PERKINS



a)

T 6354.3 / T 6354.4 TURBO

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.476 x 127.00 mm

MODEL

AS 800 / AS 900




AS 700 / AS 800 / AS 900

CC

5800 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7211 SA	Ana Yatak Main bearing	6	1496 1-2-3-5-6-7	76.159 - 76.179 2.9984 " / 2.9992 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	31.12 1.2252 "	0.059 - 0.119 .0024 " / .0047 "
		1	1497 4	76.159 - 76.179 2.9984 " / 2.9992 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.089 .0823 "	36.70 1.4449 "	0.059 - 0.119 .0024 " / .0047 "
KL 6034 LC	Kol Yatak Con-rod bearing	6	244	63.475 - 63.487 2.4990 " / 2.4995 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.841 .0725 "	33.90 1.2551 "	0.039 - 0.076 .0016 " / .0030 "

MASSEY FERGUSON / PERKINS



a)

PHASER 160T / PHASER 180 T

6 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 127.000 mm

MODEL




AS 900 / AS 950

CC

6000 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7258 SA	Ana Yatak Main bearing	3	1496	76.159 - 76.179	80.416 - 80.442	2.090	31.12	0.057 - 0.123
		3	1959 1-2-3-5-6-7	76.159 - 76.179 2.9984 " / 2.9992 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.090 .0823 "	31.12 1.2252 "	0.057 - 0.123 .0023 " / .0049 "
		1	1960 4	76.159 - 76.179 2.9984 " / 2.9992 "	80.416 - 80.442 3.1660 " / 3.1670 "	2.090 .0823 "	36.65 1.4430 "	0.047 - 0.091 .0019 " / .0036 "
KL 6034 LC	Kol Yatak Con-rod bearing	6	244	63.475 - 63.487 2.4990 " / 2.4995 "	67.208 - 67.221 2.6460 " / 2.6465 "	1.841 .0725 "	33.90 1.2551 "	0.039 - 0.076 .0016 " / .0030 "

MAZDA



a)

S 2

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.900 x 89.000 mm
3.500 " x 3.504 "

MODEL




220 D, B SERIES, LUCE,
BONGO, E SERIES
E SERIES, 220 D, B SERIES, LUCE,

CC

2210

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5184 LC	Ana Yatak Main bearing	4	1793	64.987 - 65.000	69.000 - 69.022	1980	28.60	0.040-0.095
		1	1794	64.987 - 65.000 2.5586 " / 2.5591 "	69.000 - 69.022 2.7166 " / 2.7174 "	1980 .0780 "	28.60 1.1260 "	0.040-0.095 .0016 " / .0038 "
AY 2089SA	Ay Yatak Thrustwasher	2	2240	73.400 - 73.700 2.8897" / 2.9015"	90.100 - 90.400 3.5472" / 3.5590"	2340 .0921		
KB 4017 L	Kol Burcu Con-rod bush	4 Pcs.	1963	MAX 28.00 1.1024 "	31.000 - 31.030 1.2205 " / 1.2323 "	1730 .0682 "	26.50 1.0433 "	
KL 4233 LC	Kol Yatak Con-rod bearing	4	1792	52.985 - 53.000 2.0861 " / 2.0867 "	56.687 - 56.708 2.2318 " / 2.2326 "	1.830 .0721 "	28.60 1.1260 "	0.027 - 0.083 .0011 " / .0033 "

MAZDA



a)

RF

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE




86.000 X 86.000 mm
3.3859" X 3.3859"

MODEL
E SERIES
BONGO

CC
1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5198 SA	Ana Yatak Main bearing	4	1881 1 - 2 - 4 - 5	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	19.10 .7520 "	0.020 - 0.072 .0008 / .0029
		1	1882 3	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	21.10 .8370 "	0.020 - 0.072 .0008 / .0029
AY 2091SA	Ay Yatak Thrustwasher	2	2242	68.400 - 68.800 2.6929" / 2.7086"	83.900 - 84.300 3.3031" / 3.3188"	2060 .0811"		
KB 4012 L	Kol Burcu Con-rod bush	4 Pcs.	1958	MAX.25.00 .9843 "	28.000 - 28.035 1.1024 " / 1.1038 "	1730 .0682 "	26.50 1.0433 "	
KL 4240 SA	Kol Yatak Con-rod bearing	4	1880	50.935 - 50.955 2.0054 " / 2.0061 "	54.000 - 54.020 2.1260 " / 2.1268 "	1.510 .0595"	21.10 .8307"	0.025 - 0.075 .0010 " / .0030 "

MAZDA



a)

FE

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.000 X 86.000 mm
3.3859" X 3.3859"

MODEL




626
929
B 2000

CC

1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5198 SA	Ana Yatak Main bearing	4	1881 1 - 2 - 4 - 5	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	19.10 .7520 "	0.020 - 0.072 .0008 / .0029
		1	1882 3	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	21.10 .8370 "	0.020 - 0.072 .0008 / .0029
AY 2091SA	Ay Yatak Thrustwasher	2	2242	68.400 - 68.800 2.6929" / 2.7086"	83.900 - 84.300 3.3031" / 3.3188"	2060 .0811"		
KB 4012 L	Kol Burcu Con-rod bush	4 Pcs.	1958	MAX.25.00 .9843 "	28.000 - 28.035 1.1024 " / 1.1038 "	1730 .0682 "	26.50 1.0433 "	
KL 4240 SA	Kol Yatak Con-rod bearing	4	1880	50.935 - 50.955 2.0054 " / 2.0061 "	54.000 - 54.020 2.1260 " / 2.1268 "	1.510 .0595"	21.10 .8307"	0.025 - 0.075 .0010 " / .0030 "

MAZDA



a)

WL

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

93.000 X 92.000 mm
3.6614" X 3.6220"

MODEL





B2500 2.5D & 2.5TD MPV

CC

2499

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5268 SA	Ana Yatak Main bearing	5	2358	66,940 - 66,955 2,6354 " / 2,6360	71,000 - 71,020 2,7953 " / 2,7960	2,008 0,0791	22.55 0,8902	0,029 - 0,076 0,0011 - 0,0030
AY 2070 SA	Ay Yatak Thrustwasher	2	2359	75209 2.9610"	91,796 3.6141"	2504 .0986"		
KB 4039 L	Kol Burcu Con-rod bush	4 Pcs.	2360 2360	32.00 1.2598"	35.02 1.3787"			
KL 4374 LC	Kol Yatak Con-rod bearing	4	2357	54,940 - 54,955 2,1630 " / 2,1636	58,000 - 58,020 2,2835 " / 2,2842	1,510 0,0594	23.55 0,9319	0,020 - 0,084 0,0008 " / 0,0033

MAZDA



a)

F6 - F8

4 CYLINDERS

PİSTON ÖLÇÜLERİ/PISTON SIZE

81.00 X 77.00

3.1890" X 3.0315"

MODEL

323




626

CC

1587 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5280 SA	Ana Yatak Main bearing	9 ad.	2399	59.938-59.954 2.3598" / 2.3604"	63.997-64.018 2.5196" / 2.5204"	2.010 .0792"	19.13 .7532"	
		1 ad.	*2400	59.938-59.954 2.3598" / 2.3604"	63.997-64.018 2.5196" / 2.5204"	2.010 .0792"	27.98 1.1016"	
KL 4240 SA	Kol Yatak Con-rod bearing	4	1880	50.935 - 50.955 2.0054 " / 2.0061 "	54.000 - 54.020 2.1260 " / 2.1268 "	1.510 .0595"	21.10 .8307"	0.025 - 0.075 .0010 " / .0030 "

MAZDA







a)	F2	4 CYLINDERS PETROL	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 86.00 X 71.00	MODEL 626 2.2	CC

b)	FE - EGI	4 CYLINDERS	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 86.00 X 86.00 3.3859" X 3.3859"	MODEL 626	CC 1998 cc

c)	RF	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 86.000 X 86.000 mm 3.3859" X 3.3859"	MODEL E SERIES BONGO	CC 1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5280 SA	Ana Yatak Main bearing	9 ad.	2399	59.938-59.954 2.3598" / 2.3604"	63.997-64.018 2.5196" / 2.5204"	2.010 .0792"	19.13 .7532"	
		1 ad.	*2400	59.938-59.954 2.3598" / 2.3604"	63.997-64.018 2.5196" / 2.5204"	2.010 .0792"	27.98 1.1016"	
KL 4240 SA	Kol Yatak Con-rod bearing	4	1880	50.935 - 50.955 2.0054 " / 2.0061 "	54.000 - 54.020 2.1260 " / 2.1268 "	1.510 .0595"	21.10 .8307"	0.025 - 0.075 .0010 " / .0030 "
AN 5198 SA	Ana Yatak Main bearing	4	1881	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	19.10 .7520 "	0.020 - 0.072 .0008 / .0029
		1	1882 3	59.940 - 59.960 2.3599 " / 2.3607 "	64.000 - 64.020 2.5197 " / 2.5205 "	2010 .0792 "	21.10 .8370 "	0.020 - 0.072 .0008 / .0029
AY 2091SA	Ay Yatak Thrustwasher	2	2242	68.400 - 68.800 2.6929" / 2.7086"	83.900 - 84.300 3.3031" / 3.3188"	2060 .0811"		
KB 4012 L	Kol Burcu Con-rod bush	4 Pcs.	1958	MAX.25.00 .9843 "	28.000 - 28.035 1.1024 " / 1.1038 "	1730 .0682 "	26.50 1.0433 "	

MAZDA



a)

E3

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

77.000 X 69.600 mm
3.0314" X 2.7401"

MODEL

323 1.3

CC

1296

b)

E5

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

77.000 X 80.000 mm
3.0314" X 3.1496"

MODEL




323 1.5

CC

1490

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5277 SA	Ana Yatak Main bearing	5	2393	49.940 - 49.955 1.9661 " / 1.9667 "	54.000 - 54.018 2.1259 " / 2.1266 "	2.012 .0792 "	17.60 .6929 "	0.021 - 0.070 .0008 " / .0027 "
KL 4327 SA	Kol Yatak Con-rod bearing	4	2392	39.940 - 39.955 1.5724 " / 1.5730 "	43.000 - 43.016 1.6929 " / 1.6935 "	1.509 .0594 "	17.10 .6732 "	0.027 - 0.072 .0010 " / .0028 "

MAZDA



a)

B5

PİSTON ÖLÇÜLERİ/PISTON SIZE

78.000 X 78.400 mm
3.000" X 3.000"

MODEL




323 1500 GLX,1500 GLX EXECUTIVE
FAMILIA 1500

CC

1498

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5277 SA	Ana Yatak Main bearing	5	2393	49.940 - 49.955 1.9661 " / 1.9667 "	54.000 - 54.018 2.1259 " / 2.1266 "	2.012 .0792 "	17.60 .6929 "	0.021 - 0.070 .0008 " / .0027 "
KL 4327 SA	Kol Yatak Con-rod bearing	4	2392	39.940 - 39.955 1.5724 " / 1.5730 "	43.000 - 43.016 1.6929 " / 1.6935 "	1.509 .0594 "	17.10 .6732 "	0.027 - 0.072 .0010 " / .0028 "
KL 4343 SA	Kol Yatak Con-rod bearing	4	2479	44.940 - 44.950 1.7693" - 1.7697"	48.000 - 48.016 1.8898" - 1.8904"	1510 0.594"	17.10 0.6744"	

MAZDA



a)

B6

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL

323 1600

CAPELLA 1600

FAMILIA 1600





323 1600 16 V TURBO,FAMILIA 1600 16 V

CC

1597

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5277 SA	Ana Yatak Main bearing	5	2393	49.940 - 49.955 1.9661 " / 1.9667 "	54.000 - 54.018 2.1259 " / 2.1266 "	2.012 .0792 "	17.60 .6929 "	0.021 - 0.070 .0008 " / .0027 "
KL 4327 SA	Kol Yatak Con-rod bearing	4	2392	39.940 - 39.955 1.5724 " / 1.5730 "	43.000 - 43.016 1.6929 " / 1.6935 "	1.509 .0594 "	17.10 .6732 "	0.027 - 0.072 .0010 " / .0028 "
KL 4343 SA	Kol Yatak Con-rod bearing	4	2479	44.940 - 44.950 1.7693" - 1.7697"	48.000 - 48.016 1.8898" - 1.8904"	1510 0.594"	17.10 0.6744"	

MAZDA



a)

FS

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

83.000 X 92.000 mm
3.2677" X 3.6220"

MODEL




323
626 - MX6

CC

1991

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5285 SA	Ana Yatak Main bearing	5	2464	55.936 - 55.956 2.202" - 2.203"	60.000 - 60.020 2.362" - 2.363"	2.012 0.0792"	17.60 0.694"	
KL 4340 SA	Kol Yatak Con-rod bearing	4	2463	47.940 - 47.955 1.887" - 1.888"	51.001 - 51.016 2.008" - 2.009"	1511 0.0595"	39738 0.673"	

MITSUBISHI



a)

4D31, 4D31-T

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100 x 105
3.9370 " x 4.1339 "

MODEL

CANTER, ROSA BUS

CC

3298

b)

4D32

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

104 x 105
4.0944 " x 4.1339 "

MODEL




CANTER FE449

CC

3567

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5220 LC	Ana Yatak Main bearing	5	2098	77.929 - 77.945 3.0681" / 3.0687"	81.998 - 82.019 3.2283" / 3.2295"	2.002 .0789"	27.12 1.0678"	0.049 - 0.110 .0019" / .0043"
AY 3001 LC	Ay Yatak Thrustwasher	3 pcs	2282	83.455 3.2857"	109.710 4.3193"	2.45 .0965"		
EB 3008 SA	Eksantrik Burc Camshaft bush	3 Pcs.	2407	52,960 mm	57,000 - 57,019 mm	1,980 - 2,000 mm	21.00	
			2408	54,460 mm	58,000 - 58,019 mm	1,730 - 1,750 mm	21.00	
			2409	54,460 mm	58,500 - 58,519 mm	1,980 - 2,000 mm	41.00	
KB 4035 L	Kol Burcu Con-rod bush	4 Pcs.	2281	34,013 1,3391"	37,013 1,4579"	1,60 0,0630"	38.40 1,5160"	
KL 4265 LC	Kol Yatak Con-rod bearing	4	2097	59.949 - 59.964 2.3602 " / 2.3608 "	64.000 - 64.020 2.5197 " / 2.5205 "	1.999 .0787 "	33.12 1.3040 "	0.038 - 0.093 .0014 " / .0036 "

MITSUBISHI



a)

4D 55

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.100 x 90.000 mm
3.5867 " x 3.5433 "

MODEL




L 300
PAJERO
L 200 PICK-UP

CC

2350

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5217 SA	Ana Yatak Main bearing	4	2081	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
		1	2082	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	30.96 1.2189 "	0.023 - 0.079 .0009 " / .0032 "
			REF	UNDERSIZE	OVERALL LENGTH			
			2082	Std. - 0.75 1.00	30.96 / 1.2189 " 31.34 / 1.2339 "		30.96	
AN 5259 SA	Ana Yatak Main bearing	5	2295	65.985 - 66.000 2.5979 " / 2.5985 "	70.000-70.020 2.7559 " / 2.7567 "	1.990 .0784 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
AY 1020 SA	Ay Yatak Thrustwasher	1	2296	72.000-72.200 2.8347 " / 2.8426 "	89.700-89.900 3,5315 " / 3,5394 "	2.500 .0985 "		
DB 1024 SA		1	2394	43.000-43.020 1.6930 " / 1.6937 "	46.030-46.050 1.8122 " / 1.8130 "	1.49 .0587 "	20.05 .7894 "	
KB 4028 L	Kol Burcu Con-rod bush	4 Pcs.	2202	29.00 1.1417 "	32.000-32.029 1.2598 " / 1.2609 "	1800 .0708 "	31.75 1.2500 "	
KL 4263 SA	Kol Yatak Con-rod bearing	4	2080	52.973 - 53.000 2.0856 " / 2.0867 "	56.007 - 56.021 2.2050 " / 2.2056 "	1.492 .0588 "	25.13 .9894 "	0.023 - 0.076 .0009 " / .0030 "

MITSUBISHI



a)

4D 55T

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

91.100 x 90.000 mm
3.5867 " x 3.5433 "

MODEL




L 200
L 300

CC

2350

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5217 SA	Ana Yatak Main bearing	4	2081	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
		1	2082	65.979 - 66.000 2.5976 " / 2.5985 "	69.999 - 70.020 2.7559 " / 2.7567 "	1.988 .0783 "	30.96 1.2189 "	0.023 - 0.079 .0009 " / .0032 "
			REF	UNDERSIZE	OVERALL LENGTH			
			2082	Std. - 0.75 1.00	30.96 / 1.2189 " 31.34 / 1.2339 "		30.96	
DB 1024 SA		1	2394	43.000-43.020 1.6930 " / 1.6937 "	46.030-46.050 1.8122 " / 1.8130 "	1.49 .0587 "	20.05 .7894 "	
KB 4028 L	Kol Burcu Con-rod bush	4 Pcs.	2202	29.00 1.1417 "	32.000-32.029 1.2598 " / 1.2609 "	1800 .0708 "	31.75 1.2500 "	
KL 4263 SA	Kol Yatak Con-rod bearing	4	2080	52.973 - 53.000 2.0856 " / 2.0867 "	56.007 - 56.021 2.2050 " / 2.2056 "	1.492 .0588 "	25.13 .9894 "	0.023 - 0.076 .0009 " / .0030 "

MITSUBISHI



a)

4D34-2AT4

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.000 x 115.000 mm
4.0944" x 4.5275"

MODEL




CANTER FE659E
TURBO INTERCOOLER 136 PS

CC

3908

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5220 LC	Ana Yatak Main bearing	5	2098	77.929 - 77.945 3.0681" / 3.0687"	81.998 - 82.019 3.2283" / 3.2295"	2.002 .0789"	27.12 1.0678"	0.049 - 0.110 .0019" / .0043"
AY 3001 LC	Ay Yatak Thrustwasher	3 pcs	2282	83.455 3.2857"	109.710 4.3193"	2.45 .0965"		
EB 5004 LC	Eksantrik Burc Camshaft bush	5 Pcs.	2411	52.960 mm	57.000 mm	1,980 - 2,000 mm	21.00	
			2412	54.460 mm	57.750 mm		21.00	
			2413	54.460 mm	58.000 mm	1,600 - 1,620 mm	21.00	
			2414	54.460 mm	58.250 mm	1,730 - 1,750 mm	21.00	
			2415	54.460 mm	58.500 mm	1,855 - 1,875 mm	33.00	
KB 4040 L	Kol Burcu Con-rod bush	4 Pcs.	2367	36,00 mm	40,02 mm	1.60	38.25	
			2367		1.4567"	.0630"		
KL 4304 LC	Kol Yatak Con-rod bearing	4	2280	65000 2.5591"	69.000-69.022 2.7166" / 2.7174"	1.995 .0786"	33.15 1.3052"	

MITSUBISHI



a)

4G11 - 4G16

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

69.500 x 82.000 mm

2.7362" x 3.2283"

MODEL

LANCER 1.2 - COLT 1.2




LANCER 1.2 - COLT 1.2 (WIDE TYPE) GENIS
TIP

CC

1244

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5287 SA	Ana Yatak Main bearing	5	2468	47.980 - 48.000 1.8889" - 1.8897"	52.000 - 52.020 2.0472" - 2.0480"	1990 0.0783"	19.10 0.7519"	0.002 - 0.076
			*2469	47.980 - 48.000 1.8889" - 1.8897"	52.000 - 52.020 2.0472" - 2.0480"	1990 0.0783"	23.95 1.0240"	
KL 4342 SA	Kol Yatak Con-rod bearing	4	2467	41.981 - 42.000 1.6527" - 1.6535"	45.000 - 45.020 1.7716" - 1.7724"	1,493 0.0587"	15.6 0.6141"	0.014 - 0.079
KL 4349 SA	Kol Yatak Con-rod bearing	4	2534	41,980 - 42,000 mm	45,000 - 45,020 mm	1,484 - 1,490 mm	17,40 mm	

MITSUBISHI



a)

4M40

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
95,000 mm

MODEL
CANTER FE 511 - FE 711

CC
2835 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5314 LC	Ana Yatak Main bearing	4	2628	67,980 - 68,001 mm	71,999 - 72,020 mm	1,982 - 1,992 mm	21,90 mm	
		1	2629	68,030 - 68,050 mm	71,999 - 72,020 mm	1,962 - 1,972 mm	21,90 mm	
AY 2106 SA	Ay Yatak Thrustwasher	2	2630	76,250 - 76,500 mm	94,250 - 94,500 mm	2,40 - 2,45 mm		
KL 4378 LC	Kol Yatak Con-rod bearing	4	2627	53,970 - 54,000 mm	58,001 - 58,020 mm	1,984 - 1,992 mm	27,35 mm	

MITSUBISHI



a)

4D56 (DID)

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE
91,110 mm

MODEL
L 200 (DID)

CC
2477 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5259 SA	Ana Yatak Main bearing	5	2295	65.985 - 66.000 2.5979 " / 2.5985 "	70.000-70.020 2.7559 " / 2.7567 "	1.990 .0784 "	25.10 .9882 "	0.023 - 0.079 .0009 " / .0032 "
AY 1020 SA	Ay Yatak Thrustwasher	1	2296	72.000-72.200 2.8347 " / 2.8426 "	89.700-89.900 3,5315 " / 3,5394 "	2.500 .0985 "		
KL 4379 LC	Kol Yatak Con-rod bearing	4	2634	56,980 - 57,000 mm	60,020 mm	1,484 - 1,492 mm	24,85 mm	

NISSAN



a)

TD 25

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

92.900 x 100.000 mm
3.65 " x 3.93 "

MODEL

PICK UP
URVAN

CC

2494

b)

TD 27

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

96.000 x 92.000 mm
3.77 " x 3.62 "

MODEL

BUS, KING CAB, PATHFINDER, PICK UP,
TAXI, TERRANO, VAN

CC

2663

c)

TD 27-T

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

96.000 x 92.000 mm
3.77 " x 3.62 "

MODEL




TERRANO
PATHFINDER

CC

2663

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5187 LC	Ana Yatak Main bearing	5	1843	70.900 - 70.920 2.7914 " / 2.7922 "	74.980 - 75.000 2.9520 " / 2.9528 "	2.008 .0791 "	26.10 1.0276 "	0.044 - 0.104 .0018 " / .0041 "
AY 2094SA	Ay Yatak Thrustwasher	2	2369	78.600	93.800	2.337		
KB 4041L	Kol Burcu Con-rod bush	4 Pcs.	2368	28.000 1.1024"	31.000 / 31.020 1.2205" / 1.2213"	1.530 0.0602"	33.250 1,3090"	
KL 4235 LC	Kol Yatak Con-rod bearing	4	1842	56.913 - 56.926 2.2407 " / 2.2412 "	59.987 - 60.000 2.3617 " / 2.3622 "	1.509 .0594 "	26.10 1.0276 "	0.043 - 0.085 .0017 " / .0034 "

NISSAN



a)

TD 27

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

96.000 x 92.000 mm
3.77 " x 3.62 "

MODEL

BUS, KING CAB, PATHFINDER, PICK UP,
TAXI, TERRANO, VAN

CC

2663

b)

TD 27-T

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

96.000 x 92.000 mm
3.77 " x 3.62 "

MODEL





TERRANO
PATHFINDER

CC

2663

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5187 LC	Ana Yatak Main bearing	5	1843	70.900 - 70.920 2.7914 " / 2.7922 "	74.980 - 75.000 2.9520 " / 2.9528 "	2.008 .0791 "	26.10 1.0276 "	0.044 - 0.104 .0018 " / .0041 "
AY 2094SA	Ay Yatak Thrustwasher	2	2369	78.600	93.800	2.337		
KB 4041L	Kol Burcu Con-rod bush	4 Pcs.	2368	28.000 1.1024"	31.000 / 31.020 1.2205" / 1.2213"	1.530 0.0602"	33.250 1,3090"	
KL 4235 LC	Kol Yatak Con-rod bearing	4	1842	56.913 - 56.926 2.2407 " / 2.2412 "	59.987 - 60.000 2.3617 " / 2.3622 "	1.509 .0594 "	26.10 1.0276 "	0.043 - 0.085 .0017 " / .0034 "

NISSAN



a)

LD 23

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.500 X 88.000 mm
3.33" X 3.46"

MODEL




SERENA, VANETTE

CC

2283

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5255 LC	Ana Yatak Main bearing	4	2271	62.943-62,956 2,4781" / 2,4786"	66.657-66,665 2,6243" / 2,6246"	1830 .0720"	20.00 .787"	
		1	2272	62,943-62,956 2,4781" / 2,4786"	66,657-66,665 2,6243" / 2,6246"	1,830 .0720"	22.00 .866"	
KL 4300 LC	Kol Yatak Con-rod bearing	4	2270	53,961-53,974 2.1244" / 2.1250"	57.000-57.013 2.2441" / 2.2446"	1.496 .0588"	25.12 .989"	

NISSAN



a)

YD 25 - YD 25 DDTi

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

89.000 X 100.00 mm
3.5039" X 3.9370"

MODEL




SKYSTAR, NAVARA 2.4 - 2.5

CC

2488

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5274 SA	Ana Yatak Main bearing	5	2382	62.967-62.975 2.4791"-2.4794"	66670 2.6248"	1827 .0720"	20.10 .7914"	
AY 1028 SA	Ay Yatak Thrustwasher	1	2383	69.750 mm	88.250 mm	1.950 mm		
KL 4322 LC	Kol Yatak Con-rod bearing	4	2381	51.968-91.974 2.0460"-2.0463"	55.000-55.025 2.1654"-2.1664"	1479 .0583"	23.10 .9095"	

NISSAN



a)

K9K

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.000 X 80.500 mm
2.900" x 3.1692

MODEL





MICRA, NOTE, QASHQAI 1.5 DCI

CC

1461

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KB 4051 L (Conical)	Kol Burcu Con-rod bush	4 Pcs.	2486	26.00 1.0236"	28500 1.1220"	1.50 .0590"	20.60 .8110"	
KB 4060 L (Normal)	Kol Burcu Con-rod bush	4 Pcs.	2551	26.00 1.0236"	28500 1.1220"	1.50 .0590"		
KL 4375 LC	Kol Yatak Con-rod bearing	4 4	2621 2621	43.964 - 43.980 1.7308" / 1.7315"	47.614 - 47.625 1.8746" / 1.8750"	1.799 - 1.807 .07114"	18.75 .8169"	

OPEL



a)

8140.23 /.43 /.63

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.400 x 100.000 mm

3.7165" x 3.9370"

MODEL





MOVANO 2.8 TD

CC

2798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5252 LC	Ana Yatak Main bearing	4	2235	80.183 - 80.208 3.1568" - 3.1577"	84.587 - 84.615 3.3302" - 3.3312"	2.174 .08559"	23.80 .9370"	0.032 - 0.102 0013 " / .0040 "
		1	2236	86.182 - 86.208 3.3930" - 3.3940"	90.589 - 90.615 3.5665" - 3.5675"	2.174 .08559"	30.96 1.2188"	0.032 - 0.102 .0013 " / .0040 "
KB 4057 L	Kol Burcu Con-rod bush	4 Pcs.	2492	32.00 1.2598"	35.52 1.3984"	2.20 .0866"	30.10 1.1850"	
KL 4296 LC	Kol Yatak Con-rod bearing	4	2234	56.520 - 56.535 2.2252" - 2.2258"	60.333 - 60.348 2.3753" - 2.3759"	1.894 .07456"	24.60 .9685"	

OPEL



a)

F9Q

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.000 X 93.000 mm
3.15 " x 3.66 "

MODEL




VECTRA 1.9 CDTI / VIVARO 1.9 CDTI

CC

1870

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5240 SA	Ana Yatak Main bearing	5	2180	54.785 - 54.805 2.1568 " - 2.1576 "	58.731 - 58.744 2.3122 " - 2.3127 "	1.950 .0767 "	18.50 .7283 "	0.026 - 0.071 .0010 " / .0028 "
AY 1016 SA	Ay Yatak Thrustwasher	1	2220	60.750 2.3917 "	80.000 3.1496 "	2.35 .0925 "		
KB 4074 L	Kol Burcu Con-rod bush	4	2633	27,996 - 28,000 mm	30,240 - 30,260 mm	1,25 - 1,35 mm		
KL 4359 LC	Kol Yatak Con-rod bearing	4	2179	48.000 - 48.020 1.8897 " - 1.8905 "	51.587 - 51.600 2.0309 " - 2.0314 "	1.768 .0696 "	20.50 .8070 "	0.031 - 0.076 .0012 " / .0029 "

OPEL



a) C 16 NZ / C 16 SE / X 16 SZ / C 16 XE

4

PİSTON ÖLÇÜLERİ/PISTON SIZE




79.000 X 81.500 mm
3.1102 " - 3.2086 "

MODEL
ASTRA / VECTRA

CC
1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5246 SA	Ana Yatak Main bearing	4	2207	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	19.50 .7678 "	0.020 - 0.050 .0008" / .0020"
			REF	UNDERSIZE	OVERALL LENGTH			
			2208	STD	25.90 / 1.0197 "			
				0,25	26.10 / 1.0276 "			
				0,5	26.30 / 1.0355 "			
				0,75	26.50 / 1.0433 "			
				1	26,70 / 1.0512 "			
		4	2207	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	19.50 .7678 "	
		1	* 2208	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	25.90 1.0197 "	
KL 4290 SA	Kol Yatak Con-rod bearing	4	2206	42.971 - 42.987 1.6918 " - 1.6924 "	46.000 - 46.012 1.8111 " - 1.8115 "	1.496 .0589 "	16.60 .6536 "	0.010 - 0.070 .0004" / .0028"

OPEL



a) C 20 NE / C 20 XE / C 18 NT / C 18 XE

4

PİSTON ÖLÇÜLERİ/PISTON SIZE





86.00 X 86.00 mm
3.3858 " / 3.3858 "

MODEL
ASTRA / VECTRA

CC
1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5212 SA	Ana Yatak Main bearing	4	2022	57.982-57.995	62.000-62.013	1.987- 1.993	19.50	19.50
				2.2827-2.2832	2.4409-2.4414	.0782- .0784	.7677	.7677
		1	* 2023	57.982-57.995	62.000-62.013	1.987- 1.993	25.90	25.90
				2.2827-2.2832	2.4409-2.4414	.0782- .0784	1.0196	1.0196
KL 4294 LC	Kol Yatak Con-rod bearing	4	2233	48.971-48.987	52.000-52.012	1.471- 1.477	19.30	19.30
				1.9279-1.9286	2.0472-2.0477	.0579- .0581	.7598	.7598

OPEL



a)

C 16 LZ / 16 SV

4

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.00 X 79.50 mm
3.1496 " / 3.1299 "

MODEL





ASCONA / KADETT 1,6

CC

1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5212 SA	Ana Yatak Main bearing	4	2022	57.982-57.995	62.000-62.013	1.987- 1.993	19.50	19.50
				2.2827-2.2832	2.4409-2.4414	.0782- .0784	.7677	.7677
		1	* 2023	57.982-57.995	62.000-62.013	1.987- 1.993	25.90	25.90
				2.2827-2.2832	2.4409-2.4414	.0782- .0784	1.0196	1.0196
KL 4258 SAP	Kol Yatak Con-rod bearing	4	2021	48.971-48.987	52.000-52.012	1.490- 1.498	19.25	
				1.9279-1.9286	2.0472-2.0477	.0586- .0589	.7578	

OPEL



a)

Z13DT (EURO 4) (MULTIJET)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

69.600 X 82.000 mm
2.7402" X 3.2284"

MODEL




CORSA, ASTRA, AGILA 1.3 16V CTDI

CC

1251

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5258 SA	Ana Yatak Main bearing	5	2292	50.982-51.000 2.0072" / 2.0079"	54.710-54.722 2.1540 " / 2.1544 "	1.846 .0727	19.00 .7481"	
AY 1019 SA	Ay Yatak Thrustwasher	1	2293	56.800-57.000 2.3363" / 2.2441"	71.770-72.020 2.8256 " / 2.8355 "	2.36 .0930"		
KB 4044 L	Kol Burcu Con-rod bush	4 Pcs.	2406	23.00 0.9055"	25.80 1.0157"		22.50	
KL 4307 LC	Kol Yatak Con-rod bearing	4	2291	42.582-42.600 1.6765" / 1.6772"	45.734-45.744 1.8006" /1.8010"	1.560 .0615"	20.00 .7874"	

OPEL



a)

C 14 SE / X 14 XE

4

PİSTON ÖLÇÜLERİ/PISTON SIZE

77,60 x 73,40 mm
3,0552 " - 2.8898 "

MODEL





CORSA / KADETT / ASTRA / COMBO /
CORSA / TIGRA 1,4 SI 16V

CC

1389

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5246 SA	Ana Yatak Main bearing	4	2207	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	19.50 .7678 "	0.020 - 0.050 .0008" / .0020"
			REF	UNDERSIZE	OVERALL LENGTH			
			2208	STD	25.90 / 1.0197 "		25.90	
				0,25	26.10 / 1.0276 "			
				0,5	26.30 / 1.0355 "			
				0,75	26.50 / 1.0433 "			
				1	26,70 / 1.0512 "			
		4	2207	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	19.50 .7678 "	
		1	* 2208	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	25.90 1.0197 "	
KL 4257 LC	Kol Yatak Con-rod bearing	4	2018	42.971 - 42.987 1.6918 " - 1.6924 "	46.000 - 46.012 1.8111 " - 1.8115 "	1.496 .0589 "	16.60 .6536 "	

OPEL



a)

X 12 SZ / C 12 NZ

4

PİSTON ÖLÇÜLERİ/PISTON SIZE

72.000 x 73.400 mm

2.8346 " x 2.8897 "

MODEL




CORSA

CC

1196

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5211 SA	Ana Yatak Main bearing	4	2019	54.972 - 54.985 2.1643 " / 2.1648 "	59.000 - 59.013 2.3228 " / 2.3233 "	1.997 .0787 "	19.50 .7677 "	0.021 - 0.061 .0009 " / .0024 "
		1	2020	54.972 - 54.985 2.1643 " / 2.1648 "	59.000 - 59.013 2.3228 " / 2.3233 "	1.997 .0787 "	25.90 1.0197 "	0.021 - 0.061 .0009 " / .0024 "
			REF	UNDERSIZE	OVERALL LENGTH			
			2020	STD.	25.90 / 1.0197 "			
				0.25	26.10 / 1.0276 "			
				0.50	26.30 / 1.0355 "			
				0.75	26.50 / 1.0433 "			
				1.00	26.70 / 1.0512 "			
KL 4257 SA	Kol Yatak Con-rod bearing	4	2018	42.971 - 42.987 1.6918 " / 1.6924 "	46.000 - 46.012 1.8110 " / 1.8115 "	1.496 .0589 "	16.60 .6535 "	0.021 - 0.065 .0009 " / .0026 "

OPEL



a)

C 12 NZ / 13 N / 13 NB / C 13 N

4

PİSTON ÖLÇÜLERİ/PISTON SIZE

77,60 x 73,40 mm

3,0552 " - 2.8898 "

MODEL





CORSA / KADETT / ASCONA / MANTA

CC

1200 / 1300 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5246 SA	Ana Yatak Main bearing	4	2207	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	19.50 .7678 "	0.020 - 0.050 .0008" / .0020"
			REF	UNDERSIZE	OVERALL LENGTH			
			2208	STD	25.90 / 1.0197 "			
				0,25	26.10 / 1.0276 "			
				0,5	26.30 / 1.0355 "			
				0,75	26.50 / 1.0433 "			
				1	26,70 / 1.0512 "			
		4	2207	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	19.50 .7678 "	
		1	* 2208	54.972 - 54.985 2.1643 " - 2.1648 "	59.000 - 59.013 2.3229 " - 2.3234 "	2.000 .0788 "	25.90 1.0197 "	
KL 4253 SA	Kol Yatak Con-rod bearing	4	2005	42.971 - 42.987 1.6918 " - 1.6924 "	46.000 - 46.012 1.8111 " - 1.8115 "	1.496 .0589 "	16.60 .6536 "	

OPEL



a)

4 EE 1 / 4 EE 1-T

4

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.00 X 86.00 mm
3.1103" X 3.3859"

MODEL





ASTRA/VECTRA/COMBO 1.7 D

CC

1686

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5269 SA	Ana Yatak Main bearing	5	2362	51938 2.0448"	56.00 2.2048"	2.010 .0792"	15.50 .6103"	0.020 - 0.062 .0008 " / .0024 "
AY 1027 SA	Ay Yatak Thrustwasher	1	2363	59.00 2.3229"	73.75 2.9036"	2.22 .0874		
KL 4317 LC	Kol Yatak Con-rod bearing	4	2361	45972 1.8100"	49.00 1.9292"	1.500 .0591"	16.70 .6575"	0.010 - 0.060 .0004 " / .0024 "

OPEL



a)

X 12 XE / Z 12 XE

4 Cylinders, Petrol




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
CORSA 1.2 16V

CC
1199

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5306 SA	Ana Yatak Main bearing	4	2608	49.984 - 49.997	54.000 - 54.013	1.995	17.10	
		1	2609	49.984 - 49.997	54.000 - 54.013	1.995	22.90	
KL 4371 SA	Kol Yatak Con-rod bearing	4	2607	42.971 - 42.987	46.000 - 46.012	1.492 - 1.500	13.20	

PEUGEOT



a) **XC5, XC6, XC7 (KF1, KF2)**

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

84.000 X 73.000
3.3071" X 2.8741"

MODEL




404,504,505,J7,J9

CC

1618

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5193 SA (OLD TYPE)	Ana Yatak Main bearing	1	1860 1	59.401 - 59.416 2.3386 " / 2.3392 "	63.227 - 63.246 2.4893 " / 2.4900 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1861 2	58.548 - 58.573 2.3050 " / 2.3060 "	62.384 - 62.403 2.4561 " / 2.4568 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1862 3	57.174 - 57.189 2.2509 " - 2.2515 "	61.000 - 61.019 2.4016 " / 2.4023 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1863 4	56.140 - 56.165 2.2102 " / 2.2112 "	59.976 - 59.995 2.3613 " / 2.3620 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1864 5	54.905 - 54.920 2.1616 " / 2.1622 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.889 .0744 "	29.35 1.1555 "	0.033 - 0.080 .0013 " / .0032 "
AN 5194 SA (NEW TYPE)	Ana Yatak Main bearing	1	1865 1	59.401 - 59.416 2.3386 " / 2.3392 "	63.227 - 63.246 2.4893 " / 2.4900 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1866 2	58.548 - 58.573 2.3050 " / 2.3060 "	62.384 - 62.403 2.4561 " / 2.4568 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1867 3	57.174 - 57.189 2.2509 " - 2.2515 "	61.000 - 61.019 2.4016 " / 2.4023 "	1.889 .0744 "	29.50 1.1614 "	0.033 - 0.080 .0013 " / .0032 "
		1	1868 4	56.140 - 56.165 2.2102 " / 2.2112 "	59.976 - 59.995 2.3613 " / 2.3620 "	1.889 .0744 "	21.50 .8465 "	0.033 - 0.090 .0013 " / .0036 "
		1	1869 5	54.905 - 54.920 2.1616 " / 2.1622 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.889 .0744 "	29.35 1.1555 "	0.033 - 0.080 .0013 " / .0032 "
KL 4238 SA	Kol Yatak Con-rod bearing	4	1859	49.975 - 49.991 1.9675 " / 1.9681 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.819 " .0717 "	23.40 .9213 "	0.026 - 0.071 .0011 " / .0028 "

PEUGEOT



a)

XDP88, XDP4.88

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

88.000 x 80.000 mm
3.4645 " X 3.1496 "

MODEL

404,504,J7

CC

1948

b)

XDP90, XDP4.90

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

90.000 X 83.000
3.5433 " X 3.2677 "

MODEL




504,J7,J9

CC

2112

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5199 SA	Ana Yatak Main bearing	3	1886 1-3-5	54.994 - 55.009 2.1651 " / 2.1657 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.835 .0722 "	30.00 1.1811 "	0.052 - 0.100 .0021 " / .0040 "
		2	1887 2-4	54.994 - 55.009 2.1651 " / 2.1657 "	58.731 - 58.750 2.3122 " / 2.3130 "	1.835 .0722 "	22.00 .8661 "	0.052 - 0.100 .0021 " / .0040 "
KL 4241 SA	Kol Yatak Con-rod bearing	4	1885	49.984 - 50.000 1.9679 " / 1.9685 "	53.695 - 53.708 2.1140 " / 2.1145 "	1.821 .0717 "	29.00 1.1417 "	0.053 - 0.096 .0021 " / .0038 "

PEUGEOT



a)

XD2, XD2S, XD2P, XD94

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.000 X 83.000
3.700" X 3.2677"

MODEL

504,505,604,J7,J9

CC

2304

b)

XD3, XD3T, XD3TE, XD3P

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.000 X 83.000
3.700" X 3.2677"

MODEL




505,604,J9

CC

2498

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5162 SA	Ana Yatak Main bearing	3	1580 1-3-5	59.994 - 60.021 2.3620 " / 2.3630 "	63.737 - 63.750 2.5093 " / 2.5098 "	1.835 .0723 "	30.00 1.1811 "	0.046 - 0.102 .0019 " / .0041 "
		2	1581 2-4	59.994 - 60.021 2.3620 " / 2.3630 "	63.737 - 63.750 2.5093 " / 2.5098 "	1.835 .0723 "	24.00 .9449 "	0.046 - 0.102 .0019 " / .0041 "
AY 2057 LC	Ay Yatak Thrustwasher	2	1582	67.000 - 67.250 2.6378 " / 2.6476 "	84.750 - 85.000 3.3366 " / 3.3465 "	2.35 .0926 "		
KB 4020 L	Kol Burcu Con-rod bush	4 Pcs.	2084	30.007 - 30.020 1.1814 " / 1.1819 "	33.000 - 33.025 1.2992 " / 1.3002 "	1.75 .0689 "	29.70 1.1693 "	
KL 4214 SA	Kol Yatak Con-rod bearing	4	1579	54.994 - 55.021 2.1651 " / 2.1662 "	58.737 - 58.750 2.3125 " / 2.3130 "	1.836 .0723 "	29.00 1.1417 "	0.044 - 0.096 .0018 " / .0038 "

PEUGEOT



a)

8140.23 /.43 /.63

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.400 X 100.000

3.7165" X 3.9370"

MODEL




BOXER 2.8 TD

CC

2798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5252 LC	Ana Yatak Main bearing	4	2235	80.183 - 80.208 3.1568" - 3.1577"	84.587 - 84.615 3.3302" - 3.3312"	2.174 .08559"	23.80 .9370"	0.032 - 0.102 0013 " / .0040 "
		1	2236	86.182 - 86.208 3.3930" - 3.3940"	90.589 - 90.615 3.5665" - 3.5675"	2.174 .08559"	30.96 1.2188"	0.032 - 0.102 .0013 " / .0040 "
KB 4057 L	Kol Burcu Con-rod bush	4 Pcs.	2492	32.00 1.2598"	35.52 1.3984"	2.20 .0866"	30.10 1.1850"	
KL 4296 LC	Kol Yatak Con-rod bearing	4	2234	56.520 - 56.535 2.2252" - 2.2258"	60.333 - 60.348 2.3753" - 2.3759"	1.894 .07456"	24.60 .9685"	

PEUGEOT



a)

XUD7 / T / TE

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.000 X 88.000
3.1496" X 3.4645

MODEL

PARTNER,205,309,405

CC

1769

b)

XUD9 / AB / L / Y

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

83.000 X 88.000
3.2677" X 3.4645

MODEL




PARTNER,BOXER,EXPERT,205,305,306,309,405,J5,J9

CC

1905

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAĞT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5241 SA	Ana Yatak Main bearing	5	2183	59.981 - 60.000 2.3614 " / 2.3622 "	63.731 - 63.750 2.5091 " / 2.5098 "	1.845 .0726 "	19.50 .7678 "	0.041 / 0.104 .0017 " / .0041 "
AY 2085 LC	Ay Yatak Thrustwasher	2	2222	67.050 - 67.300 2.6398" / 2.6496"	83.050 - 83.300 3.2697" / 3.2796"	2.330 .0918"		
KB 4030 L	Kol Burcu Con-rod bush	4 Pcs.	2221	25.007-25.020 .9846 " / .9851 "	27.200-27.221 1.0709 " / 1.0717 "	1.40 .0552 "	24.05 .9469 "	
KL 4284 SA	Kol Yatak Con-rod bearing	4	2182	49.984 - 50.000 1.9679 " - 1.9685 "	53.695 - 53.708 2.1140 " - 2.1145 "	1.830 .7894 "	20.05 .7894 "	0.035 - 0.076 .0014 " / .0030 "

PEUGEOT



a)

DV4 TD / TED

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

73.700 X 82.000
2.9016" X 3.2284"

MODEL




107,206,207,307,BIPPER 1.4 HDI

CC

1399

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4046 L	Kol Burcu Con-rod bush	4 Pcs.	2442	24.995 - 25.000 0.9840"- 0.9842"	28.000 - 28.021 1.1024" - 1.1032"		19.95 0.7866"	
KL 4306 LC	Kol Yatak Con-rod bearing	4	2290	44.975 - 44.991 1.7706 " / 1.7712 "	48.655 - 48.671 1.9155 " / 1.9161 "	1.825 .0718 "	17.00 .6692 "	0.014 - 0.062 .0005 " / .0024 "

PEUGEOT



a)

DV6 TED

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.000 X 88.300
2.9528" X 3.4764"

MODEL




207,307,308,407,PARTNER 1.6 HDI

CC

1560

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4053 L	Kol Burcu Con-rod bush	4 Pcs.	2488	25.988 - 25.999 1.0228" - 1.0229"	29.022 - 29.023 1.1425" - 1.1426"		20.00	
KL 4302 LC	Kol Yatak Con-rod bearing	4	2273	46.975 - 46.991 1.7706 " / 1.8500 "	50.655 - 50.674 1.9942 " / 1.9950 "	1.818 .0715 "	17.00 .6692 "	0.028 - 0.079 .0011 " / .0031 "

PEUGEOT



a)

DW10 TD / ATED

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
85.000 X 88.000

MODEL
PARTNER,EXPERT,BOXER 2.0 HDI

CC
1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5241 SA	Ana Yatak Main bearing	5	2183	59.981 - 60.000 2.3614 " / 2.3622 "	63.731 - 63.750 2.5091 " / 2.5098 "	1.845 .0726 "	19.50 .7678 "	0.041 / 0.104 .0017 " / .0041 "
AY 2085 LC	Ay Yatak Thrustwasher	2	2222	67.050 - 67.300 2.6398" / 2.6496"	83.050 - 83.300 3.2697" / 3.2796"	2.330 .0918"		
KB 4047 L	Kol Burcu Con-rod bush	4 Pcs.	2443	27.997 - 28.000 1.1022" - 1.1023"	30.200 - 30.225 1.1889" - 1.1899"	1.45 .0570"	24.05 .9468"	
KL 4339 LC	Kol Yatak Con-rod bearing	4	2453	49.984 - 50.000 1.9678" - 1.9685"	53.695 - 53.708 2.1139" - 2.1144"	1.837 .0723"	20.00 .7874"	0.020 / 0.073 0.0008" / 0.0029"

PEUGEOT



a)

DJ5TED THX

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
92.000 X 92.000

MODEL
Boxer 2.5 8V Direct Inj.

CC
2446

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5296 LC	Ana Yatak Main bearing	4	2553	63.981-64.000	68.690-68.709	2329	21.50	
		1	2554	63.981-64.000	68.690-68.709	2329	27.53	
KL 4355 LC	Kol Yatak Con-rod bearing	4	2252	53.981 - 54.000	57.675 - 57.695	1.821	22.65	0.02 - 0.09

PEUGEOT



a)

DJ5 T9A

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
92.000 X 92.000

MODEL
Boxer 2.5

CC
2446

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5297 LC	Ana Yatak Main bearing	4	2556	63.981 - 64.000	68.690 - 68.709	2.329	21.50	
		1	2557	63.981 - 64.000	68.690 - 68.709	2.329	27.53	
KL 4356 LC	Kol Yatak Con-rod bearing	4	2555	53.981 - 54.000	57.675 - 57.695	1.821	22.65	0.02-0.09 mm

PEUGEOT



a)

TU3

4 Cylinders, Petrol





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
106,206 1.4

CC
1396

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5275 SA	Ana Yatak Main bearing	5	2385	49.965 - 49.981 1.9671" - 1.9677"	53.655 - 53.673 2.1124" - 2.1131"	1.830 .0720"	17.20 .6771"	
KL 4323 SA	Kol Yatak Con-rod bearing	4	2384	44.975 - 44.991 1.7706" - 1.7712"	48.655 - 48.671 1.9155" - 1.9161"	1823 .0717"	19.75 .7775"	

PEUGEOT



a)

TU5

4 Cylinders, Petrol





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
106,206,306 1.6

CC
1600

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5288 SA	Ana Yatak Main bearing	5	2483	49.962 - 49.981 1.9670" - 1.9677"	53.712 - 53.731 2.1146" - 1.9677"	1.852 .0729"	17.29 .6807"	
KL 4344 SA	Kol Yatak Con-rod bearing	4	2482	44.975 - 44.991 1.7706" - 1.7712"	48.655 - 48.671 1.9155" - 1.9161"	1.823 .0717"	19.75 .7775"	

PEUGEOT



a)

XU 5M

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
405, 405 PERSIA
405

CC
2000

b)

XU9 2C

4 Cylinders, Petrol





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
405

CC
2000

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5276 SA	Ana Yatak Main bearing	5	2388	59.990 - 60.000	63.718 - 63.727	1.847	20.30	
KL 4325 SA	Kol Yatak Con-rod bearing	4	2390	49.984 - 50.000	53.695 - 53.708	1.837	20.25	

PEUGEOT



a)

XU7 / EW10

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL





306, 405 1.8 / 206, 307, 406, 407 2.0 16V

CC

1761 - 1997

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4324 SA	Kol Yatak Con-rod bearing	4	2389	44.975 - 44.991	48.655 - 48.671	1.823	22.50	

PEUGEOT



a)

XU 5M

4 Cylinders, Petrol





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
405, 405 PERSIA
405

CC
2000

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5276 SA	Ana Yatak Main bearing	5	2388	59.990 - 60.000	63.718 - 63.727	1.847	20.30	

PEUGEOT



a)

PİSTON ÖLÇÜLERİ/PISTON SIZE





4 Cylinders, Petrol

MODEL
405

CC
1800

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4330 SA	Kol Yatak Con-rod bearing	4	2402	44.975 - 44.991	48.665 - 48.671	1.826	22.50	

PEUGEOT



a)

DJ5T T8A

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE
92.000 x 92.000

MODEL
Boxer 2.5 TD

CC
2446

b)

DJ5TED THX

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
92.000 X 92.000

MODEL
Boxer 2.5 8V Direct Inj.

CC
2446

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5296 LC	Ana Yatak Main bearing	4	2553	63.981-64.000	68.690-68.709	2329	21.50	
		1	2554	63.981-64.000	68.690-68.709	2329	27.53	
KL 4355 LC	Kol Yatak Con-rod bearing	4	2252	53.981 - 54.000	57.675 - 57.695	1.821	22.65	0.02 - 0.09

PEUGEOT



a)

XU 10 (1992 ---->)

4 Cylinders Gasoline




PİSTON ÖLÇÜLERİ/PISTON SIZE
86.00 x 86.00 mm

MODEL
306 - 405 - 605 - 806

CC
1998

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5304 SA	Ana Yatak Main bearing	5	2598 TH / BH	59,981 - 60,000 mm	63,731 - 63,750 mm	1,839 - 1,845 mm	20.30	0.041 - 0.091 mm
KL 4367 SA	Kol Yatak Con-rod bearing	4	2597 XX	49,984 - 50,000 mm	53,965 - 53,708 mm	1,830 - 1,836 mm	20,25 mm	

PEUGEOT



a)

DW 12 TED

4 Cylinders, Turbo Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
85.000 x 96.000 mm

MODEL
BOXER 2.2

CC
2179 CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5237 SA	Ana Yatak Main bearing	3 ad.	2142	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	24.20 .9173"	0.026 - 0.074 .0010 " / .0029 "
		1 ad.	*2143	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	30.20 1.1889"	
		4 ad.	2144	64.950 - 64.970 2.570" - 2.5578"	69.504 - 69.520 2.7363" - 2.7370"	2.254 .0887"	23.45 .9232"	
		2 ad.	2145	69.950 - 69.970 2.570" - 2.5578"	74.504 - 74.520 2.9332" - 2.9338"	2.254 .0887"	19.70 .7755"	
KB 4070 L (30 mm)	Kol Burcu Con-rod bush	4	2601	30,00 mm	33,11 mm	1,75 - 1,80 mm	24,05 mm	
KL 4354 LC	Kol Yatak Con-rod bearing	4	2140	52.980 - 53.000 2.0858" - 2.0866"	55.996 - 56.016 2.2045" - 2.2053"	1.485 .0584"	24.55 .9665"	0.025 - 0.084 .0009 " / .0033 "

PEUGEOT



a)

TUD 3

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.00 X 77.00 mm
2.95 X 3.03

MODEL





1.4 D XAD / XND / XRD / XTD

CC

1360 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4363 SAP	Kol Yatak Con-rod bearing	4	2593	44.975 / 44.991 mm	48.655 / 48.671 mm	1.820 mm	19.750 mm	0.024 / 0.068 mm

PEUGEOT



a)

TU3 - TU5

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE





MODEL

106,206,306 (1.6 - 1.4)

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AY 1039 LC	Ay Yatak Thrustwasher	1	2647			2.40 - 4.45		

PEUGEOT



a)

EW10

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL





206, 307, 406, 407 2.0 16V

CC

1997

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5320 SA	Ana Yatak Main bearing	5 ÇİFT	2653	59.981 - 60.000	63.708 - 63.727	1.844	21.000	

RENAULT



a)

G9T

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
LAGUNA 2.2 dCI

CC
2188

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5290 LC	Ana Yatak Main bearing	5	2496	57.980 - 58.000 2.2826" - 2.2834"	61.668 - 61.681 2.4278" - 2.4283"	1,815 .0714"	20,990 .8263"	
AY 1036 SA	Ay Yatak Thrustwasher	1	2574	63,250 - 63,500 mm	78,550 - 78,800 mm	2,30 - 2,35 mm		
KB 4062 L	Kol Burcu Con-rod bush	4	2575	31,013 - 31,020 mm	33,607 mm	1,55 - 1,60 mm		
KL 4346 LC	Kol Yatak Con-rod bearing	4	2495	52.971 - 52.990 2.0854" - 2.0862"	56.587 - 56.606 2.2278" - 2.2285"	1,790 .0704"	20,650 .8129"	

RENAULT



a)

G9U

4 Cylinders, Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
MASTER 2.5 dCI

CC
2500

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5290 LC	Ana Yatak Main bearing	5	2496	57.980 - 58.000 2.2826" - 2.2834"	61.668 - 61.681 2.4278" - 2.4283"	1,815 .0714"	20,990 .8263"	
AY 1036 SA	Ay Yatak Thrustwasher	1	2574	63,250 - 63,500 mm	78,550 - 78,800 mm	2,30 - 2,35 mm		
KB 4062 L	Kol Burcu Con-rod bush	4	2575	31,013 - 31,020 mm	33,607 mm	1,55 - 1,60 mm		
KL 4346 LC	Kol Yatak Con-rod bearing	4	2495	52.971 - 52.990 2.0854" - 2.0862"	56.587 - 56.606 2.2278" - 2.2285"	1,790 .0704"	20,650 .8129"	

RENAULT



a)

S9W (8140.23 /.43 /.63)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

94.400 x 100.000 mm

3.7165" x 3.9370"

MODEL




MASTER 2.8 TD

CC

2798

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5252 LC	Ana Yatak Main bearing	4	2235	80.183 - 80.208 3.1568" - 3.1577"	84.587 - 84.615 3.3302" - 3.3312"	2.174 .08559"	23.80 .9370"	0.032 - 0.102 0013 " / .0040 "
		1	2236	86.182 - 86.208 3.3930" - 3.3940"	90.589 - 90.615 3.5665" - 3.5675"	2.174 .08559"	30.96 1.2188"	0.032 - 0.102 .0013 " / .0040 "
KB 4057 L	Kol Burcu Con-rod bush	4 Pcs.	2492	32.00 1.2598"	35.52 1.3984"	2.20 .0866"	30.10 1.1850"	
KL 4296 LC	Kol Yatak Con-rod bearing	4	2234	56.520 - 56.535 2.2252" - 2.2258"	60.333 - 60.348 2.3753" - 2.3759"	1.894 .07456"	24.60 .9685"	

RENAULT



a)

K9K

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.000 x 80.500 mm
2.9921" x 3.1692"

MODEL




KANGOO 1.5 dCi
CLIO 1.5 dCi
MEGANE 1.5 dCi

CC

1461

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KB 4051 L (Conical)	Kol Burcu Con-rod bush	4 Pcs.	2486	26.00 1.0236"	28500 1.1220"	1.50 .0590"	20.60 .8110"	
KB 4060 L (Normal)	Kol Burcu Con-rod bush	4 Pcs.	2551	26.00 1.0236"	28500 1.1220"	1.50 .0590"		
KL 4375 LC	Kol Yatak Con-rod bearing	4 4	2621 2621	43.964 - 43.980 1.7308" / 1.7315"	47.614 - 47.625 1.8746" / 1.8750"	1.799 - 1.807 .07114"	18.75 .8169"	

RENAULT



a)

K4J

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.800 x 77.000 mm
2.9842 " x 3.0314 "

MODEL




CLIO 1.4 16V
MEGANE 1.4 16V
SCENIC 1.4 16V

CC

1390

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KL 4170 SA	Kol Yatak Con-rod bearing	4	1254	43.964 - 43.980 1.7309 " / 1.7315 "	47.614 - 47.625 1.8746 " / 1.8750 "	1.805 .0711 "	17.75 .6988 "	0.024 - 0.063 .0010 " / .0025 "

RENAULT



a)

K4M

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 x 80.500 mm
3.1299 " x 3.1692 "

MODEL




CLIO 1.6 16V
MEGANE 1.6 16V
LAGUNA 1.6 16V
KANGOO 1.6 16V
SCENIC 1.6 16V

CC

1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KL 4170 SA	Kol Yatak Con-rod bearing	4	1254	43.964 - 43.980 1.7309 " / 1.7315 "	47.614 - 47.625 1.8746 " / 1.8750 "	1.805 .0711 "	17.75 .6988 "	0.024 - 0.063 .0010 " / .0025 "

RENAULT



a)

F8Q

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.000 X 93.000 mm
3.15 " x 3.66 "

MODEL




KANGOO 1.9 D

CC

1870

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5240 SA	Ana Yatak Main bearing	5	2180	54.785 - 54.805 2.1568 " - 2.1576 "	58.731 - 58.744 2.3122 " - 2.3127 "	1.950 .0767 "	18.50 .7283 "	0.026 - 0.071 .0010 " / .0028 "
AY 1016 SA	Ay Yatak Thrustwasher	1	2220	60.750 2.3917 "	80.000 3.1496 "	2.35 .0925 "		
KB 4031 L	Kol Burcu Con-rod bush	4 Pcs.	2219	24.000 .9448 "	26.000 1.0236 "	1.220 .0480 "	24.70 .9744 "	
KL 4283 SA	Kol Yatak Con-rod bearing	4	2179	48.000 - 48.020 1.8897 " - 1.8905 "	51.587 - 51.600 2.0309 " - 2.0314 "	1.768 .0696 "	20.50 .8070 "	0.031 - 0.076 .0012 " / .0029 "

RENAULT



a)

F9Q

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

80.000 X 93.000 mm
3.15 " x 3.66 "

MODEL





LAGUNA 1.9 dCI
TRAFFIC 1.9 dCI
MEGANE 1.9 dCI

CC

1870

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5240 SA	Ana Yatak Main bearing	5	2180	54.785 - 54.805 2.1568 " - 2.1576 "	58.731 - 58.744 2.3122 " - 2.3127 "	1.950 .0767 "	18.50 .7283 "	0.026 - 0.071 .0010 " / .0028 "
AY 1016 SA	Ay Yatak Thrustwasher	1	2220	60.750 2.3917 "	80.000 3.1496 "	2.35 .0925 "		
KB 4074 L	Kol Burcu Con-rod bush	4	2633	27,996 - 28,000 mm	30,240 - 30,260 mm	1,25 - 1,35 mm		
KL 4359 LC	Kol Yatak Con-rod bearing	4	2179	48.000 - 48.020 1.8897 " - 1.8905 "	51.587 - 51.600 2.0309 " - 2.0314 "	1.768 .0696 "	20.50 .8070 "	0.031 - 0.076 .0012 " / .0029 "

RENAULT



a)

F1N / F2N / F3N

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

78.000 X 83.500
3.0709 " x 3.2874 "

MODEL

R11 FLASH 1.7

CC

1721

b)

F8M

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

78.000 X 83.500
3.0709 " x 3.2874 "

MODEL




R9,R11 1.6 D

CC

1595

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5173 SA	Ana Yatak Main bearing	5	1651	54.785 - 54.795 2.1569 " / 2.1573 "	58.731 - 58.744 2.3123 " / 2.3128 "	1.950 .0768 "	18.40 .7244 "	0.036 - 0.071 .0015 " / .0028 "
KL 4224 SA	Kol Yatak Con-rod bearing	4	1650	48.000 - 48.020 1.8898 " / 1.8906 "	51.587 - 51.600 2.0310 " / 2.0315 "	1.768 .0696 "	20.50 .8071 "	0.031 - 0.076 .0013 " / .0030 "

RENAULT



a)

C1J / C2J

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

76.000 X 77.000 mm
2.9922 " X 3.0315 "

MODEL

R9 / R11 / R19

CC

1397

b)

K4J

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.800 x 77.000 mm
2.9842 " x 3.0314 "

MODEL





CLIO 1.4 16V
MEGANE 1.4 16V
SCENIC 1.4 16V

CC

1390

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5137 SA	Ana Yatak Main bearing	5	1400	54.785 - 54.805 2.1569 " / 2.1577 "	58.731 - 58.750 2.3123 " / 2.3130 "	1.950 .0768 "	19.50 .7677 "	0.026 - 0.077 .0011 " / .0031 "
AY 2064 SA	Ay Yatak Thrustwasher	1	1764	60.500 - 60.750 2.3819 " / 2.3917 "	79.750 - 80.000 3.1398 " / 3.1496 "	2.85 .1122 "		
KL 4170 SA	Kol Yatak Con-rod bearing	4	1254	43.964 - 43.980 1.7309 " / 1.7315 "	47.614 - 47.625 1.8746 " / 1.8750 "	1.805 .0711 "	17.75 .6988 "	0.024 - 0.063 .0010 " / .0025 "
AN 5247 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 1.8894 - 1.8902"	51.936 - 51.949 2.0448 - 2.0453"	1.950 .0768"	19.50 .7678"	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		

RENAULT



a)

K7M

4 Cylinders, Petrol





PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
MEGANE 1.6 8V
CLIO 1.6 8V
SCENIC 1.6 8V

CC
1598

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5313 SA	Ana Yatak Main bearing	5	2209	47.990 - 48.010 mm	51.936 - 51.949 mm	1.950 mm	19.50 mm	
AY 1030 SA	Ay Yatak Thrustwasher	1	2352	53.500/ 53.750 2.106 " / 2.116 "	73.500/ 74.000 2.894 " / 2.913 "	2819 0.1111 "		
KL 4366 SA	Kol Yatak Con-rod bearing	4	2350	43.964 - 43.980 1.7309 " / 1.7315 "	47.614 - 47.625 1.8746 " / 1.8750 "	1.805 .0711 "	17.75 .6988 "	0.024 - 0.063 .0010 " / .0025 "

RENAULT



a)

D4F

4 Cylinders Gasoline





PİSTON ÖLÇÜLERİ/PISTON SIZE
69.00 x 76.80 mm

MODEL
TWINGO - CLIO 1.2 - 1.2 16V

CC
1149

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5291 SA	Ana Yatak Main bearing	4 * 1	2498 TH / BH 2500 TH	43,990 - 44,010 mm 43,990 - 44,010 mm	47,612 - 47,625 mm 47,612 - 47,625 mm	1,790 - 1798 mm 1,790 - 1798 mm		0.020 - 0.064 mm 0.020 - 0.064 mm
KL 4347 SA	Kol Yatak Con-rod bearing	4	2497 XX	39,984 - 40,000 mm	43,639 - 43,650 mm	1,806 - 1,812 mm		0.020 - 0.065 mm

RENAULT



a)

M9R

4 Cylinders Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
84.00 x 90.00 mm

MODEL
TRAFFIC - LAGUNA - MEGANE - LATITUDE

CC
1995

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5305 SA	Ana Yatak Main bearing	5	2604 TH / BH	55,985 - 56,000 mm	59,988 - 60,011 mm	1,983 - 1,989 mm		0.035 - 0.088 mm
KL 4369 LC	Kol Yatak Con-rod bearing	4	2603 TH / BH	51,985 - 52,000 mm	55,600 - 65,619 mm	1,760 - 1,768 mm		0.046 - 0.069 mm

RENAULT



a)

J8S-600 / 704 / 706 / 736

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.000 X 89.000 mm
3.38 X 3.50

MODEL




21 TD NEVADA - 25 TD - GTD

CC

2068 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5293 SA	Ana Yatak Main bearing	5	2538	62.873 - 62.892 mm	66.668 - 66.687 mm	1.870 mm	23.500 mm	0.040 / 0.070 mm

RENAULT



a)

D7F

4 Cylinders, Petrol





PİSTON ÖLÇÜLERİ/PISTON SIZE
69.00 x 76.80

MODEL
TWINGO - CLIO - KANGO 1.2

CC
1149

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5308 SA	Ana Yatak Main bearing	9 AD. TH/BH(TI RNAKLI)	2615	43.990 - 44.010	47.612 - 47.625	1.798	18.800	
		1 AD. TH(TIRN AKLI)	2616	43.990 - 44.010	47.612 - 47.625	1.798	23.930	
KL 4373 SA	Kol Yatak Con-rod bearing	4 (TIRNAK LI)	2614	39.984 - 40.000	43.639 - 43.650	1.813	16.250	

RENAULT TRUCK



a)

MIDR 06.35.40

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

135.000 X 140.000 mm
5,31" X 5,51"

MODEL




AE 380

CC

12024

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7267 LC	Ana Yatak Main bearing	3	2078 1-4-7	89.940 - 89.960 3.5409 " - 3.5417 "	96.000 - 96.027 3.7795 " - 3.7806 "	2975 .1171 "	63.62 2.5047 "	0.090 - 0.161 .0035 " - .0063 "
		4	2079 2-3-5-6	89.940 - 89.960 3.5409 " - 3.5417 "	96.000 - 96.027 3.7795 " - 3.7806 "	2975 .1171 "	40.25 1.5846 "	0.090 - 0.161 .0035 " - .0063 "
KL 1130 LC	Kol Yatak Con-rod bearing	1	2278	83.960 - 83.980 3.3056 " / 3.3063 "	90.000 - 90.020 3.5433 " / 3.5441 "	2.975 .1172"	45.00 1.7717"	0.070 - 0.130 .0028 " / .0051 "

RENAULT TRUCK



a)

MDR 06.20.45, MID 06.20.45

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

120.000 X 145.000 mm

4.7244" X 5,7087"

MODEL




Major

CC

9840

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7292 LC	Ana Yatak Main bearing	7	2284	95.966 - 95.989 3.7782 " / 3.7791 "	102.000 - 102.022 4.0158 " / 4.0167 "	2.975 .1172 "	34.00 1.3386 "	0.060 - 0.140 .0024 " / .0055 "
KL 1131 LC	Kol Yatak Con-rod bearing	1	2283	76.960 - 76.980 3.0300 " / 3.0307 "	82.000 - 82.022 3.2284 " / 3.2293 "	2.482 .0978"	40.80 1.6063"	0.060 - 0.110 .0024 " / .0043 "

SAME







a)	1052 PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	2 Cylinders, Diesel MODEL BUFFALO, MINITAURO, SATURNO CC 2078
b)	1053 PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	3 Cylinders, Diesel MODEL BUFFALO, MINITAURO, SATURNO CC 3117
c)	1053 P PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	3 Cylinders, Diesel MODEL POLAR, C664 CC 3117
d)	1054 PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	4 Cylinders, Diesel MODEL BUFFALO, MINITAURO, R784DT,R854DT, SATURNO CC 4155
e)	1055 PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	5 Cylinders, Diesel MODEL BUFFALO, MINITAURO, SATURNO CC 5195
f)	1055 P PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	5 Cylinders, Diesel MODEL BUFFALO, DRAGO, LASER, LEOPARD,SATURNO, TIGER CC 5195
g)	1056 P PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	6 Cylinders, Diesel MODEL BUFFALO, DRAGO, LEOPARD,SATURNO, TIGER CC 6234
h)	1056 PT PİSTON ÖLÇÜLERİ/PISTON SIZE 105.000 x 120.000 mm 4.1339 " x 4.7244 "	6 Cylinders, Diesel MODEL EXPLORER, HERCULES, LASER CC 6234
i)	953 PİSTON ÖLÇÜLERİ/PISTON SIZE 95.000 x 120.000 mm 3.7402 " x 4.7244 "	3 Cylinders, Diesel MODEL MINATAURO CC 2551

j)	955-041	5 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.000 x 120.000 mm 3.8583 " x 4.7244 "	MODEL PANTHER, TAURUS	CC 4524
k)	982 / 982-034	2 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.000 x 120.000 mm 3.8583 " x 4.7244 "	MODEL AURORA, CORSARO,DELFINO,VIGNERON,DRAGO, SIRENETTA	CC 1810
l)	983	3 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.000 x 120.000 mm 3.8583 " x 4.7244 "	MODEL AURORA, CORSARO, FALCON,DELFINO,DRAGO, SIRENETTA, VIGNERON	CC 2715
m)	984	4 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.000 x 120.000 mm 3.8583 " x 4.7244 "	MODEL AURORA, C754, CORSARO, DEFINO, DRAGO,FLCON, R654DT, R684DT,R754DT, SIRENETTA,VIGNERON	CC 3620
n)	986	6 Cylinders, Diesel	
	PİSTON ÖLÇÜLERİ/PISTON SIZE 98.000 x 120.000 mm 3.8583 " x 4.7244 "	MODEL CONDOR, CORSARO, TIGER, PANTHER	CC 5428

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPI(mm/inch) SHAFT DIAMETER	YUVA ÇAPI(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1092 LC	Ana Yatak Main bearing	1	1429	69.980 - 70.000 2.7551 " / 2.7559 "	73.970 - 74.000 2.9122 " / 2.9134 "	1.962 .077 "	32.00 1.2598 "	0.046 - 0.116 .0019 " / .0046 "
KL 1096 LC	Kol Yatak Con-rod bearing	1	1428	67.940 - 67.950 2.6748 " / 2.6752 "	71.725 - 71.744 2.8238 " / 2.8246 "	1.863 .073 "	27.00 1.0630 "	0.049 - 0.098 .0020 " / .0039 "

SHIBAURA



a)

PİSTON ÖLÇÜLERİ/PISTON SIZE





4 Cylinders, Petrol

MODEL
TRACTOR

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3087 SA	Ana Yatak Main bearing	3	1482	67.951 - 67.970 2.6752 " / 2.6760 "	71.000 - 71.019 2.7952 " / 2.7960 "	1.48 .058 "	18.70 1.043 "	
KL 4203 SA	Kol Yatak Con-rod bearing	4	1481	59.951 - 59.970 2.3602 " / 2.3610 "	69.000 - 69.019 2.7165 " / 2.7172 "	1.49 .058 "	18.70 .736 "	

SKODA



a)

781.135, 781.136

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.500 x 72.000 mm
2.970" x 2.830 "

MODEL




FAVORIT 1.3
FELICIA 1.3

CC

1289

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3092 SA	Ana Yatak Main bearing	3	1765	59.971 - 59.990 2.3612 " / 2.3619 "	65.000 - 65.019 2.5590 " / 2.5598 "	2.495 .0982 "	24.00 .944 "	0.020 - 0.072 .0018 " / .0029 "
KL 4223 SA	Kol Yatak Con-rod bearing	4	1644	44.975 - 44.991 1.7707 " / 1.7713 "	48.000 - 48.011 1.8898 " / 1.8902 "	1.496 .0589 "	22.00 .866 "	0.017 - 0.056 .0007 " / .0022 "

STEYR



a)

WD 611.40 / .85

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 100.000 mm
3.9370 " x 3.9370 "

MODEL





8100, 8100a, 8120, 8120a TRACTOR

CC

5180

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7283 SA	Ana Yatak Main bearing	7	1874	74.971 - 74.990 2.9516 " / 2.9524 "	81.000 - 81.035 3.1889 " / 3.1909 "	2.970 .1169 "	26.50 1.043 "	0.090 - 0.124 .0035 " / .0049 "
KL 6311 LC	Kol Yatak Con-rod bearing	6	1873	65.951 - 65.970 2.5965 " / 2.5972 "	71.000 - 71.019 2.7953 " / 2.7960 "	2.490 .098 "	28.00 1.102 "	0.050 - 0.110 .0020 " / .0044 "

STEYR



a)

WD 411.41 / .42 / .85 / .86

4 Cylinders, DIESEL

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 100.000 mm
3.9370 " x 3.9370 "

MODEL




8070, 8070a, 8080, 8080a TRACTOR

CC

3460

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5197 SA	Ana Yatak Main bearing	5	1874	74.971 - 74.990 2.9516 " / 2.9524 "	81.000 - 81.035 3.1889 " / 3.1909 "	2.970 .1169 "	26.50 1.043 "	0.090 - 0.124 .0035 " / .0049 "
KL 4239 LC	Kol Yatak Con-rod bearing	4	1873	65.951 - 65.970 2.5965 " / 2.5972 "	71.000 - 71.019 2.7953 " / 2.7960 "	2.490 .098 "	28.00 1.102 "	0.050 - 0.110 .0020 " / .0044 "

STEYR



a)

WD 311.40 / .41 / .44

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE




100.000 x 100.000 mm
3.9370 " x 3.9370 "

MODEL
TRACTOR

CC
2600

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4122 SA	Ana Yatak Main bearing	4	1874	74.971 - 74.990 2.9516 " / 2.9524 "	81.000 - 81.035 3.1889 " / 3.1909 "	2.970 .1169 "	26.50 1.043 "	0.090 - 0.124 .0035 " / .0049 "
KL 3067 LC	Kol Yatak Con-rod bearing	3	1873	65.951 - 65.970 2.5965 " / 2.5972 "	71.000 - 71.019 2.7953 " / 2.7960 "	2.490 .098 "	28.00 1.102 "	0.050 - 0.110 .0020 " / .0044 "

STEYR



a) **WD 306, WD 307, WD 308 , WD 406, WD 407, WD 408 4 Cylinders, Diesel**
/ .40 / .41




PİSTON ÖLÇÜLERİ/PISTON SIZE
 98.000 x 100.000 mm
 3.8583 " x 3.9370 "

MODEL
 190, 540, 540a, 540s, 545, 545a, 650, 650a,
 760, 760a, 768

CC
 3020

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 4120 SA	Ana Yatak Main bearing	4	1444	64.971 - 64.990 2.5579 " / 2.5586 "	71.000 - 71.030 2.7953 " / 2.7964 "	2.98 .1172 "	27.50 1.082 "	0.070 - 0.099 .0028 " / .0039 "
AN 5141 SA	Ana Yatak Main bearing	5	1444	64.971 - 64.990 2.5579 " / 2.5586 "	71.000 - 71.030 2.7953 " / 2.7964 "	2.98 .1172 "	27.50 1.082 "	0.070 - 0.099 .0028 " / .0039 "
AN 5171 SA	Ana Yatak Main bearing	5	1638	64.971 - 64.990 2.5579 " / 2.5586 "	71.000 - 71.030 2.7953 " / 2.7964 "	2.98 .1172 "	27.50 1.082 "	0.070 - 0.099 .0028 " / .0039 "
AY 2050 SA	Ay Yatak Thrustwasher	2	1928	75.700 - 76.000 2.9804 " / 2.9922 "	92.400 - 92.700 3.6378 " / 3.6496 "	2.36 .0930 "		
KB 4018 L	Kol Burcu Con-rod bush	4 Pcs.	1984		40.000 - 40.025 1.5748 " / 1.5758 "	2.70 .1063 "	34.00 1.3386 "	
KL 3065 SA	Kol Yatak Con-rod bearing	3	1443	59.971 - 59.990 2.3610 " / 2.3618 "	65.000 - 65.019 2.5590 " / 2.5598 "	2.484 .0976 "	25.00 .9842 "	0.042 - 0.100 .0016 " / .0039 "
KL 4198 SA	Kol Yatak Con-rod bearing	4	1443	59.971 - 59.990 2.3610 " / 2.3618 "	65.000 - 65.019 2.5590 " / 2.5598 "	2.484 .0976 "	25.00 .9842 "	0.042 - 0.100 .0016 " / .0039 "

SUZUKI



a)

F10 A

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

65.500 X 72.000 mm
2.5788" X 2.8347"

MODEL

CARRY,CELVO,JIMNY, PICK UP

CC

970

b)

F8 A

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

62.000 X 66.000 mm
2.441" X 2.5985"

MODEL





CARRY,ALTO,GEMINI,JIMNY

CC

797

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPI(mm/inch) SHAFT DIAMETER	YUVA ÇAPI(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5257 SA	Ana Yatak Main bearing	5	2279	49.974-49.989 1.9675" / 1.9681"	53.997-54.018 2.1259 " / 2.1267 "	1.988 .0783 "	20.10 .7914 "	
KL 4303 SA	Kol Yatak Con-rod bearing	4	1889	37.982-38.000 1.4954" / 1.4961"	41.000-41.018 1.6142" /1.6149"	1.490 .0587"	18.10 .7126"	

TALBOT



a)

4 Cylinders, Petrol

PISTON ÖLÇÜLERİ/PISTON SIZE

78.600 x 66.700 mm
3.0945 " x 2.6260 "

MODEL




AVENGER, SUNBEAM
AVENGER, SUNBEAM.

CC

1295 cc.

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5185 SA	Ana Yatak Main bearing	4	1803 1-2-4-5	53.962 - 53.980 2.1245 " / 2.1252 "	57.683 - 57.704 2.2710 " / 2.2718 "	1.841 .0725 "	25.52 1.0048 "	0.021 - 0.072 .0009 " / .0029 "
		1	1804 3	53.962 - 53.980 2.1245 " / 2.1252 "	57.683 - 57.704 2.2710 " / 2.2718 "	1.841 .0725 "	28.70 1.1300 "	0.021 - 0.072 .0009 " / .0029 "
KL 4232 SA	Kol Yatak Con-rod bearing	4	1778	50.787 - 50.800 1.9995 " / 2.0000 "	54.508 - 54.521 2.1460 " / 2.1465 "	1.840 .0725 "	20.75 .8170 "	0.028 - 0.066 .0011 " / .0026 "

TOYOTA



a) **2A, 2A-L**

PİSTON ÖLÇÜLERİ/PISTON SIZE
76.000 x 77.400 mm
2.992" x 2.811"

MODEL
COROLLA, SPRINTER 1.3

CC
1295

b) **3A-C, 3A-LU**

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE
77.50 X 77.00

MODEL
COROLLA, CORONA 1.5

CC
1453

c) **4AF, 4AFE, 4AGE, 4AGEE, 4AGEU**

4 Cylinders, Petrol




PİSTON ÖLÇÜLERİ/PISTON SIZE
81.000 x 77.000 mm
3.188" x 3.031"

MODEL
COROLLA, CARINA 1.6

CC
1587

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5251 SA	Ana Yatak Main bearing	5	2216	47.980 - 48.000 1.8889" - 1.8897"	52.019 - 52.044 2.0479" - 2.0489"	2003 .07885"	19.85 .7814"	
AY 2095 SA	Ay Yatak Thrustwasher	2	2371	53.500 2.1063"	66.000 2.5984"	2.489 0.0980"		
KL 4295 SA	Kol Yatak Con-rod bearing	4	2215	39.985 - 40.000 1.5742" - 1.5748"	43.000 - 43.024 1.6929" - 1.6938"	1.490 .5866"	17.10 .6732"	

TOYOTA



a)

1E, 1E-L

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE
70.50 X 64.00

MODEL
STARLET 1.0 12V

CC
999

b)

2E-E, 2E-LC

4 Cylinders, Petrol




PİSTON ÖLÇÜLERİ/PISTON SIZE
73.000 X 77.400 mm
2.874" X 3.047 "

MODEL
COROLLA, STARLET 1.3 12V

CC
1296

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5157 SA	Ana Yatak Main bearing	5	2257	46.990 - 47.010 1.8500" - 1.8507	51.018 - 51.038 2.0085" - 2.0093	2.001 .0787"	16.10 .6338"	
KL 4142 SA	Kol Yatak Con-rod bearing	4	2256	39.989 - 40.005 1.5743" - 1.5750"	42.999 - 43.020 1.6928" - 1.6937"	1.491 .0587"	15.10 .05937"	

TOYOTA



a)

2L

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

92.000 X 92.000 mm
3.620" X 3.620 "

MODEL

HI-LUX,HI-ACE,CRESSIDA 2.4 D

CC

2446

b)

L

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

90.000 X 86.000 mm
3.543" X 3.385 "

MODEL




HI-LUX,HI-ACE,BUV,BLIZZARD,CHASER,CROWN 2.2 D

CC

2188

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5158 SA	Ana Yatak Main bearing	5	2259	61.981 - 61.998 2.4401" - 2.4408	66.004 - 66.019 2.5985" - 2.5991"	1.983 .0780"	27.6 1.0866"	
AY 2096SA	Ay Yatak Thrustwasher	2	2372	70.000 2.7559"	82.000 3.2283"	2.489 0.0980"		
EB 5005 SA	Eksantrik Burc Camshaft bush	5 Pcs.	2477 x 4	27,98 mm 1.3767"	31,03 mm 1.4968"	1.504 0.0592"	17.4 0.0685"	
		5 Pcs.	2478 x 1	34.975 1.3767"	38.027 1.4968"	1.504 0.0592"	32.62 1.2842"	
KB 4042 L	Kol Burcu Con-rod bush	4 Pcs.	2373	27.013 1.0635"	30.030 1.1823"	31.000 1.2205"	30.5	
KL 4083 SA	Kol Yatak Con-rod bearing	4	2258	52.979 - 52.999 2.0857" - 2.0865"	56.004 - 56.019 "2.2048" - 2.2054"	1.485 .0584"	26.0 1.0236"	

TOYOTA



a)

3ZZ-FE

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.000 X 81.500 mm
3.1102" X 3.2086"

MODEL

COROLLA,AURIS,AVENSIS 1.6 VVT-I
COROLLA,AURIS,AVANSIS 1.6 VVT-I

CC

1598

b)

4ZZ-FE

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.000 X 71.300 mm
3.1102" X 2.8070"

MODEL




COROLLA,AURIS 1.4 VVT-I

CC

1398

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOSLUĞU OIL CLEARANCE
AN 5286 SA	Ana Yatak Main bearing	5	24.66	47.988 - 48.000 1.8893" / 1.8889"	52.000 - 52.016 2.0472" / 2.0479"	1.997 0.0786"	17.000 0.6693"	0.006 - 0.059 0.0002" / 0.0023"
AY 1032 SA	Ay Yatak Thrustwasher	1	2410	2.120"	2.7381"	.0977"		
KB 4058 L	Kol Burcu Con-rod bush	4 Pcs.	2493	20.000 Max. 0.7874" Max.	22.050 Max. 0.8681" Max.	1.25 - 1.35 0.0492" - 0.0531"	19.75 - 19.95 0.7776" - 0.7854"	
KL 4341 SA	Kol Yatak Con-rod bearing	4	2465	43.992 - 44.000 1.7320" / 1.7323"	47.000 - 47.024 1.8504" / 1.8513"	1.494 0.0588"	15.65 0.6181"	0.012 - 0.069 0.0005" / 0.0027"

TOYOTA



a)

1ND-TV

4 Cylinders,Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
COROLLA 1.4 D-4D
AURIS 1.4 D-4D
YARIS 1.4 D-4D

CC
1400

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5299 SA	Ana Yatak Main bearing	5	2561	50.000 Min.	46.000 Min.	1.995	16.10	
KB 4071 L	Kol Burcu Con-rod bush	4	2602	27,013 mm	30,000 - 30,030 mm	1,70 - 1,75 mm	19.50	
KL 4360 LC	Kol Yatak Con-rod bearing	4	2560	43.993 - 44.000	47.000 - 47.020	1.490	15.65	

TOYOTA



a)

1 KZ - 1 KD - 2 KD




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
HILUX 2.5 D4D

CC
2494 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	SAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5315 SA	Ana Yatak Main bearing	5 TH / BH	2636	70,000 mm	75,000 - 75,013 mm	2,478 - 2,485 mm	23,60 mm	
KB 4075 L	Kol Burcu Con-rod bush	4	2637	34,00 mm	37,03 mm			
KL 4380 LC	Kol Yatak Con-rod bearing	4	2635	59,000 mm	62,014 mm	1,481 - 1,489 mm	24,35 mm	

TOYOTA



a)

1Y - 2Y - 3Y

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

86.00 x 86.00 mm
3.38 X 3.38

MODEL





HIACE - HILUX - 4 RUNNER

CC

1998 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5208 SA	Ana Yatak Main bearing	5	1993	58.000 (max)	62.024 (max)	1.990 mm	20.820 mm	0.020 / 0.067 mm
KL 4250 SA	Kol Yatak Con-rod bearing	4	1992	48.000 max	51.024 max	1.490 max	19.990	0.020 / 0.067 mm

TOYOTA



a)

2L - T (TURBO)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

92.00 X 92.00

3.62 X 3.62

MODEL




HIACE 2400 - LAND CRUISER 2400

CC

2446 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
KL 4382 SA	Kol Yatak Con-rod bearing	4	2646	55.000 (max)	58.000 (min)	1.490 max	26.000	

TOYOTA



a)

1 KZ - 1 KD - 2 KD

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
HILUX 2.5 D4D

CC
2494 cc

b)

1KZ/1KD/2KD

4 Cylinders Diesel




PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL
HILUX 2.5

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5315 SA	Ana Yatak Main bearing	5 TH / BH	2636	70,000 mm	75,000 - 75,013 mm	2,478 - 2,485 mm	23,60 mm	
KB 4075 L	Kol Burcu Con-rod bush	4	2637	34,00 mm	37,03 mm			
KL 4380 LC	Kol Yatak Con-rod bearing	4	2635	59,000 mm	62,014 mm	1,481 - 1,489 mm	24,35 mm	

UNIVERSAL TRACTOR



a) **D 111000 / D 111001 / D 111050 / D 115050 / D 115000 / D 121000 / D 2601050 / D 2601060 / D 2601000 / D 2601010 / D 2801010** **2 Cylinders, Petrol**

MODEL

U 1010 / U 550 / U 445 / U 250 / U 340 / U 300
U 1010 / U 650 / U 550 / U 445 / U 250 / U 340 / U 300

CC

1,560




PİSTON ÖLÇÜLERİ/PISTON SIZE

102.000 X 110.000 mm
4.0158" X 4.3307"

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3106 LC	Ana Yatak Main bearing	3	642-ALC	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 3106 SA	Ana Yatak Main bearing	3	642-ASA	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 4094 LC (---> 1979)	Ana Yatak Main bearing	4	642-ALC	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 4094 SA (---> 1979)	Ana Yatak Main bearing	4	642-ASA	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 5151 SA (---> 1979)	Ana Yatak Main bearing	5	642-ASA	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 5161 SA	Ana Yatak Main bearing	2	1570	84.905 - 84.920 3.3427" / 3.3433"	90.000 - 90.020 3.5433 " / 3.5442 "	2.500 .0985"	31.95 1.2579"	
		2	1571	84.905 - 84.920	90.000 - 90.020	2.500	45.95	
		1	1572	84.905 - 84.920 3.3427" / 3.3433"	90.000 - 90.020 3.5433 " / 3.5442 "	2.500 .0985"	45.95 1.8091"	
				3.3427" / 3.3433"	3.5433" / 3.5442"	.0985"	1.8091"	
AN 5205 SA	Ana Yatak Main bearing	5	2073	79.791 / 79.810 3.1414" / 3.1422"	84.200 / 84.230 3.3150 " / 3.3162 "	2.178 .0858"	25.00 .9843"	
AN 7024 SA	Ana Yatak Main bearing	7	642-ASA	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AN 7284 LC	Ana Yatak Main bearing	7	642-ALC	76.187-76.200 2.9995" / 3.000"	80.587-80.607 3.1728 " / 3.1735 "	2.172 .0856"	25.00 .9843"	
AY 2076 SA (1967 - 1976)	Ay Yatak Thrustwasher	2	1905	85.090-85.340 3.3500" / 3.3599"	101.600-101.850 4.000 " / 4.0099 "	3.429 .1350"		
AY 2099 SA	Ay Yatak Thrustwasher	2	2454	11000-91.380	107.750-108000	2.962		
AY 2107 SA	Ay Yatak Thrustwasher	2 Çift TH/BH	2648		108.000	2.902 - 2.962		
KL 2078 LC	Kol Yatak Con-rod bearing	2	640-ALC	58.730-58.743 2.3122" / 2.3128"	62.408-62.420 2.4570 " / 2.4575 "	1.822 .0718"	28.70 1.1300"	
KL 2078 SA	Kol Yatak Con-rod bearing	2	640-ASA	58.730-58.743 2.3122" / 2.3128"	62.408-62.420 2.4570 " / 2.4575 "	1.822 .0718"	28.70 1.1300"	
KL 3019 LC (---> 1979)	Kol Yatak Con-rod bearing	3	640-ALC	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 3019 SA (---> 1979)	Kol Yatak Con-rod bearing	3	640-ASA	58.730-58.743 2.3122" / 2.3127"	62.408-62.420 2.4570 " / 2.4575 "	1.82 .0717"	28.70 1.1300"	0.025 - 0.070 0.025 - 0.070
KL 4178 SA (---> 1979)	Kol Yatak Con-rod bearing	4	640 - SA	58.730 - 58.743 2.3122 " / 2.3127 "	62.408 - 62.420 2.4570 " / 2.4575 "	1.82 .0717 "	28.50 1.1300 "	0.025 - 0.070 .0010 " / .0028 "

KL 4213 SA	Kol Yatak Con-rod bearing	4	1569	74.935 - 74.950 2.9502" / 2.9508"	79.000 - 79.020 3.1102 " / 3.1110 "	1.992 .0785"	39.50 1.555"	
KL 4314 SA	Kol Yatak Con-rod bearing	4	2072	64.917 / 64.936 2.5558" / 2.5566"	68.985 / 69.000 2.7160 " / 2.7166 "	2.008 .0791"	28.50 1.1221"	
KL 6312 LC	Kol Yatak Con-rod bearing	6	640-ALC	58.730-58.743 2.3122" / 2.3128"	62.408-62.420 2.4570 " / 2.4575 "	1.822 .0718"	28.70 1.1300"	
KL 6312 SA	Kol Yatak Con-rod bearing	6	640-ASA	58.730-58.743 2.3122" / 2.3128"	62.408-62.420 2.4570 " / 2.4575 "	1.822 .0718"	28.70 1.1300"	

VALMET



a)

3300 cc

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

108.000 x 120.000 mm
4.2519 " x 4.7244 "

MODEL

320 DS

CC

b)

4400 cc

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

108.000 x 120.000 mm
4.2519 " x 4.7244 "

MODEL

420 DS

CC

c)

6600 cc

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

108.000 x 120.000 mm
4.2519 " x 4.7244 "





MODEL

620 DS

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1068 LC	Ana Yatak Main bearing	1	2063	84.985 - 85.020 3.3458 " / 3.3472 "	91.000 - 91.020 3.5826 " / 3.5834 "	2.962 .116 "	32.00 1.2598 "	0.056 - 0.135 .0022 " / .0054 "
AY 1021 LC	Ay Yatak Thrustwasher	1	2308	97.70 - 98.00 3.8464" / 3.8582"	119.40 - 119.70 4.7007" / 4.7125"	3.17 .1248"		
KL 1079 LC	Kol Yatak Con-rod bearing	1	2062	67.981 - 68.000 2.6768 " / 2.6771 "	71.730 - 71.740 2.8240 " / 2.8244 "	1.84 .072 "	30.00 1.1811 "	0.050 - 0.100 .0020 " / .0040 "

VALMET



a)

PİSTON ÖLÇÜLERİ/PISTON SIZE




MODEL

602,612,604,604 T TRACTOR
700,702,703,802,803 TRACTOR

CC

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 1086 LC	Ana Yatak Main bearing	1	2108	69.981 - 70.000 2.7551" / 2.7559"	76.000 - 76.020 2.9921" / 2.9929"	2.972 .1170"	34.00 1.3385"	
KL 1090 LC	Kol Yatak Con-rod bearing	1	2107	61.981 - 62.000 2.4401" / 2.4409"	65.730 - 65.750 2.5877" / 2.5885"	1.850 .0728"	32.00 1.2598"	

VOLKSWAGEN



a)

AKL / AEH

4 Cylinders, Petrol

PİSTON ÖLÇÜLERİ/PISTON SIZE

81.000 x 77.400 mm
3.19" X 3.05"

MODEL




BORA 1.6
GOLF 1.6
POLO 1.6

CC

1595

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5243 SA	Ana Yatak Main bearing	5	2198	53.958 - 53.978 2.1244 " - 2.1252 "	59.000 - 59.019 2.3229 " - 2.3236 "	2.502 .0985 "	18.50 .7284 "	
AY 1014 SA	Ay Yatak Thrustwasher	1	2199	59.400 - 59.650 2.3386 " - 2.3485 "	71.150 - 71.400 2.8012 " - 2.8111 "	2.49 .0981 "		
KB 4068 L (20 mm)	Kol Burcu Con-rod bush	4 Pcs.	2584	20.000 Max. 0.7874" Max.	23.000 - 23.052 0.055" - 90.075"	1.75 - 1.80 0.689" - 0.708"	24.75 - 25.00 0.9744" - 0.9842"	
KL 4286 LC	Kol Yatak Con-rod bearing	4	2197	47.758 - 47.778 1.8803 " - 1.8811 "	50.600 - 50.612 1.9922 " - 1.9926 "	1.406 .0554 "	19.00 .7481 "	
KL 4321 LC (Tırnaksız)	Kol Yatak Con-rod bearing	4	2378	47.758 - 47.778 1.8803 " - 1.8811 "	50.600 - 50.612 1.9922 " - 1.9926 "	1.406 .0554 "	19.00 .7874 "	

VOLKSWAGEN



a)

AJT / ACV / ACL / ACT

5 Cylinders,Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

81.000 x 95.500 mm
3.19" X 3.76"

MODEL




TRANSPORTER 2.5 TDi / TRANSPORTER 2.4
D

CC

2461

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 6024 SA	Ana Yatak Main bearing	6	2204	57.958 - 57.978 2.2819 " - 2.2826 "	63.000 - 63.019 2.4804 " - 2.4811 "	2.502 .0985 "	18.50 .7284 "	
AY 2084 SA	Ay Yatak Thrustwasher	2	2205	63.500 - 63.750 2.5000 " - 2.5099 "	76.750 - 77.000 3.0217 " - 3.0315 "	1.98 .0780 "		
KB 5002 L (24 mm)	Kol Burcu Con-rod bush	5 Pcs.	2403	24.000 mm 1.4962 " / 1.4966 "	27.000 - 27.021 mm 1.6475 " / 1.6490 "		25.000 mm 1.3701 "	
KL 5020 LC	Kol Yatak Con-rod bearing	5	2203	47.758 - 47.778 1.8803 " - 1.8811 "	50.600 - 50.612 1.9922 " - 1.9926 "	1.406 .0554 "	20.00 .7874 "	

VOLKSWAGEN



a)

AAZ, ABL

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 X 95.500 mm
3.1299" X 3.7598"

MODEL

PASSAT, GOLF 3, VENTO, TRANSPORTER T4
1.9 TD

CC

1896

b)

ALH, AHU

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 x 95.500 mm
3.1299" x 3.7598"

MODEL




CADDY 3, PASSAT, GOLF 4, VENTO
CADDY 3, PASSAT, GOLF 4, VENTO,
TRANSPORTER T5 1.9 TDI

CC

1896

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5243 SA	Ana Yatak Main bearing	5	2198	53.958 - 53.978 2.1244 " - 2.1252 "	59.000 - 59.019 2.3229 " - 2.3236 "	2.502 .0985 "	18.50 .7284 "	
AY 2104 SA	Ay Yatak Thrustwasher	2	2582	59.50 - 59.75 2.3425" / 2.3524"	72.75 - 73.00 2.8642" / 2.8740"	1.93 - 1.98 0.0760" / 0.0780"		
KB 5003 L (26 mm)	Kol Burcu Con-rod bush	5 Pcs.	2583	26.000 Max. 1.0236" Max.	29.000 - 29.052 1.1417" / 1.1438"	1.75 - 1.80 0.0689" / 0.0708"	24.75 - 25.00 0.9744" / 0.9842"	
KL 4298 LC	Kol Yatak Con-rod bearing	4	2203	47.758 - 47.778 1.8803 " - 1.8811 "	50.600 - 50.612 1.9922 " - 1.9926 "	1.406 .0554 "	20.00 .7874 "	

VOLKSWAGEN



a)

AAZ, ABL

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 X 95.500 mm
3.1299" X 3.7598"

MODEL

PASSAT, GOLF 3, VENTO, TRANSPORTER T4
1.9 TD

CC

1896

b)

ALH, AHU

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 x 95.500 mm
3.1299" x 3.7598"

MODEL

CADDY 3, PASSAT, GOLF 4, VENTO
CADDY 3, PASSAT, GOLF 4, VENTO,
TRANSPORTER T5 1.9 TDI

CC

1896

c)

AMF / BAY

3 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

MODEL




POLO 1.4 TDi

CC

1300

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5243 SA	Ana Yatak Main bearing	5	2198	53.958 - 53.978 2.1244 " - 2.1252 "	59.000 - 59.019 2.3229 " - 2.3236 "	2.502 .0985 "	18.50 .7284 "	
AY 2104 SA	Ay Yatak Thrustwasher	2	2582	59.50 - 59.75 2.3425" / 2.3524"	72.75 - 73.00 2.8642" / 2.8740"	1.93 - 1.98 0.0760" / 0.0780"		
KB 5003 L (26 mm)	Kol Burcu Con-rod bush	5 Pcs.	2583	26.000 Max. 1.0236" Max.	29.000 - 29.052 1.1417" / 1.1438"	1.75 - 1.80 0.0689" / 0.0708"	24.75 - 25.00 0.9744" / 0.9842"	
KL 4298 LC	Kol Yatak Con-rod bearing	4	2203	47.758 - 47.778 1.8803 " - 1.8811 "	50.600 - 50.612 1.9922 " - 1.9926 "	1.406 .0554 "	20.00 .7874 "	

VOLKSWAGEN



a)

AAZ, ABL

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 X 95.500 mm
3.1299" X 3.7598"

MODEL

PASSAT, GOLF 3, VENTO, TRANSPORTER T4
1.9 TD

CC

1896

b)

ALH, AHU

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

79.500 x 95.500 mm
3.1299" x 3.7598"

MODEL

CADDY 3, PASSAT, GOLF 4, VENTO
CADDY 3, PASSAT, GOLF 4, VENTO,
TRANSPORTER T5 1.9 TDI

CC

1896

c)

AXU

4 Cylinders Gasoline

PİSTON ÖLÇÜLERİ/PISTON SIZE

76,500 mm

MODEL





POLO 1.4

CC

1390 cc

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5243 SA	Ana Yatak Main bearing	5	2198	53.958 - 53.978 2.1244 " - 2.1252 "	59.000 - 59.019 2.3229 " - 2.3236 "	2.502 .0985 "	18.50 .7284 "	
AY 2104 SA	Ay Yatak Thrustwasher	2	2582	59.50 - 59.75 2.3425" / 2.3524"	72.75 - 73.00 2.8642" / 2.8740"	1.93 - 1.98 0.0760" / 0.0780"		
KB 5003 L (26 mm)	Kol Burcu Con-rod bush	5 Pcs.	2583	26.000 Max. 1.0236" Max.	29.000 - 29.052 1.1417" / 1.1438"	1.75 - 1.80 0.0689" / 0.0708"	24.75 - 25.00 0.9744" / 0.9842"	
KL 4298 LC	Kol Yatak Con-rod bearing	4	2203	47.758 - 47.778 1.8803 " - 1.8811 "	50.600 - 50.612 1.9922 " - 1.9926 "	1.406 .0554 "	20.00 .7874 "	

VOLKSWAGEN



a)

AJM, ATD, ASZ, ANU, ARL, ASZ

4 Cylinders, Diesel





PİSTON ÖLÇÜLERİ/PISTON SIZE
79.50 X 95.50

MODEL
BORA 1.9 TDI

CC
1896

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
EB 5009 LC	Eksantrik Burc Camshaft bush	5 ÇİFT	2668	28.947 - 28.960	32.000 - 32.025	1.507 - 1.513	24.80 - 25.00	

VOLVO



a)

TD60 B, TD60 C

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

98.420 x 120.100 mm
3.8748" X 4.728"

MODEL





860 S, 861, 2005, 2105, 2600, 2650, 2654,
3200,
3300, B 610, DR 860, F 607-614, F615-617, F6
S,
LM 840, LM 841, LM 845, LM 846, T800 A,T
810,
T 814, TC 860 TL

CC

5480

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7122 LC	Ana Yatak Main bearing	7	384-A	76.149 - 76.162 2.9980" - 2.9985"	81.051 - 81.077 3.1910" - 3.1920"	2.409 .0949 "	27.94 1.1000"	
AY 2038 LC	Ay Yatak Thrustwasher	2	2416	85.090-85.340 3.3500" - 3.3599"	104.390-104.640 4.1099" - 4.1197"	3.09 .1217 "		
KL 6225 LC	Kol Yatak Con-rod bearing	6	1361	63.449 - 63.461 2.4980" - 2.4985"	67.322 - 67.335 2.6505" - 2.6510"	1.906 .0751 "	33.95 1.3367"	

VOLVO



a)

TD70 A

6 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

104.770 x 130.000 mm
4.1248" X 5.1182"

MODEL




969, 971, 980, 3500, 3700, 5350
B54, F86, FB86

CC

6725

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 7104 LC	Ana Yatak Main bearing	7	908-A	82.535 - 82.550 3.2494" - 3.2500"	88.483 - 88.504 3.4836" - 3.4844"	2.930 .1154 "	30.60 1.2048"	
AY 2037 LC	Ay Yatak Thrustwasher	2	2417	90.140 - 90.390 3.5489" - 3.5587"	112.570 - 112.820 4.4319" - 4.4418"	2.35 .0926 "		
KL 6115 LC	Kol Yatak Con-rod bearing	6	839	69.839 - 69.850 2.7496" - 2.7500"	73.733 - 73.753 2.9029" - 2.9037"	1.910 .0752 "	37.15 1.4626"	

VOLVO



a)

9HY (DV6 TED)

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

75.000 x 88.300

2.9527" x 3.4763

MODEL




S40, V40, S80

CC

1560

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5256 SA	Ana Yatak Main bearing	5	2274	49.962 - 49.981 1.9670 " / 1.9677 "	53.655 - 53.674 2.1124 " / 2.1131 "	1.833 .0721 "	19.90 - 20.45 .7834 "	0.008 - 0.062 .0003 " / .0024 "
AY 1018 SA	Ay Yatak Thrustwasher	1	2275	55.200 - 55.480 2.1732 " / 2.1842 "	71.350 - 71.700 2.8090 " / 2.8110 "	2.46 .0968 "		
KB 4053 L	Kol Burcu Con-rod bush	4 Pcs.	2488	25.988 - 25.999 1.0228" - 1.0229"	29.022 - 29.023 1.1425" - 1.1426"		20.00	
KL 4302 LC	Kol Yatak Con-rod bearing	4	2273	46.975 - 46.991 1.7706 " / 1.8500 "	50.655 - 50.674 1.9942 " / 1.9950 "	1.818 .0715 "	17.00 .6692 "	0.028 - 0.079 .0011 " / .0031 "

ZETOR



a)

2 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

95.000 mm x 110.000 mm
3.7401 " x 4.3307 "

MODEL




MAJOR 2011, 2045 TRACTOR
MAJOR 3011, 3016, 3045 TRACTOR
4712, 4718 TRACTOR
MAJOR 4011 SUPER TRACTOR
8011 TRACTOR
URSUS C 385 TRACTOR
5011, 5511, 5711 TRACTOR
5718, 5745, 5748, 5911, 6911 TRACTOR

CC

1560

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPı(mm/inch) SHAFT DIAMETER	YUVA ÇAPı(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİŞLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 3094 SA	Ana Yatak Main bearing	2	1840	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	32.00 1.259 "	0.050 - 0.102 .0020 " / .0040 "
		1	1841	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	36.00 1.417 "	0.050 - 0.102 .0020 " / .0040 "
AN 4102 SA	Ana Yatak Main bearing	3	1840	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	32.00 1.259 "	0.050 - 0.102 .0020 " / .0040 "
		1	1841	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	36.00 1.417 "	0.050 - 0.102 .0020 " / .0040 "
AN 5186 SA	Ana Yatak Main bearing	4	1840	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	32.00 1.259 "	0.050 - 0.102 .0020 " / .0040 "
		1	1841	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	36.00 1.417 "	0.050 - 0.102 .0020 " / .0040 "
AN 5282 LC	Ana Yatak Main bearing	1	2435	80.000	84.000 - 84.022	1.983	40.000	
		2	2436	80.000 3.1496"	84.000 - 84.022 3.3071" - 3.3080"	1.983 .0781"	40.000 1.5748"	
		2	2437	80.000 3.1496"	84.000 - 84.022 3.3071" - 3.3080"	1.983 .0781"	37.000 1.4567"	
				3.1496"	3.3071" - 3.3080"	.0781"	1.4567"	
KL 2069 SA	Kol Yatak Con-rod bearing	2	1839	59.981 - 60.000 2.3614" / 2.3622"	64.000 - 64.019 2.5197" / 2.5204"	1.982 .078"	32.00 1.259"	0.036 - 0.088 .0015" / .0035"
KL 3058 SA	Kol Yatak Con-rod bearing	3	1839	59.981 - 60.000 2.3614 " / 2.3622 "	64.000 - 64.019 2.5197 " / 2.5204 "	1.982 .078 "	32.00 1.259 "	0.036 - 0.088 .0015 " / .0035 "
KL 4234 SA	Kol Yatak Con-rod bearing	4	1839	59.981 - 60.000 2.3614 " / 2.3622 "	64.000 - 64.019 2.5197 " / 2.5204 "	1.982 .078 "	32.00 1.259 "	0.036 - 0.088 .0015 " / .0035 "
KL 4337 LC	Kol Yatak Con-rod bearing	4	2434	69.981 - 70.000 2.7552" - 2.7559"	74.000 - 74.013 2.9134" - 2.9139"	1.980 .078 "	37.00 1.4567"	

ZETOR



a)

S 4003

4 Cylinders, Diesel

PİSTON ÖLÇÜLERİ/PISTON SIZE

100.000 x 110.000 mm
3.9370 " x 4.3307 "

MODEL

URUS C 3600 TRACTOR
6711, 6718, 6748 TRACTOR

CC

3460

TAKIM NO / ÖLÇÜ SET NO/SIZE	TANIM DESCRIPTION	ÇİFT PAIRS	PARÇA NO PART NO	ŞAFT ÇAPİ(mm/inch) SHAFT DIAMETER	YUVA ÇAPİ(mm/inch) HOUSING DIAMETER	CİDAR STD (mm/inch) WALL	GENİSLİK BEARING LENGTH	YAĞ BOŞLUĞU OIL CLEARANCE
AN 5186 SA	Ana Yatak Main bearing	4	1840	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	32.00 1.259 "	0.050 - 0.102 .0020 " / .0040 "
		1	1841	69.981 - 70.000 2.7551 " / 2.7559 "	76.000 - 76.019 2.9921 " / 2.9929 "	2.975 .117 "	36.00 1.417 "	0.050 - 0.102 .0020 " / .0040 "
KL 4234 SA	Kol Yatak Con-rod bearing	4	1839	59.981 - 60.000 2.3614 " / 2.3622 "	64.000 - 64.019 2.5197 " / 2.5204 "	1.982 .078 "	32.00 1.259 "	0.036 - 0.088 .0015 " / .0035 "

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AN 1016 LC	M 1009 LC	VPM 91543 LC		351-50260	
AN 1017 LC	M 1008 LC	VPM 91544 LC		352-50620	
AN 1018 LC	M 1015 LC	VPM 91575 LC		570-12970	
AN 1019 LC	M 1016 LC	VPM 91576 LC		570-12990	
AN 1022 LC	M 1071 LC	VPM 91810	66631 CPA	1901803	
AN 1022 SA	M 1071 LC	VPM 91810	66631 CPA	1901803	
AN 1027 LC			02 - 2228	3362379	
AN 1039 SA				AT 21140	RE 27352
AN 1040 SA				AT 21139	
AN 1044 LC	GS 9722 LC				
AN 1045 LC	GS 9728 LC				
AN 1068 LC				836119457	
AN 1086 LC				836006671	
AN 1092 LC	M 1103 LB	VPM 91921	66511 CP	073.1215.0	
AN 1112 LC	M 1073 LB	VPM 91976	72-4546	1930176	
AN 1122 SA	GS 2826 SA				
AN 1125 SA				RE 65165	RE 65911 (0.10)
AN 1126 SA				RE 65168	RE 65912 (0.10)
AN 1127 SA			02-4576	87790260 / 2992147 / 2995787	3901090 / 3901150 / 3929016 / 3929021
AN 1128 SA			02-4575H	87790266	2992153 / 2995754
AN 2008 LC			72 - 0675	03365197	03365197
AN 2013 LC	M 2096 LC				
AN 2021 LC	M 2047 LC				
AN 3009 LC	M 3362 LC	VPM 92377 LC			
AN 3022 LC			72 - 0675	03365197	03365197
AN 3029 SA	M 3297 SA	VPM 817 A	6704 M	12231 - 13200	
AN 3051 SA	M 3350 SA	VPM 91234 A			
AN 3074 LC	GS 2486 LC / GS 2485 LC				
AN 3076 LC	M 3252 LC				
AN 3087 SA				198516770	
AN 309					
AN 3092 SA				047 105561	
AN 3094 SA	M 3370 SA				
AN 3100 LC	M 1073 LB x 3	VPM 91976 x 3	72-4546	1930176	
AN 3103 LC	GS 2983 LC / GS 2984 LC				
AN 3104 LC	GS 2486 LC / GS 2485 LC				
AN 3106 SA / LC				11501261 x 3	
AN 3109 SA	M 3366 SA	VPM 91007 A	4282 M	MB005000 / MB005001 / MB005002	MB005003 / MB005004 / MB005005 / MB005006
AN 4014 LC		VPM 91468	H 503 / 4		
AN 4015 LC	M 4212 LC				
AN 4016 LC			72 - 0675	03365197	03365197

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AN 4017 LC	M 4208 LC				
AN 4018 LC	M 4131 LC				
AN 4034 SA	M 4165 SA	VPM 864 A	4415 M	68084	732630M91
AN 4036 LC			H 538 / 4	0355 0021	0355 0022
AN 4046 SA	M 4219 SA	VPM 91235	7269 M		
AN 4049 LC	M 4227 LC	VPM 92562 LC			
AN 4069 LC			H 601 / 4		
AN 4072 LC	GS 2486 LC / GS 2485 LC				
AN 4088 SA	M 4218 SA	VPM 92337 A		CFPN6333A	
AN 4094 LC (---> 1979)			4-60076 CP		
AN 4094 SA (---> 1979)			4-60076 CP		
AN 4095 LC (1980 ---->)	M 1071 LC x 4	VPM 91810 x 4	66631 CPA	1901803 x 4	
AN 4095 SA (1980 ---->)	M 1071 LC x 4	VPM 91810 x 4	66631 CPA	1901803	190 1424 / 193 0069
AN 4096 LC	M 1073 LB x 4	VPM 91976 x 4	72-4546	1930176 / 1930177 / 1930178 / 1930179	1930812 / 4754062 / 4754064
AN 4101 SA	M 4262 SA		4670 M		
AN 4110 SA			AEM 4165	U5MB0014	68084 / 746156M91 / 68082 / 58703
AN 4111 LC				U5MB0013	
AN 4114 LC			H 931 / 4	214 5690 KZ 0148-01 / 214 5690 EZ 0148	214 6528 KZ 0148-01 / 214 6553 EZ 0148-01
AN 4115 SA	M 4224 SA	VPM 91247			
AN 4116 LC			H 720 / 4		
AN 4117 LC	GS 2983 LC / GS 2984 LC				
AN 4118 LC	GS 2486 LC / GS 2485 LC				
AN 4119 LC			6276 M		
AN 4120 SA			H 651 / 4		
AN 4125 SA			7109 M	11701-87705 / 11701-87706 / 11702-87705	11702-87706 / 11702-87707
AN 4126 SA				2102027900 + 2102027905	
AN 4127 SA				U5MB0019	
AN 5007 SA	M 5212 SA	VPM 91194 A	H1037/5	81558 / 31126361 / 31126371 / 31126381 / 31126391	735168M91 / 735169M91 / 735170M91
AN 5015 LC	M 5235 LC		4951 M		
AN 5024 LC	M 5219 LC				
AN 5028 LC	M 5095 LC				
AN 5046 LC			72 - 0775 / 5		
AN 5048 LC	GS 159 LC	VPM 91468	H 503 / 5	0423 1405	
AN 5050 LC	GS 9918 LC				
AN 5058 SA	M 5133 SA	VPM 866 A	H1027/5	68082 / 68084 / 59617 / 736336M91	745405M91 / 58704
AN 5071 LC			H 538 / 5		
AN 5077 SA	M 5241 SA	VPM 91220 A	4659 M	4659M	
AN 5091 SA	M 5089 SA	VPM 743 A	4207 M	528E 6K371A	81823481 / 1706674

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AN 5096 SA	M 5195 SA	VPM 91152 A	4249 M	731M 6K371 AA	
AN 5101 SA	M 5226 SA	VPM 91419 A	6476 M	8G2483	
AN 5104 SA	M 5234 SA	VPM 92409 A	4416 M	68082 / 59617 / 68084	736336M91 / 745405M91
AN 5113 SA	M 5227 SA	VPM 91215 A	6102 M	5112800	
AN 5114 LC			H 601 / 5		
AN 5119 LC	GS 2486 LC				
AN 5121 SA	M 5279 SA	VPM 91429 A	6372 M	6372 M	
AN 5122 LC		VPM 92404 LC	6790 M	12207-61507	
AN 5123 LC	M 5528 LB	VPM 92201	H 720 / 5	3055 129 R2 / 3055 129 R21 / 3055 130 R2	3055 130 R21 / 3055 131 R2 / 3055 132 R2
AN 5127 SA	M 5149 SA	VPM 92531 A	72-2439 / 72-2440	(3064523R12 x 4) + 708910R91	
AN 5130 SA	M 5334 SA	VPM 91662 A	6445 M		
AN 5131 SA	M 5409 SA		4921 M	(AT 21140 x 4) + AT 21139	(RE 27352 x 4) + RE 521350
AN 5134 SA	M 5205 SA	VPM 91131 A	4198 M	91021182	
AN 5137 SA	M 5342 SA	VPM 91808 A	H1042/5	7700578043 / 7700578049 / 30443-1B / 30443-3	60-00-046-807 / 7700566063/4 / 7700566065/6
AN 5140 SA	M 5224 SA	VPM 92336 A	5188 M	C5NE6337AZBZ / EBPNE6337B / 87790356	84554568 / 81811582 / 81811583
AN 5141 SA			H 651 / 5	407010055	
AN 5145 SA	M 5207 SA	VPM 91166 A	6033 M	8G2389	
AN 5146 SA	M 5280 SA	VPM 91350 A	5035 M	5035 M	72HM 6K371 AA
AN 5151 LC (---> 1979)				11501165	
AN 5151 SA (---> 1979)				11501165	
AN 5157 SA	M 5461 SA		7096 M	11701-10010	
AN 5158 SA	M 5467 SA		6621 M	6621 M	11701-54060 / 11701-54061
AN 5159 SA	M 5288 SA	VPM 91425 A	6537 M	715F 6K371 AA	
AN 5161 SA				10301262 - 61 - 63	
AN 5162 SA	M 5394 SA	VPM 91868 A	H1056/5	32569 / 33338 / 33339 / 33340 / 0113 33 / 0113 34	7942993003 / 7942993004 / 7942993005
AN 5163 LC	M 5452 LC	VPM 92265 LC	6275 M	6275 M	
AN 5164 LC (1980 ---->)	M 1071 LC x 5	VPM 91810 x 5	66631 CPA	1901803 x 5	
AN 5164 SA (1980 ---->)	M 1071 LC x 5	VPM 91810 x 5	66631 CPA	1901803	
AN 5165 LC	M 1073 LB x 5	VPM 91976 x 5	1011 CP	4836544 / 4836537 / 4836544	AEM92344 / 1930176 / 1930812 / 4836537
AN 5167 SA	M 5301 SA	VPM 91771 A			
AN 5168 LC	M 5294 LC				
AN 5170 SA	M 5515 SA	VPM 92191 A	H1043/5	190 1069 / 36677-1 / 36678-1	1901073 / 5880260 / 5882224 / 5882235
AN 5173 SA	M 5469 SA	VPM 92455 A	H1080/5	7700740980 / 7700740984 / 35925-3 / 35925J	35926-3 / 325926J / 77 01 349 570
AN 5176 SA	M 5437 SA	VPM 91990 A	H1076/5	6146008 / 6146009 / 6146010 / 6146011 / 844F6333AAA	844F6337AAA / 844F6337AAAA / 845F6A339AAA
AN 5177 LC	M 5404 LC				

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AN 5178 SA	M 5517 SA	VPM 92192 A	H1075/5	5888227	
AN 5180 SA	M 5481 SA	VPM 92321 A	H1045/5	2101-1000102 / 2101100010400	
AN 5181 LC	M 5441 LC	VPM 92441 LC	6628 M	5-11510-064-0 / 8- 94117-032-0	8-9417-032-1
AN 5184 LC	M 5432 LC	VPM 92035 LC	6644 M	6644 M	1456-23-110
AN 5185 SA	M 5303 SA	VPM 91345 A	4693 M	75221637	
AN 5186 SA	M 5263 SA		H 721/5		
AN 5187 LC	M 5563 LC	VPM 92457	7249 M	7249 M / 12207-43G01 / 12207-54T10	
AN 5188 LC	M 1047 LC x 5		72 - 3030 / 5		
AN 5193 SA	M 5308 SA	VPM 91466 A	6354 M	6354 M	
AN 5194 SA	M 5417 SA	VPM 92434 A	6597 M	6597 M	
AN 5198 SA	M 5509 SA	VPM 92556 SA	6645 M	6645 M	RFY0-11-SG0 / RF01- 23-135
AN 5199 SA	M 5273 SA	VPM 91170 A	4668 M		
AN 5200 SA			7251 M	3802010	
AN 5205 SA				2601.01.1183 - 1184	
AN 5212 SA	M 5401 SA	VPM 91936 LC	H982/5	9206-1197	618049 + 618720
AN 5215 SA	M 5556 SA	VPM 92643	7204 M	KK1Y-11-SGO / B6Y1- 11-SG0	
AN 5216 SA	M 5594 SA	VPM 92775 A		615387188WM6333	
AN 5217 SA	M 5435 SA	VPM 91684 SA	6593 M	MD026815 / MD020381	MD050360
AN 5219 LC			H 931 / 5		
AN 5220 LC	M 5436 LC	VPM 92044 LC	7081 M	ME999384	
AN 5222 LC			6585 M		
AN 5225 LC			H 892 / 5		
AN 5230 LC	M 1009 LC x 5				
AN 5232 SA				21020-22541	
AN 5233 SA				OK6Z211SGO	
AN 5236 LC			H 767 / 5		
AN 5237 SA			H1018/5	2S7Q-6330-A1A	
AN 5239 SA				71714681	
AN 5240 SA		VPM 93105 A	H1101/5	77.01.466.537	93879 L5
AN 5241 SA	M 5419 SA	VPM 92001 A	H1057/5	0113.93	
AN 5242 SA	M 5593 SA		H1086/5	938M 6A338 C1B	
AN 5243 SA	M 5489 SA	VPM 92526	H084/5	152198600KS	
AN 5244 SA			H1100/5	TAM T6335 FCS + TAM T6335 FCS1	
AN 5246 SA			H975/5	618380 + 618383	
AN 5247 SA		VPM 93106 A	H1065/5	77.01.472.121	8933 L5
AN 5248 SA			H1096/5	71728316	
AN 5250 LC			AEM 5554 LC / 7102M		
AN 5251 SA	M 5464 SA		6680 M	11701-16010-01	
AN 5252 LC	M 5616 LB	VPM 92890	H1104/5	99473771	0113.N7
AN 5254 LC			AEM 92344	1930812 x 5	
AN 5255 LC				12209-9C600	

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AN 5256 SA		VPM 05047 A	H1066/5	0113.T5 + 0113.T2	2S6Q 6333 AA + 2S6Q 6A338 AB
AN 5257 SA	M 5434 SA	VPM 92063 A	6660 M	12300-73810	12300-73812-0A0
AN 5258 SA		VPM 05055 A	H1011/5	71732990	618182 + 618189
AN 5259 SA				MD374821	
AN 5260 SA				2102042033	
AN 5262 LC	M 5430 LC				
AN 5266 SA		VPM 05054 A	H1095/5	71718247	
AN 5267 SA				U5MB0018	
AN 5268 SA		VPM 04013		WLY111SGO	
AN 5269 SA	M 5611	VPM 92862 LC	H1127/5	8-94154-014~017-0	618068 + 614891
AN 5270 SA				21020-4A920-A	
AN 5272 SA	M 5486 SA	VPM 92348A	H1105/5	4M5Q 6333 AA + 4M5Q 6A339 + 91FF 6337 AA	
AN 5274 SA				12118-AD200	
AN 5275 SA	M 5477 SA		H1071/5		
AN 5276 SA	M 5510 SA		7044 M		
AN 5280 SA	M 5557 SA	VPM 92644 A	6692 M	FE1H-11-SGO	
AN 5281 SA			H1092/5	71731844	
AN 5284 LC	M 5575 LC	VPM 92687 LC			
AN 5285 SA		VPM 04012			
AN 5286 SA			7354 M	11701-0D020-01 + 11791-0D020	
AN 5287 SA	M 5463 SA				
AN 5288 SA	M 5627 SA	VPM 93024	H1087/5		
AN 5290 LC				77.01.477.777	
AN 5296 LC	M5634	VPM93113		0113.H9	
AN 5297 LC	M5628	VPM93103A		0113.H8	
AN 5298 SA				RE 65165 x 4 + RE 65168	
AN 5300 SA				21020-2A904	
AN 5301 SA			H1078/5		
AN 5304 SA			H1057/5		
AN 5309 SA			H039/5		
AN 5310 SA				21020-27900-A	
AN 6013 LC	M 1047 LC x 6				
AN 6016 LC	M 1073 LB x 6	VPM 91976 x 6			
AN 6019 LC			H 538 / 6		
AN 6020 LC			H 503 / 6		
AN 6021 LC			H 931 / 6		
AN 6024 SA			H 981 / 6	454198600KS	
AN 7018 LC		VPM 91468	H 503 / 7		
AN 7024 SA				11501165	
AN 7042 SA	M 7189 SA	VPM 892 A	4352 M	85010	736930M91
AN 7047 LC			72 - 0675 / 7		
AN 7086 LC			H 601 / 7		

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AN 7094 LC	M 7267 LC				
AN 7103 LC	M 7359 LC				
AN 7104 LC	M 7290 LC	VPM 91292	H 841 / 7		
AN 7108 LC	M 7318 LC				
AN 7122 LC	M 7292 LC	VPM 91862	H 969 / 7		
AN 7125 SA	M 7255 SA	VPM 91421 A	6442 M		
AN 7127 SA	M 7247 SA				
AN 7161 SA	M 7156 SA	VPM 868 A	4417 M		
AN 7178 LC	M 7461 LB	VPM 92202	H 720 / 7	(3055130R21 x 6) + 3055129R21	
AN 7180 SA	M 7228 SA	VPM 91133 A	6471 M		
AN 7193 SA	M 7400 SA		4983 M	(AT 21140 x 6) + AT 21139	(RE 27352 x 6) + RE 521350
AN 7198 LC			H 767 / 7		
AN 7202 LC	M 7283 LC	VPM 91409	H 712 / 7		
AN 7211 LC				U5MB007	
AN 7211 SA	M 7377 SA	VPM 91796 A	6291 M	68079	744921M91
AN 7226 LC	M 7305 LC	VPM 91874			
AN 7226 SA	M 7305 SA	VPM 91189 A	6576 M	826F 6K371 B1AA	
AN 7228 LC	M 7436 LB	VPM 91859	6557 M	1901832	
AN 7238 LC	M 7391 LC		H 892 / 7		
AN 7240 LC	M 7383 LC				
AN 7241 LC	M 7412 LC	VPM 92715 LC			
AN 7250 LC	M 1047 LC x 7				
AN 7256 SA			7216 M	3802070	
AN 7257 LC			H 931 / 7		
AN 7258 LC				3640873M91	U5MB0010
AN 7258 SA				U5MB007	
AN 7262 SA				3945917	
AN 7264 LC	M 7452 LC	VPM 92553 LC			
AN 7265 SA	M 7336 SA	VPM 92312 A	7214 M	(818115823 x 6) + 8399381920	
AN 7267 LC	M 7449 LC	VPM 91126	6587 M		
AN 7271 LC			H 538 / 7		
AN 7272 LC	M 1073 LB x 7	VPM 91976 x 7		1930176	
AN 7273 LC	M 1071 LC x 7	VPM 91810 x 7	66631 CPA	1901803	
AN 7276 LC	M 1009 LC x 7	VPM 91543 x 7			
AN 7277 LC	M 7134 LC				
AN 7279 LC	M 7407 LC	VPM 92480 LC	7106 M	1-11510-040-0	
AN 7284 LC				11501261	
AN 7292 LC		VPM 07018	7259 M		
AN 7293 LC	M 7480 LC	VPM 92706 LC			
AN 7294 LC	M 7411 LC				
AN 7300 SA				(RE 65165 x 6) + RE 65168	
AN 9001 LC			7 - 60076 CP		

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AY 1005 SA	W 2248 SA	VPW 95036	A201/2		
AY 1008 SA			A198/2		
AY 1009 SA	W 2164 SA	VPW 21 A	60987 AF	21010100518300	
AY 1012 SA	W 2048 SA				
AY 1014 SA				06A05637 A	
AY 1015 SA			A190/2		
AY 1016 SA	W 2348 SA	VPW 95236	A215/2	77.01.462.824	
AY 1018 SA		VPW 01004 SA	A217/2	0118.F3	
AY 1019 SA		VPW 01066 A			
AY 1020 SA		AY 1020 SA		MD374820	
AY 1021 LC				836119459	
AY 1023 LC	W 2061 LC			201-12380	
AY 1024 LC	W 2098 LC			351-50290	
AY 1025 LC	W 2152 LC				
AY 1026 SA		VPW 02015 A	A191/2		
AY 1029 SA	W 2081 SA	VPW 95 A	A180/2		
AY 1030 SA			A168/2	77.01.473.149	
AY 1037 SA			A225/4		
AY 2020 SA	W 2091 SA	VPW 133	2783 BFA	31137211 + 31137221	7351123M1
AY 2043 SA				21021-4A920	
AY 2046 SA	W 2300 SA	VPW95220	A 110 / 4	2138103	
AY 2050 SA				406010084	
AY 2054 SA	W 2157 SA	VPW 95000	3137 BF	31137551 + 31137561	
AY 2057 LC	W 2305 L	VPW 95088	A211/4	011765.02	
AY 2058 LC	W 2364 SA	VPW 95075	1011 BF	1901385	
AY 2058 SA	W 2364 SA	VPW 95075	1011 BF	1901385	
AY 2064 SA	W 2158 SA	VPW 23	A195/2	77.01.454.038	
AY 2065 SA	W 2115 SA	VPW 77	65077 BF		
AY 2066 SA	W 2198 SA	VPW 8	1644 AF		
AY 2067 SA	W 2082 SA	VPW 20 A	2248 BF		
AY 2068 SA	W 2010 SA				
AY 2069 SA	W 2311 SA	VPW 95131 A			
AY 2070 SA				WLY1-11-SJO	
AY 2074 SA (1977 --->)	W 2307 SA	VPW 95076	60076 AFF	1901270 + 1901377	4699807
AY 2076 SA (1967 - 1976)	W 2266 SA	VPW 16	60076 AFA	1909499	4606425
AY 2082 SA	W 2248 SA	VPW 95036	62037 AF	1901074	
AY 2083 SA	W 2325 SA	VPW 95099 A	A174/4		
AY 2084 SA	W 4025 L	VPW 95170	A 124/4	035198421	
AY 2085 LC	W 2317 LC	VPW 95227	A214/4	0118.F1	
AY 2088 SA	W 02015A				
AY 2089 LC	W 4012 SA				
AY 2089 SA				OK6Z011SJO	
AY 2090 SA				0 06Y0 11 SJO	
AY 2091 SA	W 4020 SA			OK7Y011SJO	

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
AY 2092 LC	W 4015 LC			6140-21-8050	
AY 2093 SA	W 4013 A			6127-21-8511	
AY 2094 SA				12280-37525	
AY 2095 SA				11011-15020	
AY 2096 SA				11011-54020	
AY 2098 LC	W 2252 L	VPW 95070			
AY 2100 LC	W 2292 L	VPW 95022			
AY 2102 SA	W 182				
AY 2103 SA	W 95050				
AY 3001 LC				ME013560	
AY 3002 LC	W 3018 LC				
AY 3003 LC	W 3003 LC				
AY 3004 LC		VPW 95284			
AY 3005 LC		VPW 95259			
DB 1024 SA				2125242900	MD50009
EB 1011 L				C3901306	
EB 1012 L	SH 1402			C3945329	
EB 2001 SA		VP 08294A			
EB 3001 SA	C 3108 SA	VPC 94074 A			
EB 3003 SA	C 3109 SA	VPC 94075 A	1651M	1902300 / 5080039	4603449/K
EB 3004 SA	C 3032 SA			1218498	
EB 3005 SA	C 3091 SA	VPC 94050			
EB 3008 SA				ME029225 - ME011593 - ME011594	
EB 4004 SA	C 4078	VPC 975		C5NE6261B	
EB 4006 SA	C 4113	VPC 94076 A	1652M		
EB 5002 L	C 5074 L	VPC 94080			
EB 5003 SA	C 5051	VPC 976			
EB 5004 LC				ME011979 - ME011980 - ME011981 - ME011982 - ME011983	
EB 5005 SA				11802-54020	
EB 5007 SA		VPC 94071A			
EB 6001 SA	C 6005 SA/L	VPC 991			
EB 7003 L		VPC 988			
KB 1001 L (1967 - 1977)	S 2515 L	VPS 96251	60079 X		
KB 1002 L (1978 ---->)	S 2516 L	VPS 96252	66634 Y		
KB 1004 L	S 1509 L				
KB 1008 L	GS 2839 L				
KB 1012 L	GS 2540 L				
KB 1013 L	GS 8352 L				
KB 1014 L	GS 2126 L				
KB 1015 L	GS 9515 L				
KB 1016 L	GS 1826 L				
KB 1017 L	GS 2928 L				

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KB 1018 L	GS 2833 L				
KB 1019 L	S 1554 L	VPS 96428			
KB 1020 L	S 1551 L	VPS 96425			
KB 1021 L	S 1552 L				
KB 1025 L	GS 9366 L				
KB 1027 L	GS 9980 L				
KB 1028 L	GS 9075 L				
KB 1032 L			66694 Y		
KB 1037 L			55-2650		
KB 1041 L				984F-6207-AA	
KB 1042 L				826F-6207-GAA	
KB 1043 L				115.03.264	
KB 1044 L				2604.03.1053	
KB 1045 L	S 6597 L			31134131	744971M1
KB 1046 L				YM 123900-23910	
KB 1047 L				3112E011	4222131M1
KB 1048 L				3112A005	
KB 1049 L				3112A006	
KB 1050 L	S 1583 L	VPS 96516			
KB 2001 L	S 1552 L X 2	VPS 96426 X 2			
KB 3001 L	S 3514 L	VPS 96208		81803972 x 3	C5NE6207A x 3
KB 3002 L	S 3502 L	VPS 96388 x 3	2019 Y x 3	31134151 x 3	740407M1 x 3
KB 3003 L	S 1509 L x 3		55 - 2641 x 3		
KB 3004 L	S 1552 L x 3	VPS 96426 x 3			
KB 3005 L (1978 ---->)	S 1551 L x 3	VPS 96425 x 3			
KB 3006 L (1967 - 1977)	S 1554 L x 3	VPS 96428 x 3			
KB 3007 L				407.03.0011	
KB 3008 L				23517(27100)	
KB 4001 L	S 4609 L	VPS 96110	55 - 2689	31134123 x 4	733767M1 x 4
KB 4002 L	S 4540 L	VPS 96388 x 4	2019 Y x 4	31134151 x 4	740407M1 x 4
KB 4003 L	S 1551 L x 4	VPS 96425 x 4		4754066	
KB 4004 L	S 1552 L x 4	VPS 96426 x 4	1014 Y	4766404	
KB 4005 L	S 4595 L	VPS 96017			
KB 4006 L	S 4610 L	VPS 96210		C5NE6207A x 4	
KB 4007 L	S 4578 L	VPS 96069	2789 Y		
KB 4008 L	S 4603 L	VPS 96097			
KB 4009 L	S 4635 L	VPS 96331	55-4288		
KB 4010 L	S 4580 L				
KB 4012 L	S 4698 L	VPS 96404		ORF0111213	
KB 4013 L	S 4632 L				
KB 4015 L	S 4592 L	VPS 96320			
KB 4016 L	S 1554 L x 4	VPS 96428 x 4		4555699	
KB 4017 L	S 4666 L	VPS 96342	4 - 67279 Y	OS21311213	
KB 4018 L				407030011	

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KB 4019 L	S 1509 L x 4	VPS 96311 x 4	55 - 2641 x 4	3371612	
KB 4020 L	S 4719 L	VPS 96254	4 - 66694 Y	060420.04	
KB 4022 L	S 4631 L				
KB 4023 L	S 4576 L				
KB 4025 L				1C1Q-6207-AAA	
KB 4026 L		VPS 96479	55 - 2650 x 4	03371612 x 4	
KB 4027 L			05-4444	984F-6207-AA	
KB 4028 L	S 4671 L		4 - 68304 Y		
KB 4029 L	S 96572		55-4159		
KB 4030 L	S 1558 L x 4	VPS 96461 x 4	55-4201	0604.33	
KB 4031 L	S 15373 L x 4	VPS 96492 x 4	55-3875		
KB 4032 L	S 4616 L				
KB 4033 L	S 4630 L			71240915 F	
KB 4034 L				2 M 60389	
KB 4035 L	ME012234	KB4035 LC	STD	Conrod Bush Set	Mitsubishi Canter 449
KB 4040 L				ME240993	
KB 4041 L				12030-31N00	
KB 4042 L				90999-73114	
KB 4043 L			55-3443		
KB 4044 L			55-4077		
KB 4045 L	S 4702 L				
KB 4046 L			55-3987		
KB 4047 L			55-3985		
KB 4048 L	S 4686 L			31134131	
KB 4049 L	S 4653 L				
KB 4052 L				23517(27100)	
KB 4053 L			55-4102		
KB 4054 L				OVN0111213	
KB 4057 L			55-4099	0604.37	
KB 4058 L				90999-73140	
KB 4064 L				23517(2A700)	
KB 4068 L			55-3567		
KB 4070 L				1S7Q-6207-BA	
KB 4071 L				11701-54080-01	
KB 5002 L			55-3443	074105431	
KB 5004 L				6C1Q-6207-AA-N	
KB 6001 L				R55647 x 6	
KB 6002 L	S 6580 L	VPS 96200			
KB 6003 L	S 6556 L	VPS 96010			
KB 6004 L	S 6554 L	VPS 96164			
KB 6005 L	S 6555 L	VPS 96019			
KB 6006 L	S 6564 L	VPS 96110			
KB 6007 L				826F-6207-GAA	
KB 6008 L	S 1509 L x 6	VPS 96311 x 6	55 - 2641 x 6		

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KB 6009 L	S 6587 L				
KB 6010 L	S 6586 L				
KB 6012 L	S 6532 L			31134151 x 6	740407M1 x 6
KB 6013 L	S 1552L x 6				
KB 6016 L				826F-6207-GAA	
KB 6018 L	S 6597 L			31134131	
KB 6020 L	S 6699 L				
KL 10001 LC	B 1110 LC x 10	VPR 92207 x 10	71 - 2834 / 10		
KL 10002 LC			71 - 1968 / 10		
KL 10006 LC			71 - 0711 / 12		
KL 1002 LC			71 - 0704		
KL 1009 LC	GS 158 LC	VPR 91467	1480 CP	2137750	
KL 1029 LC	B 1041 LC	VPR 626			
KL 1030 LC	B 1069 LC	VPR 91386			
KL 1045 LC	B 1077 LC	VPR 91542		572-50650	
KL 1046 LC	B 1082 LC	VPR 91574		512-271005	
KL 1049 LC	B 1080 LC	VPR 92198		3055351R91	
KL 1058 SA	GS 754 SA		3325 APA	AT 21138	RE 27348
KL 1079 LC				836110552	
KL 1090 LC				836006501	
KL 1096 LC	B 1134 LB	VPR 91922	66510 CP	062.1225.0	039.1225.0
KL 1113 LC	B 1125 LB	VPR 91975	1010 CP	1930181	
KL 1114 SA	GS 1628 SA		3105 RA	CFPN6211A	
KL 1122 SA		VPR 91809	66630 CP	1901609	
KL 1123 LC	B 1123LB	VPR 91809 LB			
KL 1124 LC				2404.03.1076	
KL 1128 LC	B 1110 LB	VPR 92207	71 - 2834		
KL 1130 LC	B 1166 LB	VPR 92594	66730 CP	5001847956	
KL 1131 LC		VPR 01028	4370 CP	5001847983	
KL 1133 SA	B 1064 SA	VPR 858			
KL 1135 LC				3901170 x 1	
KL 1141 LC				RE 65908	RE 65909 (0.10)
KL 1144 LC				87790304	
KL 1145 LC				AR 97517	RE 47867
KL 1147 LC				3969562	
KL 12017 LC	B 6548 LC x 12				
KL 12020 LC	B 1110 LC x 12	VPR 92207 x 12	71 - 2834 / 12		
KL 12021 LC			71 - 1968 / 12		
KL 2001 LC			71 - 0704 / 2		
KL 2009 LC	B 2094 LC	VPR 92318			
KL 2019 LC	B 2036 LC				
KL 2058 LC	B 2042 LC	VPR 717			
KL 2069 SA	B 2099 SA				
KL 2071 LC	B 1125 LB x 2	VPR 91975 x 2	1010 CP X 2	1930181 (2)	

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KL 2075 LC	B 1082 LC X 2	VPR 91574 x 2		512271005	
KL 2076 LC	B 1077 LC X 2	VPR 91542 x 2			
KL 2078 LC				115.03.176	
KL 2078 SA			60990 CP	115.03.122	
KL 3001 LC			71 - 0704 / 3		
KL 3007 LC	B 3044 LC				
KL 3008 LC	GS 158 LC	VPR 91467	1480 CP		
KL 3010 SA	B 3059 SA	VPR 92004 A	3 - 1180 RA	13041-87702-02	
KL 3011 LC	B 3014 LC				
KL 3012 LC	B 3042 LC				
KL 3017 SA	B 3022 SA	VPR 863 A	3 - 2015 CPA	85036	737070M91
KL 3019 LC (---> 1979)	B 1075 x3		60990 CP	11503176	
KL 3019 SA (---> 1979)	B 1075 x3		60990 CP	11503176	
KL 3035 LC			3 - 60965 CP		
KL 3041 LC	B 3051 LC	VPR 92330			
KL 3044 LC	B 4418 LC				
KL 3051 SA	B 3047 SA	VPR 91179 A	3 - 3105 RA	CFPN6211A	
KL 3055 LC (1980 --->)	B 1123 x 3	VPR 91809 x 3	66630 CP x 3	1901609 x 3	
KL 3055 SA (1980 --->)	B 1123 x 3	VPR 91809 x 3	66630 CP x 3	1901609 x 3	
KL 3056 LC	B 1125 LC x 3	VPR 91975 x 3	1010 CP x 3	1930181 x 3	
KL 3057 SA	B 3061 SA		3 - 3325 APA		
KL 3060 LC				U5ME0005	
KL 3062 LC	B 1080 LC x 3	VPR 92198	71 - 2438 / 3	3055351R91	
KL 3063 LC	B 1083 LC x 3				
KL 3064 LC	B 1077 LC x 3	VPR 91542			
KL 3065 SA			71 - 2203 / 3		
KL 3068 LC				2306027900	
KL 3069 LC				U5ME0018	
KL 4002 LC	B 4428 LC				
KL 4005 LC	GS 158 LB x 4	VPR 91467 x 4	71 - 2800 / 4		
KL 4007 LC			71 - 0704 / 4		
KL 4021 LC	B 4458 LC		4 - 2530 AP		
KL 4045 LC	B 4265 LC				
KL 4055 LC				U5ME0006	3637505M91
KL 4055 SA	B 4438 SA	VPR 91193 A	4 - 3135 AP	85042	
KL 4070 SA	B 4424 SA	VPR 91130 A	4 - 2915 CP		
KL 4078 SA	B 4309 SA	VPR 865 A	4 - 2015 CPA	85035	737066M91
KL 4079 LC	B 4714 LC	VPR 92264 LC	4 - 60965 CP	8556865	
KL 4083 SA	B 4678 SA		4 - 3920 RA	13041-54024-01	
KL 4115 SA	B 4466 SA	VPR 91219 A	4 - 60985 RA		
KL 4131 SA	B 4451 SA	VPR 91069 A	4 - 3055 CP		
KL 4137 SA	B 4250 SA	VPR 742 A	4 - 2245 RAA	81854542	
KL 4142 SA	B 4674 SA		4 - 1730 RA	13041-10020-01	
KL 4149 SA	B 4454 SA	VPR 91418 A			

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KL 4153 SA	B 4355 SA	VPR 819	4 - 2785 RA	731M 6211 A2A	
KL 4163 SA	B 4431 SA	VPR 91214 A			
KL 4168 LC	B 1077 LC				
KL 4170 SA	B 4508 SA	VPR 91428 A	01-4138/4	6211 BAA	77.01.348.416 / 77.01.474.892
KL 4172 LC	B 1080 LC x 4	VPR 92198 x 4	71 - 2438 / 4	3055351R91	
KL 4178 LC (---> 1979)	B 4909 SA		60990 CP	11503122	
KL 4178 SA (---> 1979)	B 4909 SA		60990 CP	11503122	
KL 4179 SA	B 4297 SA	VPR 91860 A		3070536R11	
KL 4183 SA	B 4564 SA	VPR 91572 A	4 - 66315 RA		
KL 4184 SA	B 4631 SA		4 - 3325 AP	AT 21138 x 4	RE 27348 x 4
KL 4193 SA	B 4402 SA	VPR 91017 A	4 - 65050 CP		
KL 4195 SA	B 4449 SA	VPR 91181 A	4 - 3105 RA	DFPN6211B x 4	CFPN6211A
KL 4198 SA			71 - 2203 / 4	407030013	
KL 4201 LC	B 4512 LC	VPR 91173 LC	4 - 65385 CP		
KL 4202 SA	B 4509 SA	VPR 91349 A	01-4142/4	73HM 6211 A2A	
KL 4203 SA				198516091	
KL 4206 LC (1980 --->)	B 1123 LC x 4	VPR 91809 x 4	4 - 66630 CP	1901609 x 4	
KL 4206 SA (1980 --->)	B 1123 LC x 4	VPR 91809 x 4	4 - 66630 CP	1901609 x 4	
KL 4211 SA	B 4519 SA	VPR 91424 A	01-4183/4	844F 6211 A1A	
KL 4213 SA				10303124	
KL 4214 SA	B 4615 SA	VPR 91867 A	01-4195/4	060671.02	
KL 4215 LC	B 1125 LB x 4	VPR 91975 x 4	4 - 1010 CP	1930181 x 4	
KL 4216 SA	B 4729 SA	VPR 92190 A	01-4176/4	7597964	
KL 4217 SA	B 4524 SA	VPR 91513 A	01-4180/4	21010100010400	
KL 4218 LC	B 4522 LC				
KL 4223 SA	B 4494 SA	VPR 91925 A	01-4259/4	047 105701	
KL 4224 SA	B 4680 SA	VPR 92456 A	71-4311	77.01.349.572	
KL 4227 SA	B 4600 SA	VPR 92187 A	01-4127/4		
KL 4230 LC	B 4597 LC	VPR 92420 LC			
KL 4232 SA	B 4506 SA	VPR 91344 A			
KL 4233 LC	B 4650 LC	VPR 92034 LC	4 - 3970 CP	OK6Z01SEO	
KL 4234 SA	B 4488 SA				
KL 4235 LC	B 4771 LC		4 - 4340 CP	12111-43G00	
KL 4236 LC	B 1097 LC x 4		71 - 3029 / 4		
KL 4238 SA	B 4373 SA	VPR 847 A	4 - 2865 RA		
KL 4240 SA	B 4633 SA	VPR 92032 A	4 - 3975 RA	F801-23-105A	OK7Y011SEO
KL 4241 SA	B 4433 SA	VPR 882 A	4 - 2870 RA		
KL 4242 LC			4 - 4205 CP	3901170 x 4	
KL 4247 SA	B 4423 SA	VPR 91073 A	4 - 2950 RA		
KL 4249 SA			01-3557/4		
KL 4253 SA	B 4601 SA	VPR 91933 A	01 - 3504 SA		
KL 4257 LC	B 4601 SA		71 - 3504 / 4		
KL 4258 SA	B 4620 SA	VPR 91935 A	4 - 68140 CP		

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KL 4260 SA	B 4613 SA	VPR 91877 A	4 - 3910 RA	OK3Y0-11-SEO	8034-23-105
KL 4261 SA	B 4796 SA	VPR 92776 A		615386888WM6211	
KL 4263 SA	B 4626 SA		4 - 66675 AP	MD026430	
KL 4265 LC	B 4767 LC	VPR 92043 LC	4 - 1600 CP	ME012205	ME999654
KL 4268 LC			4-2975 CP		
KL 4270 LC			71 - 3167 / 4		
KL 4273 LC	B 1077 LC x 4				
KL 4274 SA				23060-22540	
KL 4275 SA				OK6Z211SEO	
KL 4277 LC	B 1143 LB X4	VPR 91978 X4	1010 CPA	1930201 x 4	
KL 4278 LC	B 4491 SA	VPR 91613 A	4 - 67230 CP	12111-21000	
KL 4279 LC			71 - 2654 / 4		
KL 4281 LC	B 4805 LC	VPR 92816	71-4167/4	924F 6211 A1A	
KL 4282 SA				46548176	
KL 4283 SA		VPR 93007	01-4202/4	77.11.130.062	
KL 4284 SA	B 4644 SA	VPR 92000 A	01-4200/4	0113.91	0606.80
KL 4285 LC	B 4780 SA		01-4148/4	938M 6211 A1A	
KL 4286 LC	B 4622 LB	VPR 91905	71-3694/4	200105600KS	
KL 4287 LC			01-4040/4	TAM T6210FCS	
KL 4289 SA				46548176	
KL 4290 SA	B 4679 SA	VPR 92494 A	71-3639/4	962320715	622808
KL 4291 LC		VPR 04044 AL	71-4129/4	71728417 x 8	
KL 4293 LC			AEB 4761 LC		
KL 4294 LC	B 4673 LC	VPR 92123 LC	71-3626-4	622729	
KL 4295 SA	B 4676 SA		4 - 1025 RA	13041-15030-01	
KL 4296 LC		VPR 92843	71-4130/4	1901985	0606.Q8
KL 4298 LC		VPR 04036	71 - 3728 / 4	213105600KS	
KL 4300 LC				12111-9C625	
KL 4301 SA	B 4393 SA	VPR 91006 A	4 - 60000 RA		
KL 4302 LC		VPR 04521 SP	71-4246/4	0606.T4	
KL 4303 SA	B 4655 SA	VPR 92062 A	4 - 66755 RA	12181-73000	12181-81051-0A0
KL 4304 LC				ME999153	
KL 4306 LC			71-3986/4	0606.T0	0606.K9
KL 4307 LC		VPR 04524 LA	01-4033/4	71732995	622779
KL 4309 LC				2361142100	
KL 4311 LC	B 4647 LC				
KL 4314 SA				2601.03.1065	
KL 4315 LC				U5ME0013	
KL 4317 LC	B 4774 SA	VPR 92634 A	71-4297/4	8-94151-604~606-0	622701
KL 4318 LC				23060-4A930	
KL 4320 LC			71-4151/4	4M5Q-6211-AA	
KL 4321 LC			71-3566/4	307105600KS	
KL 4322 LC				12111-AD200-01	
KL 4323 SA			01-4163/4		

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KL 4326 LC	B 4691 LB	VPR 92347			
KL 4334 LC	B 92195		4 - 1150 CP		
KL 4336 SA			01-4154/4	55192670	
KL 4339 LC		VPR 04010 SP	71-3952/4		
KL 4341 SA			4 - 4705 A	13041-0D040-01	
KL 4343 SA			AEB 4764		
KL 4346 LC				77.01.473.613	
KL 4354 LC			71-4066/4	4C1Q-6211-AA	
KL 4355 LC			71-3951/4	0606.PO	
KL 4356 LC			71-3781/4	0606.K8	
KL 4357 LC				RE65908 x 4	
KL 4359 LC			71-3988/4	77.11.130.049	
KL 4361 LC				23060-2A903	
KL 4362 LC			01-4131/4		
KL 4367 SA			01-4149/4		
KL 4370 SA			01-4162/4		
KL 4374 LC		VPR 04503		WLY111SEO	
KL 4375 LC		VPR 04512	71-4243/4	77.01.475.987	121504680 R
KL 4376 SA				23060-27920-A	
KL 5011 LC	B 1097 LC x 5				
KL 5014 LC			71 - 2800 / 5		
KL 5020 LC			71 - 3847 / 5		
KL 6019 LC		VPR 92594 LC x 6	6 - 66730 CP		
KL 6034 LC	B 6341 LC			U5ME0003	
KL 6034 SA	B 6341 SA	VPR 891 A	6 - 3135 AP	85043	736934M91
KL 6041 LC	B 6347 LC				
KL 6042 LC	GS 158 LC	VPR 91467	1480 CP		
KL 6044 LC			71 - 0704 / 6		
KL 6074 LC	B 6422 LC				
KL 6081 LC	B 6240 LC				
KL 6115 LC	B 6382 LC	VPR 410	71 - 3480		
KL 6125 SA	B 6291 SA	VPR 867 A	6 - 2015 CPA	85034	RE 27348 x 6
KL 6142 LC	B 6521 LC				
KL 6154 SA	B 6409 SA	VPR 91420 A	6 - 66305		
KL 6155 SA	B 6289 SA	VPR 744 A	6 - 2245 RAA		
KL 6158 LC	B 6473 LC	VPR 91861	6 - 65350 RA	723F 6211 AA1A	
KL 6176 LC	B 6548 LC				
KL 6179 SA	B 6405 SA	VPR 91201 A	6 - 3055 CP	ZZL2-11-SEO	
KL 6186 LC			71 - 1968 / 6		
KL 6202 LC	B 6474 LC				
KL 6203 LC			71 - 0711 / 6		
KL 6205 LC	B 1080 LC x 6	VPR 92198 x 6	71 - 2438 / 6	3055351R91 x 6	
KL 6209 SA	B 6387 SA	VPR 91132 A	6 - 2915 CP		
KL 6222 SA	B 6571 SA		6 - 3325 AP	AT 21138 x 6	

ŞAHİN	GLACIER	VANDERVELL	F.MOGUL/GLYCO	OEM I	OEM II
KL 6225 LC	B 6517 LC	VPR 436			
KL 6233 LC			71 - 2654 / 6		
KL 6242 LC	B 6338 LC				
KL 6261 LC	B 1132 LB X 6	VPR 91974		1901619	
KL 6277 LC	B 6577 LC	VPR 92714 LC			
KL 6288 LC	B 1097 LC x 6				
KL 6292 LC			6 - 4205 CP	3901170 x 6	
KL 6294 LC				3901430 x 6	
KL 6297 LC			71 - 2995 / 6		
KL 6298 SA	B 6496 SA	VPR 92499 A	6 - 3105 RA	839067801 x 6	DFPN6211AB
KL 6303 LC	B 1110 LC x 6	VPR 92207 x 6	71 - 2834 / 6		
KL 6304 LC	B 1125 LB x 6	VPR 91975 x 6	1010 CP x 6	1930181 x 6	
KL 6305 LC	B 1123 LC x 6	VPR 91809 x 6	6 - 66630 CP		
KL 6306 SA	B 6420 SA	VPR 91246			
KL 6308 LC	B 1077 LC x 6				
KL 6309 LC	B 6524 LC	VPR 92520 LC	6 - 3950 CP	5-12271-010-0	
KL 6312 LC			6 - 60990 CP	11503176	
KL 6312 SA				11503122	
KL 6321 LC	B 6651 LC				
KL 6322 LC	B 6579 LC	VPR 92708 LC			
KL 6330 LC				U5ME0025	
KL 8019 LC			71 - 1968 / 8		
KL 8021 LC			71 - 0711 / 8		
KL 8041 LC	B 8111 LC				
KL 8045 LC	B 1110 LC x 8	VPR 92207 x 8	70 - 2834 / 8		