



## **W** TABLE OF CONTENTS

#### **Centerfire Pistols**

Security-9®	3-6
Ruger American <sup>®</sup> Pistol	7-10
SR1911®	11-14
EC9s®	17
LC380CA™	17-18
LCP®/ LCP® II	19-20
Rimfire Pistols	
SR22®	21-24
Mark IV™	25-32
Silent-SR $^{\odot}$ .22 LR	33-36
22 Charger™	71-72
Double-Action Revolvers	
Ruger SP101 <sup>®</sup>	39-42
GP100®	43-46
Redhawk®	47-48
Super Redhawk®	49-50
LCR®	51-56
Single-Action Revolvers	
New Vaquero	59-60
New Model Super Blackhawk®	61-62
New Model Blackhawk®	63-64
New Model Single-Six®	65-68
New Bearcat®	69-70

#### **Autoloading Rifles**

10/22®	73-80
Silent-SR® ISB	81-84
PC Carbine™	85-88
AR-556®	89-96
Mini-14® and Mini Thirty®	97-102
Bolt-Action Rifles	
Ruger Precision® Rifle	103-106
Ruger Precision <sup>®</sup> Rimfire	107-110
Ruger American® Rifle	111-118
Ruger American® Rimfire	119-124
Ruger® Scout Rifle	125-128
Ruger⊗ Guide Gun	129-132
Hawkeye®	133-140
77-Series Rifles	141-144
Single-Shot Rifles	
No.1 Rifle	145-146
Rifle Magazines	147-148
Pistol Magazines	149-150
Legal Information	151-152
Contact Information	153-154

#### NEW PRODUCT QUICK REFERENCE

Security-9 <sup>®</sup> with Viridian <sup>®</sup> E-Series <sup>™</sup> Red Laser	
Security-9 <sup>®</sup> with Hogue® Grip	
SR1911 <sup>®</sup> Officer-Style in .45 Auto	
LCP® II with Extended Magazine	
Mark IV <sup>™</sup> 22/45 <sup>™</sup> Lite with Diamond Gray Anodized Finish and Laminate, Target Grips	
Mark $IV^{{}^{\scriptscriptstyle \mathrm{M}}}$ 22/45 $^{\scriptscriptstyle \mathrm{M}}$ Lite with Gold Anodized Finish and Black Barre	I
Mark IV <sup>™</sup> 22/45 <sup>™</sup> Lite with Black Anodized Finish and Gold Barre	I
Ruger SP101 <sup>®</sup> with Blued Finish	
Redhawk® with Sleeve and Shroud Barrel	
LCRx® with 3" Barrel and Adjustable Rear Sight in .357 Magnum	
10/22® Carbine with GO Wild® Camo Rock-Star Stock	
10/22® Carbine with Spinning Target and Hard Case	
10/22® Compact	
10/22® Target Lite with Red and Black Laminate Thumbhole Stoc	k
AR-556 <sup>®</sup> with Magpul <sup>®</sup> Furniture	
AR-556® Optics Carbine	
AR-556® MPR in .450 Bushmaster	

#### LEARN MORE ABOUT RUGER® PRODUCTS ONLINE:



Find us on Facebook



You Tube



pinterest.com/RugerFirearms

Ruger Precision® Rifle in .338 Lapua Magnum	105
Ruger Precision® Rifle in .300 Winchester Magnum	105
Ruger Precision® Rimfire in .17 HMR	109
Ruger Precision® Rimfire in .22 WMR	109
Ruger American® Rifle Predator Left-Handed	117
Ruger® Scout Rifle in .450 Bushmaster	127
Hawkeye® Long-Range Target in 6.5 Creedmoor	138
Hawkeye® Long-Range Target in 6.5 PRC	138
Ruger 77/17® with Green Mountain Laminate Stock and Stainless Finish in .17 Hornet	143
Ruger 77/17® with American Walnut Stock and Blued Finish	143
LEFT-HANDED RIFLES	
Ruger American® Rifle Predator (Four Models)	117
Ruger⊗ Scout Rifle (One Model)	127
Ruger⊗ Guide Gun (One Model)	131

Hawkeye® African (One Model)

Hawkeye® FTW Hunter (Two Models)

93

95

135

139

# **SECURITY-9**°

When it comes to security, simple and affordable is hard to beat. Ideal for everyday carry and self-defense, the **Security-9**<sup>®</sup> is an affordable, rugged, mid-sized, centerfire pistol that provides everyday security in the perfect caliber and size, at the perfect price point.





### SECURITY-9®





### FOUR MODELS



## SECURITY-9°

#### **FEATURES**

- Compact for easy concealment, the mid-sized Security-9<sup>®</sup> is designed to fit a variety of available holsters.
- Rugged construction with blued, through-hardened alloy steel slide and barrel and high-performance, glass-filled nylon grip frame.
- Precision-machined, hard-coat anodized aluminum chassis with full-length guide rails.
- The Secure Action used in the LCP<sup>®</sup> II and Security-9<sup>®</sup> is derived from the reliable and proven hammer-fired LCP<sup>®</sup> fire control system. The Secure Action combines the smooth trigger pull of the LCP<sup>®</sup> with the short, crisp feel and positive reset of a single-action.
- Textured grip frame provides a secure and comfortable grip.

- Dovetailed, high-visibility sight system with drift adjustable rear sight and fixed front sight. Sights can be easily changed out for different color options (available separately).
- Internal, Secure Action hammer provides strong ignition force, yet allows for easier slide racking when compared with many striker-fired pistols.
   Front cocking serrations enable positive slide manipulation.
- Safety features include integrated trigger safety; external manual safety; neutrally balanced sear with significant engagement and strong spring tension; and hammer catch to help prevent the hammer from contacting the firing pin unless the trigger is pulled.
- Safe, easy takedown with no special tools or trigger pull required.
- Also includes: two alloy steel magazines.







Textured Grip Frame For Secure and Comfortable Grip



Front Cocking Serrations



Eye-Catching Sights for Superior Visibility



External Manual Safety



Secure Action Fire Control System Provides the Crisp Feel of a Hammer-Fired Single-Action

			COMPARE											
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Feature	Sights	Barrel Length	Overall Length	Height	Slide Width	Weight	Twist	Suggested Retail
	3810*	9mm Luger	15+1	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	-	Drift Adjustable 3-Dot	4''	7.24''	5''	1.02''	23.8 oz.	1:10''	\$379.00
	3811**	9mm Luger	10+1	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	-	Drift Adjustable 3-Dot	4''	7.24''	5''	1.02''	23.8 oz.	1:10''	\$379.00
NEW	3816*	9mm Luger	15+1	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	Viridian⊚ E-Series™ Red Laser	Drift Adjustable 3-Dot	4''	7.24''	5''	1.02''	24.3 oz.	1:10''	\$439.00
NEW	3819*	9mm Luger	15+1	Alloy Steel/ Blued	Black, High- Performance, Glass-Filled Nylon	Hogue® Grip	Drift Adjustable 3-Dot	4''	7.24''	5''	1.02''	24.5 oz.	1:10''	\$399.00

\* Some magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines. \*\* Ships with two, 10-round magazines.





# **RUGER AMERICAN<sup>®</sup> PISTOL**

Designed with the latest U.S. Military Standards in mind, the **Ruger American**<sup>®</sup> **Pistol** is built to perform in the harshest conditions. A true American innovation, this pistol is a revolutionary platform for Ruger – one that combines a recoil-reducing barrel cam (which is designed to better spread recoil energy over time) with a low-mass slide, low center of gravity and low bore axis to provide an unparalleled shooting experience.



9mm LUGER




#### **RUGER AMERICAN® PISTOL**





### FIFTEEN MODELS





## **W** RUGER AMERICAN<sup>®</sup> PISTOL

#### **FEATURES**

- Pre-tensioned striker system features a powerful striker spring for positive ignition without a heavier trigger pull.
- Barrel cam distributes recoil forces over a longer period of time to reduce felt recoil.
- Safe, easy takedown with no tools or trigger pull required.
- Rigid, one-piece, precision-machined, black nitrided, stainless steel chassis with integral frame rails and fire control housing.
- Modular, wrap-around grip system allows for adjustment of palm swell and trigger reach to fit a wide range of hand sizes. Ergonomic grip modules lock in solidly and do not loosen.
- Genuine Novak® LoMount Carry three-dot sights with wide rear notch for rapid sight acquisition and alignment.
- Ambidextrous slide stop and magazine release.
- Performance tested for sustained +P ammunition use.

- Black nitride finish on stainless steel slide and chassis is durable, non-reflective and corrosion-resistant.
- MIL-STD-1913 Picatinny rail acts as a mounting point for a wide variety of standard lights and lasers.
- Non-slip surfaces include functional slide serrations and purpose-oriented grip frame texturing for enhanced control.
- Safety features include internal, automatic sear block system, ambidextrous manual safety and integrated trigger safety.
   Pro models come without manual safety.
- Also includes: two nickel-Teflon<sup>®</sup> plated steel magazines; small (9mm Luger models only), medium and large grip modules.

9mm RUGER AMERICAN® PISTOL OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT PRODUCT SAFETY BULLETIN FROM RUGER!





Short Takeup Trigger with Positive Reset



Recoil-Reducing Barrel Cam, Low-Mass Slide, Low Center of Gravity and Low Bore Axis



Safe, Easy Takedown with No Tools or Trigger Pull Required



Genuine Novake LoMount Carry Three-Dot Sights

Modular, Wrap-Around Grip System for Adjusting Palm Swell and Trigger Reach



Ambidextrous Slide Stop, Manual Safety and Magazine Release Allow Actuation with Either Hand (Pro Models Come without External Safety)

\* Some magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines. \*\* Ships with large grip module installed.



	COMPARE												_
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Safety Option	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
8605* Pro	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.20''	7.50''	5.60''	1.40''	30 oz.	1:10''	\$579.00
8607 Pro	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.20''	7.50''	5.60''	1.40''	30 oz.	1:10''	\$579.00
8608*	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20''	7.50''	5.60''	1.50''	30.5 oz.	1:10''	\$579.00
8638	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20''	7.50''	5.60''	1.50''	30.5 oz.	1:10''	\$579.00
8661**	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.20''	7.50''	5.60''	1.50''	30.5 oz.	1:10''	\$579.00
8615 Pro	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	4.50''	8''	5.70''	1.40''	31.5 oz.	1:16''	\$579.00
8618	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.50''	8''	5.70''	1.50''	32.5 oz.	1:16''	\$579.00
8680**	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	4.50''	8''	5.70''	1.50''	32.5 oz.	1:16''	\$579.00

#### **RUGER AMERICAN® PISTOL COMPACT**



	COMPARE												
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Safety Option	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
8635* Pro	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.55''	6.65''	4.48''	1.40''	28.7 oz.	1:10''	\$579.00
8637 Pro	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak⊚ LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.55''	6.65''	4.48''	1.40''	28.7 oz.	1:10''	\$579.00
8639*	9mm Luger	17+1	Stainless Steel/ Black Nitride	One-Piece, High- Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Manual Safety	3.55''	6.65''	4.48''	1.50''	29.2 oz.	1:10''	\$579.00
8633	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak⊚ LoMount Carry 3-Dot	Manual Safety	3.55''	6.65''	4.48''	1.50''	29.2 oz.	1:10''	\$579.00
8663**	9mm Luger	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak⊚ LoMount Carry 3-Dot	Manual Safety	3.55''	6.65''	4.48''	1.50''	29.2 oz.	1:10''	\$579.00
8645 Pro	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak® LoMount Carry 3-Dot	Integrated Trigger Safety Only	3.75''	7.25''	4.65''	1.40''	28.6 oz.	1:16''	\$579.00
8648	45 Auto	10+1	Stainless Steel/ Black Nitride	One-Piece, High-Performance, Glass-Filled Nylon	Novak⊚ LoMount Carry 3-Dot	Manual Safety	3.75''	7.25''	4.65''	1.50''	29 oz.	1:16''	\$579.00



Available with or without Manual Safety



Available with or without Manual Safety

# **SR1911**°

to make an ergonomic, accurate, rugged and reliable pistol.





## **SR1911**<sup>®</sup>

#### **FEATURES**

- Classic, original 1911 fire control.
- Precision CNC-controlled machining process results in a superior slide-to-frame fit and smooth slide travel.
- Positive barrel lock-up allows for superior accuracy out of the box.
- Oversized ejection port and extended magazine release enhance performance.
- Traditional design with replaceable grip panels and checkered backstrap.
- Lightweight, aluminum, skeletonized trigger provides a very crisp, no creep, light trigger pull with a quick, positive reset.
- Skeletonized hammer and titanium firing pin for faster lock time.
- Oversized beavertail grip safety provides positive function and reliability.
- Extended thumb safety and slide stop lever for improved, positive manipulation.

- Integral plunger tube for slide stop and thumb safety is not staked and will never come loose.
- Features a flat mainspring housing and rear slide serrations for a positive grip.
- Inspection port allows for visual confirmation of a loaded or empty chamber.
- Accepts most standard, aftermarket 1911 parts and accessories.
- Models 6758, 6762, 6739 and 6759 feature a bushingless bull barrel.
- Model 6711 features a polished titanium feed ramp.
- Also includes: two stainless steel magazines.



Available in a Variety of Grip Configurations

478-82445 SR391

Lightweight, Aluminum,

Skeletonized Trigger



Superior Slide-to-Frame Fit



Oversized Beavertail Grip Safety



Stainless Steel Barrel and Bushing (Excludes Models 6758, 6762, 6739 and 6759)





Drift Adjustable Novak® Three-Dot Sights

Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist	Suggested Retail
6700*	45 Auto	8+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Hardwood	Drift Adjustable Novak® 3-Dot	5''	8.67''	5.45''	1.34''	39 oz.	1:16''	\$939.00





	COMPARE												_
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist	Suggested Retail
6702**	45 Auto	7+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Hardwood	Drift Adjustable Novak® 3-Dot	4.25''	7.75''	5.45''	1.34''	36.4 oz.	1:16''	\$939.00
6711**	45 Auto	7+1	Stainless Steel/ Low-Glare Stainless	Aluminum/ Black Anodized	Hardwood	Drift Adjustable Novak® 3-Dot	4.25''	7.75''	5.45''	1.34''	29.3 oz.	1:16''	\$979.00
6722***	9mm Luger	9+1	Stainless Steel/ Low-Glare Stainless	Aluminum/ Gray Anodized	Black Rubberized	Drift Adjustable Novak® 3-Dot	4.25''	7.75''	5.45''	1.34''	29.3 oz.	1:10''	\$979.00

SR1911<sup>®</sup> OFFICER-STYLE





Steel and Aluminum Frames Available

		COMPARE												_
	Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels	Sights	Barrel Length	Overall Length	Height	Width	Weight †	Twist	Suggested Retail
	6758**	9mm Luger	7+1	Stainless Steel/ Low-Glare Stainless	Aluminum/ Black Anodized	Deluxe Checkered G10	Drift Adjustable Novak® 3-Dot	3.60''	7.25''	5''	1.34''	27.2 oz.	1:10"	\$979.00
NEW	6762**	45 Auto	7+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Deluxe Checkered G10	Drift Adjustable Novak® 3-Dot	3.60''	7.25''	5''	1.34''	31 oz.	1:16''	\$979.00



Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame/ Finish	Grip Panels
6736*	45 Auto	8+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Deluxe Checkered G10
6739*	10mm Auto	8+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Black Rubberized
6759***	9mm Luger	9+1	Stainless Steel/ Low-Glare Stainless	Stainless Steel/ Low-Glare Stainless	Deluxe Checkered G10

\* Ships with one, 7-round and one, 8-round magazine. \*\* Ships with two, 7-round magazines. \*\*\* Ships with two, 9-round magazines. † With empty magazine.



Drift Adjustable Novak® Three-Dot Sights



Steel and Aluminum Frames Available





Deluxe Checkered G10 Grip Panels



3.60" Officer-Style Barrel Length with Bushingless Bull Barrel





Barrel

Length

5''

5''

5'





Adjustable Target Sights

Overall Length	Height	Width	Weight †	Twist	Suggested Retail
8.67''	5.45''	1.34''	39 oz.	1:16''	\$1,019.00
8.67''	5.45''	1.34''	40.4 oz.	1:16''	\$1,019.00
8.67''	5.45''	1.45''	41.9 oz.	1:10"	\$1,019.00

Sights els

Adjustable

Adjustable

Target

Target Adjustable

Target

8.67'' 5.45''

# RUGER<sup>®</sup> LIGHTWEIGHT, COMPACT PISTOLS

Ruger offers lightweight, compact pistols for every personal protection need.









#### RUGER<sup>®</sup> LIGHTWEIGHT, COMPACT PISTOLS



## EC9s®

#### **FEATURES**

- Striker-fired with a short, light, crisp trigger pull for faster, more accurate shooting.
- Slim, lightweight and compact for personal protection. Just slightly larger than the popular and incredibly compact LCP®.
- Rugged construction with through-hardened steel slide and one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and improved grip.

- Sights are machined integrally with the slide and feature glare-reducing, rear-facing serrations.
- Blued, alloy steel barrel.
- Safety features include integrated trigger safety, manual safety, magazine disconnect and inspection port that allows for visual confirmation of a loaded or empty chamber.
- Also includes: one, 7-round magazine.





### **CONSIDER THE NEW EC9s®** YOUR EVERYDAY AFFORDABLE, **CONCEALED CARRY PISTOL.**



Integral Sights

Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
3283	9mm Luger	7+1	Alloy Steel/Black Oxide	Black, High-Performance, Glass-Filled Nylon	Integral	3.12''	6''	4.50''	0.90''	17.2 oz.	1:10''	\$299.00

## 

### **FEATURES**

- Same compact size as the popular EC9s® with the reduced recoil of the .380 Auto cartridge for a softer-shooting concealed carry pistol.
- Rugged construction with through-hardened steel slide and one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Dovetailed, high-visibility, three-dot sight system with drift adjustable rear sight and fixed front sight.
- Blued, alloy steel barrel.
- Safety features include internal lock, manual safety, magazine disconnect and patented loaded chamber indicator that allows for visual confirmation of a loaded or 380 empty chamber. **AUTO**
- Also includes: one, 7-round magazine.





<b>380CA</b> ™		
----------------	--	--

Model Number	Caliber	Capacity	Slide/Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
3253	380 Auto	7+1	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Drift Adjustable 3-Dot	3.12''	6''	4.50''	0.90''	17.2 oz.	1:16''	\$539.00

Available At ShopRuger.com



## 

#### **FEATURES**

- Compact and lightweight, the LCP<sup>®</sup> and LCP<sup>®</sup> II are designed to fit a variety of holsters.
- Textured grip frame provides a secure and comfortable grip.
- Fixed front and rear sights are integral to the slide, while the hammer is recessed within the slide.
- Rugged construction with through-hardened steel slide and one-piece, high-performance, glass-filled nylon grip frame.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and improved grip.

- LCP<sup>®</sup> II models feature the Secure Action fire control that combines the smooth pull of the LCP® with the short crisp feel and positive reset of a single-action.
- LCP<sup>®</sup> II safety features include an integrated trigger safety; neutrally balanced sear with significant engagement and strong spring tension; and hammer catch to help prevent the hammer from contacting the firing pin unless the trigger is pulled.
- Blued, alloy steel barrel.
- Also includes: one magazine.














**Moon Shine Camo** Toxic<sup>®</sup> Grip Frame (Model 3769)



				COMPARE								
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
3701	380 Auto	6+1	Alloy Steel/ Blued	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.16''	3.60''	0.82''	9.6 oz.	1:16''	\$259.00
3752	380 Auto	6+1	Alloy Steel/ Blued	Black, High-Performance, Glass-Filled Nylon	Integral/Viridian® E-Series™ Red Laser	2.75''	5.16''	3.60"	0.82''	10.4 oz.	1:16''	\$349.00
3763	380 Auto	6+1	Alloy Steel/ Blued	Harvest Moon⊚ High- Performance, Glass-Filled Nylon	Integral	2.75''	5.16''	3.60''	0.82''	9.6 oz.	1:16''	\$299.00
3769	380 Auto	6+1	Alloy Steel/ Blued	Toxic® High-Performance, Glass-Filled Nylon	Integral	2.75''	5.16''	3.60''	0.82''	9.6 oz.	1:16''	\$299.00

#### LCP® II

Model

Number 3750

3758

3765

3767

NEW 3787



Moon Shine Camo® Harvest Moon® Grip Frame (Model 3767)



**Moon Shine Can Toxic® Grip Frame** (Model 3765)



		-	COMPARE								
Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Barrel Length	Overall Length	Height*	Width	Weight	Twist	Suggested Retail
380 Auto	6+1	Alloy Steel/ Blued	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.17''	3.71''	0.91''	10.6 oz.	1:16''	\$349.00
380 Auto	6+1	Alloy Steel/ Blued	Black, High-Performance, Glass-Filled Nylon	Integral/Viridian∞ E-Series™ Red Laser	2.75''	5.17''	3.71''	0.91''	11.4 oz.	1:16''	\$439.00
380 Auto	6+1	Alloy Steel/ Blued	Toxic® High-Performance, Glass-Filled Nylon	Integral	2.75''	5.17''	3.71''	0.91''	10.6 oz.	1:16''	\$399.00
380 Auto	6+1	Alloy Steel/ Blued	Harvest Moon⊚ High- Performance, Glass-Filled Nylon	Integral	2.75''	5.17''	3.71''	0.91''	10.6 oz.	1:16''	\$399.00
380 Auto	7+1	Alloy Steel/ Blued	Black, High-Performance, Glass-Filled Nylon	Integral	2.75''	5.17''	4.40''	0.91''	11 oz.	1:16''	\$399.00

#### LCP<sup>®</sup> II FEATURES




Larger Grip Surface for Better Distribution of Recoil Forces



Improved Sights for Superior Visibility







## SR22°

The do-it-all .22 LR pistol for the shooter who appreciates style and demands reliability, the **SR22**<sup>®</sup> is packed with versatile features. It is lightweight, easy to field strip, fun to shoot and will run reliably with a wide variety of ammunition (not just high-velocity ammunition).





#### SR22®











## SR22<sup>®</sup>

#### **FEATURES**

- Light double-action and crisp single-action trigger pulls.
  External hammer is designed with a rounded spur for easy cocking and single-action shooting.
- Polymer frame and two interchangeable rubberized grips with angled serrations allow shooters to select either a slim or wider palm swell option (no tools required).
- The aerospace-grade aluminum slide has serrations on both the front and rear for better grip and slide manipulation.
- The dovetailed, high-visibility, three-dot sight system has a fixed front sight and a rear sight that is both windage- and elevation-adjustable. A reversible blade allows shooters to select two white dots or a solid black blade.

- The easy-to-use underside Picatinny rail features multiple cross slots for variable mounting of most popular accessories.
- Inspection port allows for visual confirmation of a loaded or empty chamber.
- Readily replaceable stainless steel barrel.
- Ambidextrous manual thumb safety/decocking lever and magazine release.
- Easy to field strip.
- Also includes: two, 10-round magazines; two finger grip extension floorplates.







			COMPARE		_				_				
Model Number	Caliber	Capacity	Slide/ Finish	Grip Frame	Sights	Thread Pattern	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
3600	22 LR	10+1	Aluminum/ Black Anodized	Black Polymer	Adjustable 3-Dot	-	3.50''	6.40''	4.90''	0.97''	17.5 oz.	1:16''	\$439.00
3604*	22 LR	10+1	Aluminum/ Black Anodized	Black Polymer	Adjustable 3-Dot	1/2''-28	3.50''	6.40''†	4.90''	0.97''	17.5 oz.	1:16''	\$479.00
3607	22 LR	10+1	Aluminum/ Silver Anodized	Black Polymer	Adjustable 3-Dot	-	3.50''	6.40''	4.90''	0.97''	17.5 oz.	1:16''	\$469.00
3620	22 LR	10+1	Aluminum/ Black Anodized	Black Polymer	Adjustable 3-Dot	-	4.50''	7.40''	4.90''	0.97''	18.7 oz.	1:16''	\$459.00
3633	22 LR	10+1	Aluminum/ Black Anodized	Toxic® Polymer	Adjustable 3-Dot	-	3.50''	6.40''	4.90''	0.97''	17.5 oz.	1:16''	\$479.00
3637	22 LR	10+1	Aluminum/ Black Anodized	Harvest Moon∞ Polymer	Adjustable 3-Dot	-	3.50''	6.40''	4.90''	0.97''	17.5 oz.	1:16''	\$479.00



External Hammer with a Rounded Spur for Easy Cocking



Fixed, White Dot Front Sight and Adjustable Rear Sight with Reversible Blade



Picatinny Rail with Multiple Cross Slots for Mounting a Variety of Accessories



Reduced Moon Shine Camo® Grip Frame Models Available



Two Grip Options for Slim or Wider Palm Swell

\* Pistols with threaded barrels are not available in all states and locales due to laws containing feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms. † With thread protector installed.




# MARK IV

COMPETITION

Ruger has long set the standard for reliable, affordable and accurate .22 LR handguns, beginning with the introduction of the Standard Pistol in 1949. Since then, the Standard Pistol has undergone a series of enhancements with the development of the Mark I, Mark II<sup>™</sup>, Mark III<sup>™</sup> and now the Mark IV.<sup>™</sup> The Mark IV<sup>™</sup> maintains the classic look of the original but adds a simple, one-button takedown for quick and easy field stripping.

401024336





	SEVENTEE	N MODELS
	HUNTER	COMPETITION
	22/45 <sup>™</sup> LITE	22/45™ TACTICAL
~		

## **₩** MARK IV

#### **FEATURES**

- Simple, one-button takedown for quick and easy field-stripping and proper chamber-to-muzzle cleaning. Pressing a button in the back of the frame allows the barrel-receiver assembly to tilt up and off the grip frame without the use of tools.
- One-piece, precision CNC-machined grip frame.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Ergonomic bolt stop.
- Smoothly contoured, comfortable grip features a natural-pointing grip angle with replaceable, checkered or textured grip panels for a non-slip hold. Some models are also available with laminate, target grips featuring wrap-around finger grooves.
- Internal cylindrical bolt construction ensures permanent sight-tobarrel alignment and higher accuracy potential than conventional moving-slide designs.
- Contoured ejection port and easy-to-grasp bolt ears allow for durable and reliable operation round after round.

- Accurate sighting system features a drilled and tapped receiver for Weaver- or Picatinny-style rail for easy mounting of optics (rail included only on tactical models).
- Ambidextrous manual safety can be converted to left-side only with included washer.
- Features a conveniently located push-button magazine release on the left side of the frame.
- Magazine drops free on release for convenient reloading.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also includes: two, 10-round magazines.

RUGER® MARK IV™ OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT Product safety warning and recall notice from ruger!





Available in Multiple Barrel Configurations



Accurate, Adjustable Sighting System



Simple, One-Button Takedown for Quick and Easy Field-Stripping (No Tools Required)



Ambidextrous Manual Safety Positively Locks the Sear When Applied



Available in a Variety of Grip Configurations



## 🚱 MARK IV

#### MARK IV<sup>™</sup> STANDARD









One-Piece Aluminum Grip Frame

Checkered Synthetic Grips Tapered Barrel

1.46''

44.2 oz.

1:16''

\$799.00

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail	
40104	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Tapered	Checkered Synthetic	Fixed	4.75''	9''	5.40''	1.20''	28.2 oz.	1:16''	\$449.00	
40105	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Tapered	Checkered Synthetic	Fixed	6''	10.25''	5.40''	1.20''	30.1 oz.	1:16''	\$449.00	

#### MARK IV<sup>™</sup> TARGET





One-Piece, Aluminum or Stainless Steel Grip Frame Checkered Synthetic or Laminate, Target Grips


Fiber Optic Front, 6.88'' 11.12'' 5.50''

Bull Barrel (Model 40126 Features Threaded Barrel)

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40101	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	5.50''	9.75''	5.50''	1.20''	35.6 oz.	1:16''	\$529.00
40159	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Bull	Laminate, Target	Fixed Front, Adjustable Rear	5.50''	9.75''	5.50''	1.46''	35.8 oz.	1:16"	\$569.00
40103	22 LR	10+1	Stainless Steel/ Satin Stainless	Stainless Steel/ Satin Stainless	Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	5.50''	9.75''	5.50''	1.20''	42.8 oz.	1:16"	\$689.00
40126*	22 LR	10+1	Stainless Steel/ Satin Stainless	Stainless Steel/ Satin Stainless	Threaded Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	5.50''	9.75''	5.50''	1.20''	42.8 oz.	1:16"	\$699.00

#### MARK IV<sup>™</sup> HUNTER

40160 22 LR 10+1



. Adjustable Rear

\* Pistols with threaded barrels are not available in all states and locales due to laws containing feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.

Satin Stainless Satin Stainless

Stainless Steel/

Fluted

Bull

Laminate,

Target

Stainless Steel/

#### MARK IV<sup>™</sup> COMPETITION





One-Piece, Stainless Steel Grip Frame

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40112	22 LR	10+1	Stainless Steel/ Satin Stainless	Stainless Steel/ Satin Stainless	Slab- Sided Bull	Checkered Laminate with Thumb Rest	Fixed Front, Adjustable Rear	6.88''	11.12''	5.50''	1.75''	45.8 oz.	1:16''	\$749.00

#### MARK IV<sup>™</sup> TACTICAL





Picatinny Rails

Model Number	Caliber	Capacity	Upper/ Finish	Grip Frame/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40150*	22 LR	10+1	Alloy Steel/ Blued	Aluminum/ Anodized	Threaded Bull	Checkered Synthetic	Fixed Front, Adjustable Rear	4.40''	8.50''	5.50''	1.20''	34.6 oz.	1:16''	\$569.00





Checkered Laminate Grips with Thumb Rest

Slab-Sided Bull Barrel





Checkered Synthetic Grips

Threaded Barrel (1/2"-28) for Popular Muzzle Accessories

## **WARK IV**<sup>™</sup> 22/45<sup>™</sup>

#### **FEATURES**

- Simple, one-button takedown for guick and easy field-stripping and proper chamber to muzzle cleaning. Pressing a button in the back of the frame allows the barrel-receiver assembly to tilt up and off the grip frame without the use of tools.
- Lite models feature a lightweight, ventilated, aerospace-grade aluminum receiver and a tensioned stainless steel barrel.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Threaded barrel models feature a 1/2"-28 thread pattern for popular muzzle accessories (thread protector included).
- Comfortable, precision-molded polymer grip frame with a serrated frontstrap and checkered backstrap.
- Checkered, 1911-style grip panels for a great appearance and comfortable, non-slip hold.
- Ergonomic bolt stop.
- Internal cylindrical bolt construction ensures permanent sightto-barrel alignment and higher accuracy potential than conventional moving-slide designs.

- Contoured ejection port and easy-to-grasp bolt ears allow for durable and reliable operation round after round.
- Accurate sighting system features an adjustable rear sight and a factory-installed Picatinny rail for easy mounting of optics (excludes model 40107).
- Ambidextrous manual safety can be converted to left-side only with included washer.
- Features a conveniently located push-button magazine release on the left side of the frame.
- Magazine drops free on release for faster reloading.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also includes: two, 10-round magazines.



RUGER® MARK IV™ 22/45™ OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT PRODUCT SAFETY WARNING AND RECALL NOTICE FROM RUGER!



Lightweight, Ventilated, Aerospace-Grade Aluminum Receiver



Ambidextrous Manual Safety Positively Locks the Sear When Applied



Accurate Sighting System Features an Adjustable Rear Sight and a Factory-Installed Picatinny Rail for Easy Mounting of Optics (Excludes Model 40107)



Comfortable, Precision-Molded Polymer Grip Frame



Threaded Barrel Models Feature a 1/2"-28 Thread Pattern for Popular Muzzle Accessories

#### MARK IV<sup>™</sup> 22/45<sup>™</sup> LITE





Checkered 1911-Style or Laminate, Target Grips

				COMPARE											
	Model Number	Caliber	Capacity	Upper/ Finish	Barrel	Grip Frame	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
	43906*	22 LR	10	Aluminum/ Black Anodized	Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00
	43917	22 LR	10	Aluminum/ Diamond Gray Anodized	Non- Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00
NEW	43921	22 LR	10	Aluminum/ Diamond Gray Anodized	Non- Threaded	Polymer	Laminate, Target	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.50''	27 oz.	1:16''	\$599.00
NEW	43926*	22 LR	10	Aluminum/ Gold Anodized	Black, Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00
NEW	43927*	22 LR	10	Aluminum/ Black Anodized	Gold, Threaded	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.40''	5.50''	1.22''	25 oz.	1:16''	\$559.00

#### MARK IV<sup>™</sup> 22/45<sup>™</sup> TACTICAL



Model Number	Caliber	Capacity	Upper/ Finish	Barrel	Grip Frame	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40149*	22 LR	10	Alloy Steel/ Blued	Threaded Bull	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	4.40''	8.50''	5.50''	1.22''	33.3 oz.	1:16''	\$529.00

#### **MARK IV™ 22/45™**



Model Number	Caliber	Capacity	Upper/ Finish	Barrel	Grip Frame	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
40107	22 LR	10	Alloy Steel/ Blued	Bull	Polymer	Checkered 1911-Style	Fixed Front, Adjustable Rear	5.50''	9.75''	5.50''	1.22''	34.4 oz.	1:16''	\$409.00

\* Pistols with threaded barrels are not available in all states and locales due to laws containing feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.





Lightweight, Ventilated, Aerospace-Grade Aluminum Barrel-Receiver Assembly



Threaded Barrel (1/2"-28) for Popular Muzzle Accessories (Excludes Models 43917 and 43921)



Factory-Installed Top and Bottom Picatinny Rails



Threaded Barrel (1/2"-28) for Popular Muzzle Accessories



Bull Barrel

# **SILENT-SR**°

FACTICAL

Offering top-tier sound reduction, the **Silent-SR**<sup>®</sup> sound suppressor features best-in-class materials and an advanced design resulting in a lightweight, compact size. It was designed and built by Ruger utilizing the very latest in fluid dynamic simulation and computer numeric controlled (CNC) machining equipment.



### RATED FOR .22 LR FULL AUTO, .22 WMR, .17 HMR AND 5.7X28mm PISTOLS AND RIFLES. **REDUCES SOUND PRESSURE LEVELS BY UP TO 40 dB.**

#### THE SILENT-SR® IS COMPATIBLE WITH A HOST OF RUGER® FIREARMS

<sup>®</sup> Pistol with Threaded Barrel	22 Charger™/
/™ Target with Threaded Barrel	10
Mark IV <sup>™</sup> Tactical	10/2
/ark IV <sup>™</sup> 22/45 <sup>™</sup> Tactical	10/22 Takedov
Mark IV <sup>™</sup> 22/45 <sup>™</sup> Lite	10/22 Fluted .92

स्थलवः EWPORT, NH UR

Pistol Not Included

 $\mathcal{O}$ 

Silent-SR® (Model 19000)

SR22 Mark I



22 Charger™ Takedown

22<sup>®</sup> Tactical

® Target Lite

e with Threaded Barrel

Takedown® with " Diameter Barrel 10/22 Takedown® Lite

Ruger American® Rimfire Threaded Barrel Models

Ruger American® Rimfire Compact Threaded Barrel Models

Ruger Precision® Rimfire



## SILENT-SR<sup>®</sup>.22 LR

#### **FEATURES**

- Reduces sound pressure levels of .22 LR, .22 WMR, .17 HMR and 5.7x28mm pistols and rifles by up to 40 dB.
- Rated for .22 LR full auto, .22 WMR, .17 HMR and 5.7x28mm pistols and rifles. Features a standard 1/2"-28 thread pattern for compatibility with most threaded rimfire firearms.
- Patent-pending outer tube and muzzle mount are interlocked to prevent inadvertent disassembly when removing the suppressor from your firearm. Disassembly tool is included.
- Compact and lightweight for balance and portability.
- Easy to disassemble and clean; each piece snaps together to seal the baffles and keep the byproducts of combustion away from the tube and end caps.

• Utilizing a titanium tube, aluminum rear cap, and stainless steel thread mount, baffles and front cap, Ruger has selected the best material for each part to maximize strength and minimize weight without sacrificing durability.

**22** WMR



22

LR



Easy Disassembly for Cleaning



17

HMR

**5.7**×

**28mm** 

Using the Provided Disassembly Tool, Remove the Front and Rear Caps



Slide the Entire Stack of Baffles Out of the Rear of the Suppressor Tube



Snap Apart Each Part of the Baffle Stack

Model Number	Caliber	Material/Finish	Length	Diameter	Weight	Thread Pattern	Suggested Retail
19000*	22 LR/22 WMR/17 HMR/5.7x28mm	Titanium, 17-4 Stainless and Aluminum/Cerakote ${\ensuremath{^{\rm M}}}$	5.37''	1.06''	6.3 oz.	1/2''-28	\$449.00

\* Sound suppressors are not available in all states and locales due to laws restricting their ownership and use. Prior to purchasing, please check your state and local regulations to verify that you may legally possess a suppressor.



# **RUGER<sup>®</sup> DOUBLE-ACTION REVOLVERS**

Combining superior design and engineering with dedicated craftsmanship, **Ruger Double-Action Revolvers** are packed with features and inspire genuine pride of ownership and provide years of reliable service.









#### RUGER<sup>®</sup> DOUBLE-ACTION REVOLVERS







### FOUR FAMILIES



## **W** RUGER SP101°

#### **FEATURES**

- Grip frame easily accommodates a variety of custom grips.
- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Cushioned rubber grip with black synthetic or hardwood inserts (excludes model 5782) has no exposed metal in the backstrap, making it extremely comfortable.
- Dual chambering allows .357 Magnum models to accept factory .38 Special cartridges.

- Takedown of integrated subassemblies requires no special tools, allowing for easy maintenance and re-assembly.
- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.



#### **RUGER SP101**®



Grip Frame Design



Triple-Locking Cylinder



Available in a Variety of Grip Configurations



Transfer Bar Mechanism



Easy Takedown Requires No Special Tools

#### **RUGER SP101® MATCH CHAMPION®**



Full-Lug Barrel with 11º Target Crown for Competition-Level Accuracy



Match-Tuned Action



Dovetailed, Fiber Optic Front and Adjustable Rear Sights



## **W** RUGER SP101<sup>®</sup>

#### **RUGER SP101<sup>®</sup>** with 2.25<sup>"</sup> Barrel



COMPARE



and Integral Rear Sights







Cushioned Rubber Grip with Black Synthetic Inserts

	000000										
Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5737	38 Spl +P	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	26 oz.	1:18.75''	\$719.00
5718	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	26 oz.	1:16''	\$719.00
5783	9mm Luger	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	25 oz.	1:16''	\$719.00

#### **RUGER SP101<sup>®</sup>** with 3<sup>"</sup> Barrel





Pinned, Replaceable Black Ramp Front and Integral Rear Sights

Cushioned Rubber Grip with Black Synthetic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5719	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	3''	8''	27 oz.	1:16''	\$719.00

#### **RUGER SP101<sup>®</sup>** with Spurless Hammer





Double-Action Only Spurless Hammer is Ideal for a Snag-Free Draw



Cushioned Rubber Grip with Black Synthetic Inserts

Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5720	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Black Synthetic Inserts	Ramp	Integral	2.25''	7.20''	25 oz.	1:16''	\$719.00

#### **RUGER SP101<sup>®</sup>** with Blued Finish



	Model Number	Caliber	Capacity	Material/ Finish	Grip
NEW	15702	357 Mag	5	Alloy Steel/ Blued	Cushioned Rubber, Engraved Hardwood

#### **RUGER SP101<sup>®</sup>** with Engraved Hardwood Inserts



	COMPARE										
Model Number	Caliber	Capacity	Material/ Finish	Grip	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5765	22 LR	8	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.12''	30 oz.	1:16''	\$769.00
5773	327 Fed Mag	6	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.12''	29.5 oz.	1:16''	\$769.00
5771	357 Mag	5	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.12''	29.5 oz.	1:16''	\$769.00
5784	327 Fed Mag	6	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Engraved Hardwood Inserts	Ramp	Integral	3''	8''	27 oz.	1:16''	\$749.00

**RUGER SP101® MATCH CHAMPION®** 



Model Number	Caliber	Capacity	Material/ Finish	Grip
5782	357 Mag	5	Stainless Steel/ Gloss Stainless	Altamont Stippled, Checkered Hardwood





Black Ramp Front and Integral Rear Sights

Cushioned Rubber Grip with Engraved Hardwood Inserts

Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Black Ramp	Integral	2.25''	7.20''	26 oz.	1:16''	\$719.00



Dovetailed, Fiber Optic Front and Adjustable Rear Sights (Excludes Model 5784)



Cushioned Rubber Grip with Engraved Hardwood Inserts



Dovetailed, Fiber Optic Front and Adjustable Rear Sights



Custom Stippled, Checkered Hardwood Grip

Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Fiber Optic	Adjustable	4.20''	9.12''	30 oz.	1:16''	\$859.00

## **GP100**<sup>®</sup>

### FEATURES

- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Grip frame design easily accommodates a wide variety of custom grips.
- Dual chambering allows .357 Magnum models to accept factory .38 Special cartridges.
- Takedown of integrated subassemblies requires no special tools and allows for easy maintenance and assembly.
- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.



#### **GP100**®



Easy Takedown with No Special Tools Required



Triple-Locking Cylinder



Available in a Variety of Grip Configurations



Grip Frame Design

HUBER MPART

#### **GP100® MATCH CHAMPION®**



Match-Tuned Action



Custom Hogue® Hardwood Grip with Stippled Sides



Chamfered Cylinder Ejector for Convenient Reloading



RUGER.COM/GP100

## **GP100**<sup>®</sup>

0.0

#### **GP100<sup>®</sup>**





Heavy, Full-Shrouded Barrel Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip® (Model 1761 Features Smooth Grip)

	CONFARE										
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1715	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Integral	3''	8.50''	36 oz.	1:18.75''	\$799.00
1761	44 Special	5	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Fiber Optic	Adjustable	3''	8.50''	36 oz.	1:20''	\$829.00

#### **GP100<sup>®</sup>** with 4.20<sup>"</sup> Barrel





Heavy, Full-Shrouded Barrel Ramp Front and Adjustable Rear Sight

Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip®

			COMPARE								
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1702	357 Mag	6	Alloy Steel/ Blued	Hogue® Monogrip®	Ramp	Adjustable	4.20''	9.50''	40 oz.	1:18.75''	\$769.00
1705	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	4.20"	9.50''	40 oz.	1:18.75''	\$829.00

#### **GP100<sup>®</sup>** with 6<sup>"</sup> Barrel









Recoil-Reducing, Cushioned, Black Rubber Hogue® Monogrip®

			COMPARE								
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1704	357 Mag	6	Alloy Steel/ Blued	Hogue® Monogrip®	Ramp	Adjustable	6''	11.50''	45 oz.	1:18.75''	\$769.00
1707	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	6''	11.50''	45 oz.	1:18.75''	\$829.00

#### **GP100<sup>®</sup>** in .22 LR



Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1757	22 LR	10	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	5.50''	11''	42 oz.	1:16''	\$829.00

#### **GP100<sup>®</sup> 7-Round**



	COMPARE					_					_
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1774	357 Mag	7	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	2.50''	8''	36 oz.	1:18.75''	\$899.00
1771	357 Mag	7	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	4.20''	9.50''	40 oz.	1:18.75''	\$899.00
1773	357 Mag	7	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts	Fiber Optic	Adjustable	6''	11.50''	43.5 oz.	1:18.75''	\$899.00
1748	327 Fed Mag	7	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	4.20''	9.50''	40 oz.	1:16''	\$899.00
1764	327 Fed Mag	7	Stainless Steel/ Satin Stainless	Hogue® Monogrip®	Ramp	Adjustable	6''	11.50''	45 oz.	1:16''	\$899.00

**GP100<sup>®</sup> MATCH CHAMPION<sup>®</sup>** 



	COMPARE						_				_
Model Number	Caliber	Capacity	Material/ Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
1754	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Stippled Hardwood	Fiber Optic	Fixed	4.20''	9.50''	38 oz.	1:18.75''	\$969.00
1755	357 Mag	6	Stainless Steel/ Satin Stainless	Hogue® Stippled Hardwood	Fiber Optic	Adjustable	4.20''	9.50''	38 oz.	1:18.75''	\$969.00
1775	10mm Auto	6	Stainless Steel/ Satin Stainless	Hogue® Stippled Hardwood	Fiber Optic	Adjustable	4.20''	9.50''	37 oz.	1:16''	\$969.00



Half-Lug Barrel

Fiber Optic Front and Adjustable Rear Sights

Cushioned Rubber Grip with Hardwood Insert



Cushioned Rubber Grip with Hardwood Insert or Hogue® Monogrip®



Slab-Sided, Half-Lug Barrel and Fiber Optic Front Sight

Novak® LoMount Carry or Adjustable Rear Sights

Hogue® Stippled Hardwood Grip

## **REDHAWK**<sup>®</sup>

#### **FEATURES**

- Unique, single-spring mechanism allows for a smooth, light trigger pull.
- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Easy sighting with readily replaceable colored front blade sight insert and adjustable rear sight with white outline.
- Rugged, stainless steel construction with no side plates is designed specifically to handle powerful magnum loads through extra metal in the top strap, sidewalls and barrel mounting areas.
- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Cold hammer-forged sleeve and shroud barrel provides outstanding accuracy.
- .44 Magnum models are dual chambered to also accept factory .44 Special cartridges.
- .357 Magnum models are dual chambered to also accept factory .38 Special cartridges.





Cold Hammer-Forged Sleeve and Shroud Barrel



Readily Replaceable Colored Front Blade Sight Insert and Adjustable Rear Sight with White Outline



Unique, Single-Spring Mechanism



Transfer Bar Mechanism



Triple-Locking Cylinder



Available in a Variety of Grip Configurations

#### **REDHAWK<sup>®</sup>**



		COMPARE			
	Model Number	Caliber	Capacity	Material/ Finish	Grips
NEW	5043	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood
NEW	5041	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood
NEW	5051	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood
	5059	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood
	5060	357 Mag	8	Stainless Steel/ Satin Stainless	Hardwood

#### **REDHAWK®** in .45 Auto/.45 Colt




	Model Number	Caliber	Capacity	Material/ Finish	Grips
NEW	5050	45 Auto/45 Colt	6	Stainless Steel/ Satin Stainless	Engraved Hardwood

#### **REDHAWK®** with Hogue® Monogrip®



	Model Number	Caliber	Capacity	Material/ Finish	Grips
NEW	5044	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Monogrip®



Moon Clips Included with .357 Magnum Models

for Convenient Loading



Hardwood Grips

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	5.50''	11''	49 oz.	1:20"	\$1,079.00
Ramp Front, Adjustable Rear	7.50''	13''	54 oz.	1:20''	\$1,079.00
Ramp Front, Adjustable Rear	2.75''	8.25''	44 oz.	1:18.75''	\$1,079.00
Ramp Front, Adjustable Rear	4.20''	9.50''	49 oz.	1:18.75''	\$1,079.00
Ramp Front, Adjustable Rear	5.50''	11''	52 oz.	1:18.75''	\$1,079.00





Engraved Hardwood Grips

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	4.20''	9.50''	44 oz.	1:16''	\$1,079.00



Black Hogue® Monogrip®

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	4.20''	9.50''	47 oz.	1:20''	\$1,079.00

## SUPER REDHAWK®

#### **FEATURES**

- Triple-locking cylinder is locked into the frame at the front, rear and bottom for more positive alignment and dependable operation shot after shot.
- Corrosion-resistant stainless steel provides durability and reliability, the hallmarks of a Ruger® firearm.
- Strong, extended frame with extra metal in the top strap, sidewalls and barrel mounting areas to handle powerful, big game loads.
- Hogue® Tamer™ Monogrip® with an internal recoil cushion positioned under the web of the hand helps reduce the impact of powerful loads, while the peg-style grip frame easily accommodates custom grips (excludes model 5524).
- Dual chambering allows .44 Magnum models to accept factory .44 Special cartridges and .454 Casull models to accept factory .45 Colt cartridges.

- Transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Fixed, replaceable front sight ramp insert and adjustable rear sight (non-Alaskan models feature a red ramp insert).
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.





Strong, Extended Frame



Recoil Reducing, Cushioned, Black Rubber Hogue® Tamer™ Monogrip®



Triple-Locking Cylinder



Fixed, Replaceable Front Ramp Insert and Adjustable Rear Sights



#### Cold Hammer-Forged Barrel

#### **SUPER REDHAWK®**



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5507	480 Ruger	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13''	53 oz.	1:18''	\$1,189.00
5501	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13''	53 oz.	1:20''	\$1,159.00
5502	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	9.50''	15''	58 oz.	1:20''	\$1,159.00
5505	454 Casull	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50''	13''	52 oz.	1:24''	\$1,189.00

#### SUPER REDHAWK® in 10mm Auto



Model Number	Caliber	Capacity	Material/ Finish	Grip
5524	10mm Auto	6	Stainless Steel/ Satin Stainless	Cushioned Rubber/ Hardwood Inserts


#### SUPER REDHAWK ALASKAN®



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grip	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5302	480 Ruger	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	44 oz.	1:18''	\$1,189.00
5303	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	45 oz.	1:20''	\$1,189.00
5301	454 Casull	6	Stainless Steel/ Satin Stainless	Hogue®Tamer™Monogrip®	Ramp Front, Adjustable Rear	2.50''	7.62''	44 oz.	1:24''	\$1,189.00



Integral Mounts are Machined Directly on the Solid-Steel Barrel Rib to Provide a Stable Mounting Surface for Scope Rings, Eliminating a Potential Source of Looseness and Inaccuracy in the Field (Scope Not Included)



Three (3) Full Moon Clips Included for Convenient Loading

Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	6.50''	12''	54 oz.	1:16''	\$1,159.00



Compact 2.50" Barrel for Ease of Carry

## LCR®

The **LCR**<sup>®</sup> is the evolution of the revolver. Packed with the latest technological advances and features required by today's most demanding shooters, the LCR® is a lightweight, small-frame revolver with a uniquely smooth trigger and highly manageable recoil.









### L C R ®



### FIFTEEN MODELS

### **TRIGGER PULL COMPARISON**



#### TRIGGER PULL DISTANCE





#### **FEATURES**

- Monolithic frame is made from aerospace-grade, 7000-series aluminum in .22 LR, .22 Magnum and .38 Special models and from 400-series stainless steel in the powerful .357 Magnum, 9mm Luger and .327 Federal Magnum models.
- Patented friction-reducing cam is a next generation design in fire control systems that results in a smooth, non-stacking trigger pull.
- Patented polymer fire control housing holds all the fire control components in their proper dimensional relationships, reduces weight significantly and helps reduce recoil.
- High-strength stainless steel cylinder, featuring a PVD finish for excellent durability, is extensively fluted, reducing weight.
- Hogue® Tamer™ Monogrip® reduces perceived recoil.

- Grip peg allows for a variety of grip styles to be installed.
- Replaceable, pinned ramp front sight with white bar.
- Models chambered in 9mm Luger ship with three full moon clips that both act as speed loaders and aid in the ejection of spent cartridges.






High-Strength Stainless Steel Cylinder



Replaceable, Pinned Ramp Front Sight with White Bar



Patented Friction-Reducing Cam



Hogue® Tamer™ Monogrip® Reduces Perceived Recoil



## 

#### LCR®







Replaceable, Pinned Ramp Front and Integral U-Notch Rear Sights

Compact Hogue® Tamer™ Monogrip® with Finger Grooves

	COMPARE											
Model Number	Caliber	Capacity	Grip	Frame/Finish	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist	Suggested Retail
5410	22 LR	8	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	14.9 oz.	1:16''	\$579.00
5414	22 WMR	6	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	16.6 oz.	1:9''	\$579.00
5401	38 Spl +P	5	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	13.5 oz.	1:16''	\$579.00
5456	9mm Luger	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.2 oz.	1:16''	\$669.00
5452	327 Fed Mag	6	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17 oz.	1:16''	\$669.00
5450	357 Mag	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.1 oz.	1:16''	\$669.00

#### LCRx® with 3" Barrel and Adjustable Rear Sight



		Model 04	HH OHOWH		and Adjustable	Sights Hogu	Hogue⊚ Tamer™ Monogrip⊗			, i i i i i i i i i i i i i i i i i i i			
	odel Imber	COMPARE Caliber	Capacity	Grip	Frame/Finish	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist	Suggeste Retail
543	35	22 LR	8	Full-Size Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	17.3 oz.	1:16''	\$579.00
543	37	22 WMR	6	Full-Size Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	17.8 oz.	1:9"	\$579.00
543	31	38 Spl +P	5	Full-Size Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	15.7 oz.	1:16''	\$579.00
54	44	357 Mag	5	Full-Size Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Adjustable	3''	7.50''	5.80''	21.3 oz.	1:16''	\$669.00


#### **LCRx**®





Replaceable, Pinned Ramp Front and Integral U-Notch Rear Sights

Compact Hogue⊚ Tamer™ Monogrip® with Finger Grooves



	COMPARE											
Model Number	Caliber	Capacity	Grip	Frame/Finish	Front Sight	Rear Sight	Barrel Length	Overall Length	Height	Weight	Twist	Suggested Retail
5439	22 WMR	6	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	15.4 oz.	1:9''	\$579.00
5430	38 Spl +P	5	Compact Hogue® Tamer™ Monogrip®	Aluminum/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	13.5 oz.	1:16''	\$579.00
5464	9mm Luger	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.4 oz.	1:16''	\$669.00
5462	327 Fed Mag	6	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.7 oz.	1:16''	\$669.00
5460	357 Mag	5	Compact Hogue® Tamer™ Monogrip®	Stainless Steel/ Matte Black	Ramp	Integral	1.87''	6.50''	4.50''	17.1 oz.	1:16''	\$669.00





Replaceable, Pinned Ramp Front

Full-Size Smooth



External Hammer for Single-Action Use

# **RUGER<sup>®</sup> SINGLE-ACTION REVOLVERS**

With superb grip, balance and mechanical simplicity, **Ruger**<sup>®</sup> **Single-Action Revolvers** are offered in a wide variety of sizes and calibers, and include features that are sure to please any fan of these timeless firearms.





NEW MODEL Super Blackhawk® NEW VAQUERO





#### **RUGER® SINGLE-ACTION REVOLVERS**





#### FIVE FAMILIES

## **W** NEW VAQUERO

#### **FEATURES**

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural-pointing of any grip style.
- Patented reverse indexing pawl allows for easier loading and unloading, while the traditional beveled cylinder simplifies holstering.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Handsome, larger crescent-shaped ejector rod head boasts traditional form, perfect for every cowboy or cowgirl.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Blade front and integral notch rear sights.
- Models chambered in .357 Magnum also accept factory .38 Special cartridges











#### Traditional Western-Style, Hand-Filling Grip

Patented Reverse Indexing Pawl

Transfer Bar Mechanism

# THE GUN THAT WON THE NEW WEST

#### **NEW VAQUERO** with Blued Finish



COMPARE

	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5107	357 Mag	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	43 oz.	1:16''	\$829.00
5106	357 Mag	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	44 oz.	1:16''	\$829.00
5102	45 Colt	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	40 oz.	1:16''	\$829.00
5101	45 Colt	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	40 oz.	1:16''	\$829.00

#### **NEW VAQUERO** with High-Gloss Stainless Finish



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5109	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	43 oz.	1:16''	\$829.00
5108	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	44 oz.	1:16''	\$829.00
5105	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	4.62''	10.25''	40 oz.	1:16''	\$829.00
5104	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Hardwood	Blade Front, Integral Rear	5.50''	11.12''	41 oz.	1:16''	\$829.00

#### **BISLEY<sup>™</sup> NEW VAQUERO**



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5130	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Blade Front, Integral Rear	5.50"	11.12''	45 oz.	1:16''	\$899.00
5129	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Simulated lvory	Blade Front, Integral Rear	5.50''	11.12''	41 oz.	1:16''	\$899.00

#### SASS® NEW VAQUERO Two-Gun Set



Black Checkered Grips with SASS<sup>®</sup> Logo

	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
5133	357 Mag	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Blade Front, Integral Rear	4.62''	10.25''	45 oz.	1:16''	\$1,699.00 (Two-Gun Set)
5134	45 Colt	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Blade Front, Integral Rear	5.50''	11.12''	40 oz.	1:16''	\$1,699.00 (Two-Gun Set)



Simulated Ivory Grips

Bisley-Style Hammer





Montado-Style Hammer



Consecutive Serial Numbers with "SASS" Prefix, Shipped Together in Commemorative Case

## **W** NEW MODEL SUPER BLACKHAWK<sup>®</sup>

#### **FEATURES**

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural-pointing of any grip style.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Durable coil springs throughout for maximum reliability.
- Fixed ramp front sight and adjustable rear sight.
- Integral mounts, machined directly on the solid-steel barrel rib of Hunter models, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Chambered in the powerful .44 Magnum, these models also accept factory .44 Special cartridges, which deliver superb accuracy and milder recoil.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS: SEE INSIDE BACK COVER FOR AN IMPORTANT FREE SAFETY OFFER FROM RUGER!







Traditional Western-Style, Hand-Filling Grip





Chambered for .44 Magnum and .44 Special Cartridges







Ramp Front with Red Insert and Adjustable Rear Sights

Integral Scope Mounts Provide Stable Surface for Mounting Included Scope Rings

Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0860	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50''	13.63''	52 oz.	1:20''	\$959.00

#### NEW MODEL SUPER BLACKHAWK<sup>®</sup> BISLEY<sup>™</sup> HUNTER



#### Retail Length Length 44 Rem Mag Stainless Steel/ Black Laminate Ramp Front, 7.50'' 13.12" 52 oz. 1:20'' \$959.00 Satin Stainless Adjustable Rear

#### **NEW MODEL SUPER BLACKHAWK®**



			COMPARE							
Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0813	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	45 oz.	1:20''	\$829.00
0814	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	4.62''	10.50''	45 oz.	1:20''	\$829.00

#### **NEW MODEL SUPER BLACKHAWK®** with Fluted Cylinder



			COMPARE							
Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0810	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.38''	45 oz.	1:20''	\$829.00
0811	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50''	11.38''	45 oz.	1:20''	\$829.00

#### **NEW MODEL SUPER BLACKHAWK®** with Square Back Trigger Guard



			COMPARE							
Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0802	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.38''	48 oz.	1:20''	\$829.00
0807	44 Rem Mag	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	10.50'' (Target)	16.38''	55 oz.	1:20''	\$829.00
0804	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50''	13.38''	48 oz.	1:20''	\$829.00
0806	44 Rem Mag	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	10.50'' (Target)	16.38''	55 oz.	1:20''	\$859.00

0862



Blued or Stainless Finish



Blued or Stainless Finish

Fluted Cylinder



Blued or Stainless Finish



## **W** NEW MODEL BLACKHAWK<sup>®</sup>

#### **FEATURES**

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Target-grade accuracy with ramp front and adjustable rear sights.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Variety of calibers, barrel lengths, grips, finishes and weights guarantees a model to meet the needs of today's single-action shooters.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- .357 Magnum models are dual chambered to also accept factory .38 Special cartridges.

**ORIGINAL "OLD MODEL" (PRE-1973) OWNERS:** SEE INSIDE BACK COVER FOR AN IMPORTANT **FREE SAFETY OFFER** FROM RUGER!











Variety of Calibers, Barrel Lengths, Grips and Finishes Available

Transfer Bar Mechanism

Target-Grade Accuracy

Traditional Western-Style, Hand-Filling Grip

**NEW MODEL BLACKHAWK®** with Satin Stainless Finish



Model Number	Caliber	Capacity	Material/ Finish	Grips
0309	357 Mag	6	Stainless Steel/ Satin Stainless	Hardwood
0319	357 Mag	6	Stainless Steel/ Satin Stainless	Hardwood

#### **NEW MODEL BLACKHAWK® CONVERTIBLE**



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0308	357 Mag/ 9mm Luger	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	1:16''	\$749.00
0318	357 Mag/ 9mm Luger	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12.38''	45 oz.	1:16''	\$749.00
0446	45 Colt/ 45 Auto	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	39 oz.	1:16''	\$749.00
0463	45 Colt/ 45 Auto	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50''	11.38''	40 oz.	1:16''	\$749.00

NEW MODEL BLACKHAWK®	with Blued Finish
----------------------	-------------------



	COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0505	30 Carb	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	7.50''	13.38''	46 oz.	1:20''	\$669.00
0306	357 Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	42 oz.	1:16''	\$669.00
0316	357 Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12.38''	45 oz.	1:16''	\$669.00
0405	41 Rem Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	38 oz.	1:20''	\$669.00
0406	41 Rem Mag	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12.38''	41 oz.	1:20''	\$669.00
0445	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.50''	39 oz.	1:16''	\$669.00
0455	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	7.50''	13.38''	42 oz.	1:16''	\$669.00
0465	45 Colt	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50''	11.38''	40 oz.	1:16''	\$669.00

	COMPARE				
Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
Ramp Front, Adjustable Rear	4.62''	10.50''	46 oz.	1:16''	\$799.00
Ramp Front, Adjustable Rear	6.50''	12.38''	48 oz.	1:16''	\$799.00



Includes Two Cylinders That Can Be Interchanged Without the Use of Tools

## **W** NEW MODEL SINGLE-SIX<sup>®</sup> FAMILY

#### FEATURES

- Windage- and elevation-adjustable rear sights (available on most models) help put you on target and keep you there.
- Chambered for affordable rimfire shooting.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

**ORIGINAL "OLD MODEL" (PRE-1973) SINGLE-SIX® OWNERS:** See inside back cover for an important **free safety offer** from ruger!







Available in a Variety of Sight, Grip and Finish Configurations





Transfer Bar Mechanism



Available in Multiple Calibers





## **W** NEW MODEL SINGLE-SIX<sup>®</sup> FAMILY

#### **SINGLE-TEN®**





Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
8100	22 LR	10	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	5.50''	11''	38 oz.	1:14''	\$699.00

#### **SINGLE-NINE®**



6.50" Barrel Helps the .22 WMR Cartridge Reach its Fullest Potential Williams™ Adjustable Fiber Optic Sights

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
8150	22 WMR	9	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	6.50''	12''	39 oz.	1:14''	\$699.00

#### **NEW MODEL SINGLE-SIX®** in .17 HMR





Adjustable Rear Sights

Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0661	17 HMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12''	35 oz.	1:7"	\$629.00

### **NEW MODEL SINGLE-SIX® HUNTER**



#### **NEW MODEL SINGLE-SIX® CONVERTIBLE**





			COMPARE							
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0625	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50''	11''	39 oz.	1:14''	\$699.00
0626	22 LR/ 22 WMR	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	6.50''	12''	40 oz.	1:14''	\$699.00
0623	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	4.62''	10.25''	32 oz.	1:14''	\$629.00
0621	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	5.50''	11''	33 oz.	1:14''	\$629.00
0622	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	6.50''	12''	35 oz.	1:14''	\$629.00
0624	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Ramp Front, Adjustable Rear	9.50''	15''	39 oz.	1:14''	\$629.00

#### **NEW MODEL SINGLE-SIX® CONVERTIBLE** with Fixed Sights



Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0629	22 LR/ 22 WMR	6	Alloy Steel/ Blued	Black, Checkered, Hard-Rubber	Blade Front, Integral Rear	5.50''	11''	33 oz.	1:14''	\$699.00







Blued or Stainless Finish

Ramp Front and Adjustable Rear Sights

Extra Cylinder Allows Shooters to Easily Change from Shooting .22 LR to .22 WMR



Blade Front and Integral Rear Sights

Extra Cylinder Allows Shooters to Easily Change from Shooting .22 LR to .22 WMR

## **W** NEW BEARCAT®

#### FEATURES

- Decorative, unfluted cylinder displays a rollmark with a bear and cougar design.
- Classic styling and one-piece frame are reminiscent of Civil War-era Remington® revolvers.
- Transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Lightweight and accurate with blade front and integral notch rear sights.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

**ORIGINAL BEARCAT® AND SUPER BEARCAT™ OWNERS:** SEE INSIDE BACK COVER FOR AN IMPORTANT **FREE SAFETY OFFER** FROM RUGER!

22 LR



			COMPARE							
Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Twist	Suggested Retail
0912	22 LR	6	Alloy Steel/ Blued	Hardwood	Blade Front, Integral Rear	4.20''	9''	24 oz.	1:16''	\$639.00
0913	22 LR	6	Stainless Steel/ Satin Stainless	Hardwood	Blade Front, Integral Rear	4.20''	9''	24 oz.	1:16''	\$689.00



Decorative Unfluted Cylinder



Lightweight and Accurate



Transfer Bar Mechanism



Cold Hammer-Forged Barrel

Classic Styling and One-Piece Frame





## **Q** 22 CHARGER<sup>™</sup>

#### **FEATURES**

- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Features a standard A2-style grip that can be easily replaced with any AR-style grip.
- Factory-installed Picatinny rail provides ample room for scopes and red-dot sights.
- Includes one, 15-round, BX-15<sup>®</sup> magazine, which is the perfect length when shooting with the included bipod prone or from the bench.
- Included adjustable bipod offers rock-steady sighting.
- Threaded barrel features a 1/2"-28 thread pattern that accepts most suppressors, flash hiders and the factory-installed thread protector.
- Takedown model quickly and easily breaks down into two sections for convenient storage and transport.

LR



Model Number	Caliber	Capacity	Material/ Finish	Stock	Stock Option	Barrel Length	Overall Length	Weight**	Twist	Suggested Retail
4923*	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Standard	10''	19.25''	3.1 lbs.	1:16''	\$309.00
4924*	22 LR	15	Alloy Steel/ Matte Black	Black Polymer	Takedown	10''	19.25''	3.2 lbs.	1:16''	\$419.00



Adjustable Bipod for Rock-Steady Sighting



Standard A2-Style Pistol Grip



Takedown Model is Easily Separated and Reassembled



Includes a 15-Round, BX-15® Magazine

Factory-Installed Picatinny Rail

\* Some firearms may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale. \*\* Without magazine and bipod.





# **10/22**°

For over 50 years, the ubiquitous **10/22**° has been America's favorite .22 rifle. With proven performance, a legendary action and a renowned, reliable rotary magazine, the 10/22° has inspired a loyal following for over half a century.





74

## **Q** 10/22°

#### **FEATURES**

- This legendary action is a tried and true Ruger design that ensures consistent, reliable performance.
- Detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- Easy-to-use, prominent magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver-style and .22 tip-off scope mounts included.

- Cold hammer-forged barrel is locked into the receiver by a unique, two-screw, V-block system.
- Heat-stabilized, glass-filled, polymer trigger housing assembly is precision made of high-tech material for improved manufacturing tolerances, impact and abrasion resistance and an unmatched ability to withstand the elements.







Detachable 10-Round Rotary Magazine

Easy-to-Use, Prominent Magazine Release



Combination Scope Base Adapter Included



Positive, Push-Button, Cross-Bolt Manual Safety

75





	<b>10/22</b> ®	CARBINE			-	8		-				
				Model 1	103 Shown		2					
				COMPARE		Model 2119 Factory-Installed Scope and	Weaver™ 3-9x40		ont and Adjustab 9 Rear Sights		odel 31128 S ing Target ar	Ships with nd Hard Case
	Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
	1103	22 LR	10	Alloy Steel/ Satin Black	Hardwood	Gold Bead Front, Adjustable Rear	18.50''	37''	5 lbs.	13.50''	1:16''	\$309.00
	1151	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50''	37''	5 lbs.	13.50''	1:16''	\$309.00
	21194	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear (3-9x40 Scope Included)	18.50''	37''	5.6 lbs.	13.50''	1:16''	\$399.00
	1256	22 LR	10	Stainless Steel/ Satin Stainless	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50''	37''	5 lbs.	13.50''	1:16''	\$339.00
NEW	31128	22 LR	10	Alloy Steel/ Satin Black	Hardwood	Gold Bead Front, Adjustable Rear	18.50''	37''	5 lbs.	13.50''	1:16''	\$399.00

#### 10/22<sup>®</sup> CARBINE with GO Wild<sup>®</sup> Camo Rock-Star<sup>®</sup> Stock



Number Finish Length Length of Pull Retail NEW 31113\* 22 LR 10 GO Wild® Gold Bead Front, 18.50'' 37'' 13.50'' 1:16'' \$399.00 Alloy Steel/ 5 lbs. Satin Black Camo Adjustable Rear Rock-Star®



#### \* Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

#### 10/22<sup>®</sup> TACTICAL Model Caliber Barrel Material/ Stock Sights Capacity Number Finish 1261\* 22 LR Alloy Steel/

Satin Black

Black

Synthetic

None

10

# **10/22<sup>®</sup> SPORTER**

Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
1102	22 LR	10	Alloy Steel/ Satin Black	American Walnut	Gold Bead Front, Adjustable Rear	18.50''	37''	5.2 lbs.	13.88''	1:16''	\$419.00



					COMPARE	Dai						
	Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
	21186*	22 LR	10	Alloy Steel/ Satin Black	Black Laminate with Thumbhole	None	16.13''	35.25''	5 lbs.	13.75''	1:16''	\$649.00
NEW	21185*	22 LR	10	Alloy Steel/ Satin Black	Red and Black Laminate with Thumbhole	None	16.13''	35.25''	5 lbs.	13.75''	1:16''	\$649.00





Contoured Buttplate on Black Synthetic Stock

8	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
	16.12''	36.25''	4.3 lbs.	13.50''	1:16''	\$359.00

Factory-Installed Flash Suppressor

with 1/2"-28 Thread Pattern



Gold Bead Front and Adjustable, Folding Rear Sights

Flat Buttplate with Rubber Buttpad and Sling Swivels on American Walnut Stock

1/2"-28 Threaded Barrel Tensioned in Black Anodized Aluminum Alloy Barrel Sleeve

Light, Crisp BX-Trigger®

Laminate Thumbhole Stock with Adjustable Length of Pull

## **W** 10/22 TAKEDOWN<sup>®</sup>

#### **FEATURES**

- Easy takedown enables quick separation of the barrel from the action for ease of transport and storage. Takedown is as simple as locking the bolt back and verifying that the rifle is unloaded, pushing a recessed lever, twisting the subassemblies and pulling them apart.
- Simple reassembly allows for a secure connection of the barrel and action and returns the firearm to zero, even when receiver-mounted optics are used, ensuring consistent accuracy, shot after shot.
- Detachable 10-round rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- This legendary action is a tried and true Ruger design that ensures consistent, reliable performance.
- Easy-to-use, prominent magazine release provides smooth, no-fuss removal of the flush-mounted magazine.

- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver-style and .22 tip-off scope mounts included.
- Heat-stabilized, glass-filled, polymer trigger housing assembly is precision-made of high-tech material for improved manufacturing tolerances, impact and abrasion resistance and unmatched ability to withstand the elements.
- Precision-rifled, cold hammer-forged barrel.
- Also includes: convenient carry-case.





Recessed Locking Lever



Detachable 10-Round Rotary Magazine



Easy-to-Use, Prominent Magazine Release

Takedown Enables Quick and Easy Separation of the Barrel from the Action

Positive, Push-Button, Cross-Bolt Manual Safety

3 Rotate Barrel Assembly

**Remove Barrel Assembly** 

from Receiver

Lock Bolt Back and Verify Rifle is Unloaded

Pull Locking Lever to Unlock

#### **10/22 TAKEDOWN®**



			COMPARE										
Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
11100	22 LR	10	Stainless Steel/ Satin Stainless	Black Synthetic	Gold Bead Front, Adjustable Rear	Standard	-	18.50''	37''	4.6 lbs.	13.87''	1:16''	\$439.00
11112*	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	Threaded with Flash Suppressor	1/2''-28	16.40''	36.75''	4.6 lbs.	13.87''	1:16''	\$459.00

#### 10/22 TAKEDOWN<sup>®</sup> with Fluted .920" Diameter Barrel



Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
21133*	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None	Threaded, Fluted .920'' Diameter	1/2''-28	16.12''	34.62''	5.3 lbs.	13.87''	1:16''	\$629.00



Model Number	Caliber	Capacity	Barrel Material/ Finish	Stock	Sights
21152*	22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None

\* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

Adjustable Rear Sights

Clear Matte or Satin Black Finish

Alloy Steel Barrel Tensioned in a 6061-T6 Aluminum Alloy, Ventilated Sleeve

Huger® Modular Stock System with Low Comb,
Standard Length of Pull Module Installed (Ships with
Additional High Comb, Standard Length of Pull Module)

Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
Threaded, Tensioned in Aluminum Sleeve	1/2''-28	16.12''	34.62''	4.5 lbs.	13.87''	1:16''	\$659.00

# **SILENT-SR° ISB**

Offering top-tier sound reduction, the **Silent-SR**<sup>®</sup> **Integrally Suppressed Barrel** features best-in-class materials and an advanced design resulting in a lightweight, compact package.



22 Charger™ Takedown

e I

10/22 Takedown®

1111111 Rifle Not Included

Silent-SR<sup>®</sup> ISB (Model 19001)



#### SILENT-SR<sup>®</sup> ISB





## **REDUCES SOUND PRESSURE LEVELS OF .22 LR TO** AN AVERAGE OF 113.2 dB WITH STANDARD VELOCITY AMMUNITION.

#### THE SILENT-SR<sup>®</sup> ISB IS COMPATIBLE WITH A HOST OF RUGER<sup>®</sup> FIREARMS

10/22 Takedown<sup>®</sup> with .920" Diameter Barrel

10/22 Takedown® Lite



## SILENT-SR<sup>®</sup> ISB

#### **FEATURES**

- Reduces sound pressure levels of .22 LR to an average of 113.2 dB with standard velocity ammunition.
- Lightweight for balance and portability. Once installed on the firearm, the center of gravity is close to the receiver, making it easy to maneuver and shoot.
- Easy to disassemble and clean. All internal components seal together to keep the byproducts of combustion away from the tube. A single screw retains the baffles and cap within the sleeve and doubles as a removal tool. The included 5/32" hex key tool allows the integrally suppressed barrel to be completely disassembled for cleaning.
- Sleeve surrounding the 17-4 stainless baffles is matched to the forend for a clean, but distinctive, appearance.

• Stainless steel barrel, baffles and front cap were chosen for maximum strength and serviceability. The aluminum sleeve is permanently attached to the barrel to minimize weight and maintain a minimum overall length.

0

22

LR





Easy Disassembly for Cleaning



Using the Provided Disassembly Tool, Remove the Barrel Cap



Slide the Entire Stack of Baffles Out of the Barrel



Snap Apart Each Part of the Baffle Stack

Model Number	Caliber	Material/Finish	Effective Barrel Length	Legal Barrel Length	Weight	Suggested Retail
19001*	22 LR	17-4 Stainless and Aluminum/Cerakote™	10.62''	16.12''	2.6 lbs.	\$629.00

\* Sound suppressors are not available in all states and locales due to laws restricting their ownership and use. Prior to purchasing, please check your state and local regulations to verify that you may legally possess a suppressor.



# **PC CARBINE**

Practical and versatile, the Pistol Caliber Carbine is ideal for any shooter, from novice to experienced. Built to excel in a variety of roles, from plinking or competition to home or personal defense, the **PC Carbine**<sup>™</sup> is highly configurable, yet compact, making it the perfect, portable companion to match with a variety of pistols.

PC Carbine™ (Model 19100)

85



#### PC CARBINE™







## **MULTIPLE MAGAZINE COMPATIBILITY**



## ♀ PC CARBINE<sup>™</sup>

#### **FEATURES**

- Interchangeable magazine wells for use of common Ruger® and Glock® magazines. Ships with SR-Series™ and Security-9<sup>®</sup> pistol magazine well installed and an additional magazine well accepting Glock® magazines is included<sup>†</sup>. Ruger American® Pistol magazine wells are available at ShopRuger.com.
- Easy takedown enables quick separation of the barrel/forend assembly from the action for ease of transportation and storage. Takedown is as simple as locking the bolt back and verifying that the rifle is unloaded, pushing a recessed lever, twisting the subassemblies and pulling them apart.
- Dead blow action features a custom tungsten dead blow weight that shortens bolt travel and reduces felt recoil and muzzle rise.
   Bolt is machined from heat treated, chrome-moly steel to ensure strength, structural integrity and durability.
- Reversible magazine release and reversible charging handle to support ambidextrous use or one-handed control manipulation while maintaining a proper firing gript.
- Cold hammer-forged, chrome-moly steel barrel with ultra-precise rifling provides exceptional accuracy and longevity. The heavy-contour barrel provides consistent accuracy, while barrel fluting sheds unnecessary weight and allows for quick handling.

- 1/2"-28 threaded barrel with included thread protector allows for use of standard muzzle accessories (excludes modl 19101).
- Accurate sighting system with adjustable ghost ring rear aperture sight and non-glare, protected blade front sight.
- Soft rubber buttpad with spacers allows the rifle to be properly sized for different shooters or varying levels of outerwear or defensive gear (three, 1/2" spacers included).
- Durable, glass-filled nylon synthetic stock features sling swivel studs for rapid sling attachment and forward mounted accessory rail to allow for a variety of under-barrel accessories such as lights or lasers. The grip features a proprietary texture for enhanced control.
- Light, crisp trigger pull with minimal overtravel and positive reset utilizing proven 10/22<sup>®</sup> trigger components.
- CNC-machined from an aerospace-grade 7075-T6 aluminum billet, the receiver includes an integrated Picatinny rail and is Type III hard-coat anodized for maximum durability.
- Also includes: one SR-Series<sup>™</sup> pistol magazine and hex wrenches for rear sight adjustment, buttpad spacer adjustment and charging handle removal.

PC Carbine ~ (Model 19100)													9mm LUGER
Model Number	Caliber	Capacity	Receiver Material/ Finish	Stock	Sights	Barrel Feature	Thread Pattern	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
19100*	9mm Luger	17	Aluminum Alloy/ Type III Hard-Coat Anodized	Black Synthetic	Protected Blade Front/ Adjustable Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	6.8 lbs.	12.62''- 14.12''	1:10''	\$649.00
19101	9mm Luger	10	Aluminum Alloy/ Type III Hard-Coat Anodized	Black Synthetic	Protected Blade Front/ Adjustable Ghost Ring Rear	Fluted	-	16.12''	34.37''	6.8 lbs.	12.62''- 14.12''	1:10''	\$649.00
19102*	9mm Luger	10	Aluminum Alloy/ Type III Hard-Coat Anodized	Black Synthetic	Protected Blade Front/ Adjustable Ghost Ring Rear	Threaded, Fluted	1/2''-28	16.12''	34.37''	6.8 lbs.	12.62''- 14.12''	1:10''	\$649.00

0



Interchangeable Magazine Wells



Reversible Magazine Release<sup>†</sup> and Reversible Charging Handle



Easy Takedown Enables Quick Separation of

the Barrel/Forend Assembly from the Action



Dead Blow Action to Shorten Bolt Travel and Reduce Felt Recoil and Muzzle Rise



Non-Glare, Protected Blade Front Sight and Adjustable Ghost Ring Rear Aperture Sight


\* Some firearms may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale. <sup>+</sup> Older Glock® magazines that feature only one magazine latch slot may still be used with the PC Carbine™, but the magazine release button must remain on the left side of the rifle as shipped from the factory. The magazine release button should not be reversed when using this type of magazine as the magazine will not properly lock into the magazine well.



# **AR-556**°

A semi-automatic, M4-Style, direct impingement Modern Sporting Rifle, the **AR-556**° offers consumers an affordable, American-made rifle with the rugged reliability they have come to expect from Ruger. Extensively tested during its development, the AR-556<sup>®</sup> is constructed from top-quality components, including forged 7075-T6 aluminum upper and lower receivers and a cold hammer-forged, chrome-moly steel barrel with M4 feed ramp cuts. With standardized M4/AR components utilized throughout, the AR-556° is readily customizable.

11111111111







## **EIGHT MODELS**

# AR-556° MPR



## **AR-556**°

#### **FEATURES**

- Ruger® Rapid Deploy folding rear sight provides windage adjustability and pairs with the A2-style, F-height, elevation-adjustable front sight for a solid, reliable aiming system (excludes model 8525 and AR-lower receivers).
- Made from 7075-T6 hard-coat anodized aluminum forgings, shot-peened and proof-tested 9310 steel bolt, and 8620 steel bolt carrier. The inside diameter of the carrier and gas key are chrome plated and the key is staked for longevity.
- Patented Barrel Nut and Delta Ring allow easy, one-person service of the heat-resistant glass-filled nylon handguard. The design accepts most standard carbine-length handguards. The barrel nut uses a standard wrench.
- Gas block is located at a carbine-length (M4) position for improved balance and handling. Multiple attachment points include a QD socket and bayonet lug for many sling and accessory mounting options. Serrations on the angled face of the gas block provide a low-glare surface.

- Single-stage trigger provides durable and reliable fire control. The enlarged trigger guard is designed to allow for gloved shooting in cold weather (excludes AR-lower receivers).
- Complete rifles are equipped wih a cold hammer-forged alloy barrel with 1:8" twist rifling that provides exceptional accuracy with bullets from 35 to 77 grains. M4 feed ramps and 5.56 NATO chamber allows the use of both 5.56 NATO and .223 Rem. ammunition. The barrel and 1/2"-28 Ruger® flash suppressor have a matte black oxide finish to reduce glare and provide corrosion resistance (excludes model 8502).
- Model 8525 features a flat top Picatinny upper receiver and same-plane Picatinny gas block for easy attachment of magnified optics, red-dot or open sights.





A2-Style Front Sight and Ruger® Rapid Deploy Folding Rear Sight (Excludes Model 8525)



16.10" Cold Hammer-Forged Barrel with Ruger® Flash Suppressor



Flat Top Upper Receiver Features a Forward Assist, Dust Cover and Brass Deflector



AR-Lower and AR-Lower Elite Receivers Available for Purchase Separately





RUGER.COM/AR556

## **AR-556**°



MOE® Handguard with Magpul® M-LOK® Slots

Ships with One, 30-Round Magpul<sup>®</sup> PMAG<sup>®</sup>

				COMPARE								
	Model Number	Caliber	Capacity	Stock	Barrel Length	Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
	8500*	5.56 NATO/223 Rem	30	Black Synthetic, Collapsible	16.10''	32.25''- 35.50''	8''	6.5 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$799.00
NEW	8515*	5.56 NATO/223 Rem	30	Magpul® MOE® Synthetic, Collapsible	16.10''	33.10''- 36.35''	8''	6.5 lbs.	11.10'' - 14.40''	1/2''-28	1:8''	\$849.00

Model Caliber Capacity Stock Barrel Number Length 8513\* 5.56 NATO/223 Rem 10 Fixed A2 Stock, 16.10' MonsterMan Grip

#### **AR-LOWER RECEIVERS**



					COMPARE							
Model Number	Material	Finish	Hammer/ Trigger Pins	Takedown/ Pivot Pins	Weight	Stock	Grip	Trigger	Overall Length	Length of Pull	Height	Suggested Retail
8506***	7075 Forged Aluminum	Hard-Coat Anodized	0.154''	0.250''	8.8 oz.	-	-	-	7.75''	-	4''	\$129.00
8516*** Elite	7075 Forged Aluminum	Hard-Coat Anodized	0.154''	0.250''	2.2 lbs.	Magpul® MOE SL®	Magpul® MOE®	Elite 452® AR-Trigger	15.63''- 19''	11.10''- 14.40''	6.75''	\$299.00





	Model Number	Caliber	Capacity	Stock	Barrel Length	Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
NEW	8525*	5.56 NATO/223 Rem	30	Black Synthetic, Collapsible	16.10''	32.25''- 35.50''	7.20''	6.7 lbs.	10.25'' - 13.50''	1/2''-28	1:8''	\$789.00



\* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale. \*\* Without magazine. \*\* Some states prohibit the purchase of certain firearm receivers. Please check with your local law enforcement agency prior to purchasing this firearm receiver to verify that it may legally be purchased and/or possessed in your particular state and locale.

#### **AR-556® State Compliant with MonsterMan Grip**



THURS	
	al Antonio C

Flat Top Picatinny Upper Receiver and Same-Plane Picatinny Gas Block

el th	Overall Length	Height**	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
)''	32.85''	8''	7.5 lbs.	11.88''	1/2''-28	1:8''	\$849.00



Stripped AR-Lower Receiver (Model 8506)

## AR-556° MPR

#### **FEATURES**

- Lower receiver is fitted with Magpul<sup>®</sup> MOE<sup>®</sup> grip and MOE SL<sup>®</sup> collapsible buttstock on a Mil-Spec buffer tube.
- Handguard is free-floated for accuracy and the slim profile provides enhanced ergonomics.
- Model 8514 bolt is mil-spec 9310 and is machined and shot peened for strength and durability. To support the large case head of .450 Bushmaster ammunition, the .450 Bushmaster bolt is engineered with tapered lugs and machined from a high-strength superalloy.
- The Ruger® Elite 452<sup>®</sup> AR-Trigger is a two-stage trigger that offers a smooth, crisp, 4.5 pound trigger pull. It features a full-strength hammer spring for consistent primer ignition and a lightweight hammer that enables a faster lock time for improved accuracy.

- Magpul<sup>®</sup> M-LOK<sup>®</sup> accessory attachment slots along the 3:00, 6:00 and 9:00 positions with additional slots on the angled faces near the muzzle.
- Ruger® muzzle brake is a radial port design that significantly reduces felt recoil and muzzle movement. The threaded barrel allows for standard muzzle accessories to be installed.
- Model 8522 features a cold hammer-forged 4140 chrome-moly steel barrel with ultra-precise 5R rifling and black nitrided finish provides exceptional accuracy, longevity and easy cleaning. The heavy barrel profile and 1:16'' twist rate maximizes accuracy with bullets ranging from 170 to 260 grains.
- Also includes: one magazine.







Flat Top Upper Receiver Features a Forward Assist, Dust Cover and Brass Deflector


Lower Receiver Fitted with Magpul<sup>®</sup> MOE<sup>®</sup> Grip and MOE SL<sup>®</sup> Collapsible Buttstock



Two-Stage Ruger® Elite 452® AR-Trigger Offers a Smooth, Crisp, 4.5 Pound Trigger Pull



Magpul® M-LOK® Accessory Attachment Slots Along the 3:00, 6:00 and 9:00 Positions





# MINI-14<sup>®</sup> AND MINI THIRTY<sup>®</sup>

From the farm and ranch to the deep woods and personal defense, Mini-14<sup>®</sup> and Mini Thirty<sup>®</sup> rifles have been the people's choice. Their shorter barrels and overall length make them favorites in any application where reliability, maneuverability and ease of handling are priorities.











## MINI-14<sup>®</sup> AND MINI THIRTY<sup>®</sup> 7.62 x39 300 BLK SIXTEEN MODELS MINI MINI-14° TACTICAL MINI THIRTY TACTICA

Mini-14® Tactical in 5.56 NATO/.223 Rem. (Model 5847)

C C C C







98

## MINI-14° AND MINI THIRTY°

#### **FEATURES**

- Simple, rugged, Garand-style action with breech bolt locking system, a fixed-piston gas system and self-cleaning moving gas cylinder gives unparalleled reliability under harsh operating conditions.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Accurate sighting system with adjustable ghost ring rear aperture sight and a non-glare, protected blade front sight.
- Receiver is drilled and tapped for mounting the included Picatinny rail.
- Also includes: two magazines; Picatinny rail; scope rings.





Simple, Rugged, Garand-Style Action



Adjustable Ghost Ring Rear Aperture Sight and Non-Glare, Protected Blade Front Sight



Integral Scope Mounts



Cold Hammer-Forged Barrel



## **W** MINI-14° AND MINI THIRTY°

#### MINI-14<sup>®</sup> RANCH with Hardwood Stock



Blade Front,

Adjustable Rear

18.50''

38''

13.50''

1:9''

7 lbs.

\$1,069.00

#### **MINI-14<sup>®</sup> RANCH** with Black Synthetic Stock

Stainless Steel/

Matte Stainless

Hardwood

5.56 NATO/

223 Rem



#### **MINI-14® TACTICAL**

5802



	COMPARE											
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
5847*	5.56 NATO/ 223 Rem	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	1/2''-28	6.7 lbs.	13''	1:9''	\$1,089.00
5848*	5.56 NATO/ 223 Rem	5	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	1/2''-28	6.7 lbs.	13''	1:9"	\$1,089.00
5819*	5.56 NATO/ 223 Rem	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	1/2''-28	6.7 lbs.	13''	1:9"	\$1,169.00
5864*	300 BLK	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.25''	5/8''-24	6.7 lbs.	13''	1:7"	\$1,089.00

#### MINI-14® TACTICAL with Collapsible Folding Stock



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
5846*	5.56 NATO/ 223 Rem	20	Alloy Steel/ Blued	Black Synthetic, Collapsible/Folding	Blade Front, Adjustable Rear	16.12''	34''- 37.75''	1/2''-28	7.2 lbs.	11.88''- 15.62''	1:9''	\$1,089.00



		COMPARE			_				_		
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
5853*	7.62x39	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.7 lbs.	13''	1:10''	\$1,139.00
5806	7.62x39	5	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50''	37.50''	6.7 lbs.	13''	1:10''	\$1,069.00
5804	7.62x39	5	Stainless Steel/ Matte Stainless	Hardwood	Blade Front, Adjustable Rear	18.50''	37.50''	7 lbs.	13''	1:10''	\$1,069.00

#### **MINI THIRTY® TACTICAL**



			COMPARE									
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
5854*	7.62x39	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	5/8''-24	6.7 lbs.	13''	1:10''	\$1,089.00
5868*	7.62x39	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	16.12''	36.75''	5/8''-24	6.7 lbs.	13''	1:10''	\$1,169.00

\* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

# **RUGER PRECISION**<sup>®</sup> **RIFLE**

Purpose-built to distance itself from the typical long-range rifle, the **Ruger Precision**<sup>®</sup> **Rifle** is a highly configurable, in-line recoil path, bolt-action rifle. Available in a variety of calibers, the Ruger Precision<sup>®</sup> Rifle offers outstanding accuracy and long-range capability.

ATTATATATATATATA



RUGER





## **W** RUGER PRECISION<sup>®</sup> RIFLE

#### **FEATURES**

- In-line recoil path manages recoil directly from the rear of the receiver to the buttstock, not through a traditional bedding system, providing maximum accuracy potential.
- Cold hammer-forged, chrome-moly steel barrel with 5R Rifling at minimum bore and groove dimensions, minimum headspace and centralized chamber.
- Ruger Marksman Adjustable™ trigger is externally adjustable, with a trigger pull range of 2.25 to 5 pounds; wrench is stored in the bolt shroud.
- Ruger Precision® MSR stock with QD sling attachment points features a bottom Picatinny rail and soft rubber buttpad. The left-folding stock hinge is attached to an AR-style buffer tube and accepts any AR-style stock. Length of pull and comb height are adjustable.
- Barrel features a Ruger Precision® Rifle Hybrid or Magnum Muzzle Brake to effectively reduce recoil while minimizing noise and blast to the sides of the shooter.
- Aluminum free-float handguard is black hard-coat anodized aluminum and features Magpul<sup>®</sup> M-LOK<sup>®</sup> slots on all four sides for improved scope clearance for long-range scopes and easy mounting of M-LOK-compatible rails and accessories.
- Ambidextrous manual safety for left- or right-handed lever manipulation.
- 20 or 30 MOA Picatinny rail secured with #8-40 screws for increased long-range elevation capabilities, depending on caliber.

- "Upper" receiver and one-piece bolt are precision CNC-machined from pre-hardened 4140 chrome-moly steel to minimize distortion.
- Three-lug bolt with 70° throw features dual cocking cams and a smooth-running, full diameter bolt body. Bolt body is nitrided for corrosion resistance, smooth operation and durability.
- Barrel can be replaced easily by a competent gunsmith using headspace gauges.
- Magazine well front is contoured for a positive grip when bracing against shooting supports.
- Oversized bolt handle for positive bolt manipulation, with a 5/16"-24 thread pattern for easy replacement. Bolt disassembly tool is stored in the Ruger Precision® Rifle Billet Aluminum Bolt Shroud for easy striker channel cleaning.
- "Lower" magazine well halves are precision machined from aerospacegrade 7075-T6 aluminum and are Type III hard-coat anodized for maximum durability.
- Extended trigger-reach AR-style grip and 45° ambidextrous safety selector. May be configured with any AR-style grip and selector.
- Also includes: two magazines.



		COMPARE									_
	Model Number	Caliber	Capacity	Barrel Length	Folded Length	Overall Length	Height	Width	Weight	Twist	Suggested Retail
	18028	308 Win	10	20''	31.60''	39.25'' - 42.75''	7.30''	3.30''	9.8 lbs.	1:10"	\$1,599.00
	18029	6.5 Creedmoor	10	24''	35.60''	43.25'' - 46.75''	7.30''	3.30''	10.7 lbs.	1:8''	\$1,599.00
	18032	6mm Creedmoor	10	24''	35.60''	43.25'' - 46.75''	7.30''	3.30''	10.8 lbs.	1:7.7''	\$1,599.00
NEW	18080	338 Lapua Mag	5	26''	40.35''	49'' - 52.50''	7.50''	3.50''	15.2 lbs.	1:9.375''	\$2,099.00
NEW	18081	300 Win Mag	5	26''	40.35''	49'' - 52.50''	7.50''	3.50''	15.2 lbs.	1:9''	\$2,099.00



Equipped with a Free-Float Handguard Featuring Magpul® M-LOK® Slots



Picatinny Rail



Ambidextrous Safety



Ruger Precision® MSR Stock with QD Sling Attachment Points Features a Bottom Picatinny Rail and Soft Rubber Buttpad



RUGER.COM/PRECISIONRIFLE

106

# **RUGER PRECISION**<sup>®</sup> **RIMFIRE**

Bringing the big-gun experience to the rimfire world, the **Ruger Precision**<sup>®</sup> **Rimfire** is a scaled down version of the Ruger Precision<sup>®</sup> Rifle that maintains the same ergonomics, trigger and manual of arms as the larger centerfire rifle. This rifle is the ideal rimfire trainer and the go-to rifle for your next rimfire match.

manne

RUGER











in .17 HMF



#### RUGER PRECISION<sup>®</sup> RIMFIRE

## **QUICK-FIT PRECISION RIMFIRE ADJUSTABLE STOCK**



108

## **W** RUGER PRECISION<sup>®</sup> RIMFIRE

#### **FEATURES**

- Molded, one-piece chassis and adjustable buttstock assembly are manufactured with glass-filled nylon for strength, stiffness and stability, making a solid foundation for accuracy each and every shot. Adjustable buttstock features a flat Picatinny bag rider making it easy to affix a rear monopod. A molded-in window provides a tether point for your squeeze bag, and a metal QD pocket makes it easy to secure a sling.
- Quick-Fit adjustable Precision Rimfire stock allows length of pull and comb height to be quickly and easily adjusted to get proper fit over a wide range of shooter sizes, outerwear and shooting positions. Indicating marks molded into the chassis help you quickly return to a previous position.
- Big-Gun bolt throw adjustment enables shooters to change from a rimfire 1-1/2" bolt throw to a short-action centerfire 3" bolt throw, reducing the chance of short-stroking your bolt in competition.
- Ruger Marksman Adjustable™ trigger is externally adjustable, with a trigger pull range of 2.25 to 5 pounds; wrench is stored in a buttstock compartment.
- Ruger's own AR-pattern pistol grip and safety selector provides an extended reach for maximum control and access to the 45°, reversible safety selector. May be configured with most AR-style grips and selectors.


- Features anodized Picatinny scope base.
- Oversized bolt handle for positive bolt manipulation (same as the Ruger Precision® Rifle).
- 15" aluminum free-float handguard is black hard-coat anodized aluminum and features Magpul<sup>®</sup> M-LOK<sup>®</sup> slots on all four sides for improved scope clearance for long-range scopes and easy mounting of M-LOK-compatible rails and accessories.
- 18" target barrel is cold hammer-forged from 1137 alloy steel to create ultra precise rifling for excellent accuracy. Barrel can be replaced easily by a competent gunsmith using AR-style wrenches and headspace gauges.
- 1/2''-28 threaded barrel for standard muzzle accessories, like the Silent-SR<sup>®</sup> suppressor, comes with a factory-installed thread protector covering both the threads and crown.





		COMPARE												_
	Model Number	Caliber	Capacity	Stock	Magazine	Barrel Length	Overall Length	Height	Width	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
	8400*	22 LR	15	Quick-Fit Precision Rimfire Adjustable	One BX-15®	18''	35.13'' - 38.63''	6.88''	3.38''	6.8 lbs.	12'' - 15.50''	1/2''-28	1:16''	\$529.00
	8401	22 LR	10	Quick-Fit Precision Rimfire Adjustable	Two BX-1	18''	35.13'' - 38.63''	6.88''	3.38''	6.8 lbs.	12'' - 15.50''	1/2''-28	1:16''	\$529.00
NEW	8402*	17 HMR	15	Quick-Fit Precision Rimfire Adjustable	One BX-15® Magnum	18''	35.13'' - 38.63''	6.88''	3.38''	6.8 lbs.	12'' - 15.50''	1/2''-28	1:9"	\$529.00
NEW	8403	17 HMR	9	Quick-Fit Precision Rimfire Adjustable	One JMX-1	18''	35.13'' - 38.63''	6.88''	3.38''	6.8 lbs.	12'' - 15.50''	1/2''-28	1:9"	\$529.00
NEW	8404*	22 WMR	15	Quick-Fit Precision Rimfire Adjustable	One BX-15® Magnum	18''	35.13'' - 38.63''	6.88''	3.38''	6.8 lbs.	12'' - 15.50''	1/2''-28	1:14''	\$529.00
NEW	8405	22 WMR	9	Quick-Fit Precision Rimfire Adjustable	One JMX-1	18''	35.13'' - 38.63''	6.88''	3.38''	6.8 lbs.	12'' - 15.50''	1/2''-28	1:14''	\$529.00





Ruger Marksman Adjustable™ Trigger with 2.25 to 5.0 lb. Pull Weight



Quick-Fit Adjustable Precision Rimfire Stock



15'' Free-Float Hard Black Anodized Aluminum Handguard

1/2"-28 Threaded Barrel for Standard Muzzle Accessories Including the Silent-SR®

\* Some rifles may not be available in all states and locales due to laws limiting magazine capacity. Please check with your local law enforcement agency prior to purchasing this firearm to verify that it may legally be purchased and/or possessed in your particular state and locale.

Bolt Throw



# **RUGER AMERICAN<sup>®</sup> RIFLE**

Another engineering innovation from America's leading firearms manufacturer, the Ruger American® Rifle combines Ruger's famous rugged reliability with the award-winning ingenuity featured in so many of Ruger's new products.

1111111111

THE R

**Ruger American® Rifle Predato** 

in 6.5 Creedmoor (Model 26973)

đI

1111111111

223 REM

6.5

204 RUGER

5.56 NATO 223 REM


7mm-08 REM

in .450 Bushmaster (Model 16950)



#### RUGER AMERICAN<sup>®</sup> RIFLE









112

## **Q** RUGER AMERICAN<sup>®</sup> RIFLE

#### **FEATURES**

- Ruger Marksman Adjustable™ trigger offers a crisp release with a pull weight that is user adjustable between 3 and 5 pounds, allowing shooters to make that perfect shot.
- Ergonomic, lightweight synthetic stock designed for quick, easy handling blends a classic look with modern forend contouring and grip serrations.
- Soft rubber buttpad is crafted for maximum recoil reduction.
- The one-piece, three-lug bolt with 70° throw provides ample scope clearance and utilizes a full diameter bolt body and dual cocking cams for smooth, easy cycling from the shoulder.
- Patented Power Bedding<sup>®</sup>, integral bedding block system positively locates the receiver and free-floats the barrel for outstanding accuracy.

- Factory-installed, one-piece Picatinny scope base.
- Offers minute-of-angle accuracy that can make every hunt a success.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- The visible, accessible and easy-to-actuate tang safety provides instant security.
- Also includes: one magazine; sling swivel studs.



Patented Power Bedding® Integral Bedding Blocks for Outstanding Accuracy



Ruger Marksman Adjustable™ Trigger Provides a Crisp Release with a User-Adjustable 3-5 lb. Trigger Pull



Visible, Accessible and Easy-to-Actuate Tang Safety



Cold Hammer-Forged Barrel



Ergonomic, Lightweight Stock



One-Piece, Three-Lug Bolt with 70° Throw Provides Ample Scope Clearance



## **W** RUGER AMERICAN<sup>®</sup> RIFLE

#### **RUGER AMERICAN® RIFLE**



#### Model 6901 Shown

	COMPARE									_		_
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
6904	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	22''	42''	6.2 lbs.	13.75''	1:9''	\$489.00
6902	270 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	22''	42.50''	6.2 lbs.	13.75''	1:10''	\$489.00
6906	7mm-08 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	22''	42''	6.3 lbs.	13.75''	1:9.5''	\$489.00
6901	30-06 Sprg	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	22''	42.50''	6.2 lbs.	13.75''	1:10''	\$489.00
6903	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	22''	42''	6.1 lbs.	13.75''	1:10''	\$489.00

#### **RUGER AMERICAN® RIFLE COMPACT**



*Compact models feature a shorter length of pull (for smaller shooters* or those wearing heavier outerwear) and a shorter barrel, for a reduction in overall length of more than five inches.

	COMPARE											
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
6908	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	18''	36.75''	6 lbs.	12.50''	1:9''	\$489.00
6909	7mm-08 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	18''	36.75''	6 lbs.	12.50''	1:9.5''	\$489.00
6907	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	None	18''	36.75''	6 lbs.	12.50''	1:10"	\$489.00

#### **RUGER AMERICAN® RIFLE MAGNUM**

		1						÷	,		Facto	Threaded Ba rry-Installed Th	rrel with read Protector
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
16912	300 Win Mag	3	Single- Stack	Stainless Steel/ Matte Stainless	Black Synthetic	None	24''	44.50''	5/8''-24	7.5 lbs.	13.75''	1:10''	\$699.00

#### **RUGER AMERICAN® RIFLE** with Vortex® Crossfire II® Riflescope



SCOPE SPECIFICATIONS	
Reticle: Dead-Hold BDC	Adjustment Ma
Item Number: CF2-31007	
Construction Features: Waterproof,	Maintube Diam
Fogproof, Shockproof	Material: Aircra
COMPARE	

Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
16931	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex <sup>®</sup> Crossfire II <sup>®</sup> Riflescope	22''	42''	7.2 lbs.	13.75''	1:9''	\$639.00
16932	270 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22''	42.50''	7.1 lbs.	13.75''	1:10"	\$639.00
16933	30-06 Sprg	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22''	42.50''	7.1 lbs.	13.75''	1:10''	\$639.00
16934	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	7 lbs.	13.75''	1:10''	\$639.00
16937	223 Rem	5	Flush-Fit	Alloy Steel/ Matte Black	Black Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	7.2 lbs.	13.75''	1:8''	\$639.00



	COMPARE			_							_		_
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
26965	5.56 NATO/ 223 Rem	10	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	1/2''-28	6.1 lbs.	13.75''	1:8''	\$599.00
6965	5.56 NATO/ 223 Rem	5	Flush-Fit	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	1/2''-28	6.1 lbs.	13.75''	1:8''	\$529.00
26968	300 BLK	10	AR-Style	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	5/8''-24	5.9 lbs.	13.75''	1:7''	\$599.00
6968	300 BLK	5	Flush-Fit	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	5/8''-24	5.9 lbs.	13.75''	1:7''	\$529.00
16950	450 Bushmaster	3	Single- Stack	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	11/16''-24	5.6 lbs.	13.75''	1:16''	\$599.00
16976	7.62x39	5	Mini Thirty®	Alloy Steel/ Matte Black	Flat Dark Earth Synthetic	None	16.12''	36''	5/8''-24	5.9 lbs.	13.75''	1:9.5"	\$599.00

#### larkings: 1/4 MOA Finger Click Adjustments

#### Magnification: 3-9x

meter: 1"

aft Grade Aluminum

Linear Field of View (ft @ 100yd): 34.1 - 12.6 Objective Lens Diameter: 40mm

Threaded Barrel with Factory-Installed Thread Protector or Ruger® Hybrid Muzzle Brake (Model 16950)

## **W** RUGER AMERICAN<sup>®</sup> RIFLE

#### **RUGER AMERICAN® RIFLE PREDATOR**

-				-	ů,		-		0				•	Ê
	-	Mc	del 26973	Shown										ed Barrel with led Thread Protec
Mod Num		COMPARE	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
269	171	204 Ruger	10	Al-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	1/2''-28	6.6 lbs.	13.75''	1:12''	\$599.00
694	5	22-250 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	1/2''-28	6.6 lbs.	13.75''	1:10''	\$529.00
269	44	223 Rem	10	AR-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	1/2''-28	6.6 lbs.	13.75''	1:8''	\$599.00
269	72	243 Win	3	Al-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:9''	\$599.00
269	73	6.5 Creedmoor	3	Al-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$599.00
6973	'3	6.5 Creedmoor	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$529.00
1691 LH	77	6.5 Creedmoor	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$569.00
269 LH	16	243 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:9"	\$569.00
269 LH	17	7mm-08 Rem	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8.5''	\$569.00
269 LH	18	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:10''	\$569.00
269	48	6mm Creedmoor	3	Al-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:7.7"	\$599.00
269	174	308 Win	3	Al-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	18''	38''	5/8''-24	6.2 lbs.	13.75''	1:10''	\$599.00
6974	4	308 Win	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	None	18''	38''	5/8''-24	6.2 lbs.	13.75''	1:10''	\$529.00
269	22	6.5 Grendel	10	Aluminum AR-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$599.00

#### RUGER AMERICAN® RIFLE PREDATOR with Vortex® Crossfire II® Riflescope



**SCOPE SPECIFICATIONS** Reticle: Dead-Hold BDC

**Construction Features:** Waterproof, Fogproof, Shockproof

Maintube Diameter: 1" Material: Aircraft-Grade Aluminum

	COMPARE												
Model Number	Caliber	Capacity	Magazine	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
26951	223 Rem	10	AR-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	1/2''-28	7.6 lbs.	13.75''	1:8''	\$799.00
26952	204 Ruger	10	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II <sup>®</sup> Riflescope	22''	42''	1/2''-28	7.6 lbs.	13.75''	1:12''	\$799.00
26953	6.5 Creedmoor	3	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	5/8''-24	7.6 lbs.	13.75''	1:8''	\$799.00
16953	6.5 Creedmoor	4	Flush-Fit	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	22''	42''	5/8''-24	7.6 lbs.	13.75''	1:8''	\$699.00
26954	308 Win	3	AI-Style	Alloy Steel/ Matte Black	Moss Green Synthetic	Vortex® Crossfire II® Riflescope	18''	38''	5/8''-24	7.2 lbs.	13.75''	1:10''	\$799.00

#### **RUGER AMERICAN® RIFLE** with GO Wild<sup>®</sup> Camo I-M Brush<sup>®</sup> Stock



Model 26925 Shown

	COMPARE			_							_		
Model Number	Caliber	Capacity	Magazine	Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
26923	7mm-08 Rem	3	Al-Style	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8.5''	\$629.00
26924	243 Win	3	Al-Style	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:9''	\$629.00
26925	6.5 Creedmoor	3	Al-Style	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:8''	\$629.00
26926	308 Win	3	Al-Style	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:10''	\$629.00
26927	30-06 Sprg	4	Flush-Fit	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	22''	42''	5/8''-24	6.6 lbs.	13.75''	1:10''	\$629.00
26928	450 Bushmaster	3	Single- Stack	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	22''	42''	11/6''-24	6.6 lbs.	13.75''	1:16''	\$629.00
26929	300 Win Mag	3	Single- Stack	Cerakote Bronze	GO Wild® Camo I-M Brush®	None	24''	44''	5/8''-24	7.1 lbs.	13.75''	1:10''	\$629.00

LH: Left-Handed.

#### Adjustment Markings: 1/4 MOA Finger Click Adjustments

Magnification: 4-12x

Linear Field of View (ft @ 100yd): 24.7 - 8.4 Objective Lens Diameter: 44 mm

GO Wild<sup>®</sup> Camo I-M Brush<sup>®</sup> Stock

# **RUGER AMERICAN<sup>®</sup> RIMFIRE**

The Ruger American<sup>®</sup> Rimfire bolt-action rifle builds on the enormous success of the centerfire Ruger American<sup>®</sup> Rifle. With many of the standard Ruger American<sup>®</sup> Rifle features, this line also combines several design innovations from the popular 10/22° rimfire rifle. This combination, along with the rifle's adaptability, will appeal to all bolt-action rifle enthusiasts – young or old, novice or experienced.

119



#### RUGER AMERICAN<sup>®</sup> RIMFIRE


LR

THREE CALIBERS

(Model 8350)

6

antitit










## **W** RUGER AMERICAN<sup>®</sup> RIMFIRE

#### **FEATURES**


- Models configured with a synthetic stock include two interchangeable stock modules that provide comb height options for scope or iron sight use. By simply removing the rear sling swivel stud, stock modules can be changed in seconds. All four stock modules are completely interchangeable across all models and are available at ShopRuger.com.
- Models chambered in .22 LR include the patented, detachable, flush-mounted BX-1, 10-round rotary magazine and accept all 10/22<sup>®</sup> magazines, including the BX-25<sup>®</sup>, BX-25<sup>®</sup>x2 and BX-15<sup>®</sup>.
- Models chambered in .22 Magnum and .17 HMR use the detachable, flush-mounted JMX-1, 9-round rotary magazine and accept the BX-15<sup>®</sup> Magnum magazine.
- Easy-to-use, extended magazine release provides smooth, no-fuss removal of the flush-mounted magazine.
- Patented Power Bedding<sup>®</sup> integral bedding block system positively locates the receiver and free-floats the barrel for outstanding accuracy.
- Ruger Marksman Adjustable<sup>™</sup> trigger offers a crisp release with a pull weight that is user adjustable between three and five pounds, allowing shooters to make that perfect shot.



- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- A 3/8" rimfire scope base is machined into the receiver, which is also drilled and tapped for Weaver™ #12 bases.
- A 60° bolt provides ample scope clearance and the easy-to-use, receiver-mounted bolt release allows the bolt to be readily removed without requiring a pull of the trigger, a unique safety feature among rimfire, bolt-action rifles.
- Williams<sup>™</sup> fiber optic front sight and adjustable, "V" slot, folding-leaf rear sight (excludes Stainless and Target models).
- Also includes: sling swivel studs.



Visible, Accessible and Easy-to-Actuate Tang Safety



Ruger Marksman Adjustable™ Trigger Provides a Crisp Release with a User-Adjustable 3-5 lb. Trigger Pull



Detachable Rotary Magazine Provides Reliable Feeding



Patented Power Bedding® Integral Bedding Block for Outstanding Accuracy



Williams™ Fiber Optic Front Sight and Adjustable, "V" Slot, Folding-Leaf Rear Sight (Excludes Stainless and Target Models)



## **W** RUGER AMERICAN<sup>®</sup> RIMFIRE

#### **RUGER AMERICAN® RIMFIRE**





#### **RUGER AMERICAN® RIMFIRE Compact**

8305

8322



	COMPARE		_							101	0.0001(1110	
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
8313	17 HMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	-	5.3 lbs.	12.50''	1:9''	\$359.00
8303	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	-	5.3 lbs.	12.50''	1:16''	\$359.00
8323	22 WMR	9	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	-	5.3 lbs.	12.50''	1:14''	\$359.00
8306	22 LR	10	Alloy Steel/ Satin Blued	Black Synthetic	Williams™ Fiber Optic Front, Adjustable Rear	18''	35.75''	1/2''-28	5.3 lbs.	12.50''	1:16''	\$389.00

#### **RUGER AMERICAN® RIMFIRE with Wood Stock**

		-	E	2		Carlora		o		J	
								tractive Wood \$ p and Forend (		for C	ibber Buttpad comfortable gth of Pull
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
8329	22 LR	10	Alloy Steel/Satin Blued	Wood	Williams™ Fiber Optic Front, Adjustable Rear	22''	41''	6.1 lbs.	13.75''	1:16''	\$459.00

#### **RUGER AMERICAN® RIMFIRE STAINLESS**



	COMPARE		_						monadoa	7 11 01 1	intani ocopo	
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
8351	22 LR	10	Stainless Steel/ Satin Stainless	Black Synthetic	None	18''	37''	1/2''-28	5.3 lbs.	13.75''	1:16''	\$429.00
8352	22 WMR	9	Stainless Steel/ Satin Stainless	Black Synthetic	None	18''	37''	1/2''-28	5.3 lbs.	13.75''	1:14''	\$429.00
8353	17 HMR	9	Stainless Steel/ Satin Stainless	Black Synthetic	None	18''	37''	1/2''-28	5.3 lbs.	13.75''	1:9''	\$429.00

#### **RUGER AMERICAN® RIMFIRE TARGET**

\$389.00

\$389.00



	COMPARE											
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Thread Pattern	Weight	Length of Pull	Twist	Suggested Retail
8350	17 HMR	9	Alloy Steel/Satin Blued	Black Laminate	None	18''	37''	1/2''-28	6.8 lbs.	13.75''	1:9''	\$499.00
8348	22 LR	10	Alloy Steel/Satin Blued	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:16''	\$499.00
8349	22 WMR	9	Alloy Steel/Satin Blued	Black Laminate	None	18''	37''	1/2''-28	6.7 lbs.	13.75''	1:14''	\$499.00

#### **RUGER AMERICAN® RIMFIRE TARGET** with Thumbhole Stock



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights
8360	22 LR	10	Alloy Steel/ Satin Blued	Black Laminate with Thumbhole	None



Two, Interchangeable Stock Modules Included Factory-Installed, One-Piece Aluminum Scope Rail

Bull Barrel with Factory-Installed Knurled Thread Protector

One-Piece Aluminum Scope Rail

Alexander Henry Forend

Knurled Thread Protector Barrel Overall Thread Weight Length Twist Suggested of Pull Length Length Pattern Retail 18'' 37'' 1/2''-28 6.7 lbs. 13.75'' 1:16'' \$559.00

# **RUGER<sup>®</sup> SCOUT RIFLE**

The one rifle to have if you could have only one. The **Ruger**<sup>®</sup> **Scout Rifle** is the perfect lightweight, hard-hitting, do-it-all bolt-action rifle.





## **W** RUGER<sup>®</sup> SCOUT RIFLE

#### **FEATURES**

Model

Number

6803

6821

6822

6829

6830

6837

NEW 6838

LH

Caliber

308 Win

308 Win

308 Win

308 Win

308 Win

Bushmaste

Bushmaste

450

450

- Forward-mounted Picatinny rail allows for the mounting of modern optics. like an intermediate eye relief scope (not included), for "both eyes open" sighting and rapid target acquisition.
- Built-in, accurate sighting system with adjustable ghost ring rear aperture sight and a non-glare, protected blade front sight.
- Detachable box magazine with push-forward magazine release just forward of the trigger guard.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Soft-rubber buttpad with buttpad spacers allows the rifle to be properly sized for different shooters or varying levels of outerwear (three, 1/2" spacers included).
- Free-floating, cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

Material/

Finish

Alloy Steel/

Matte Black

Stainless Steel/

Matte Stainless

Stainless Steel/

Matte Stainless

Stainless Steel/

Matte Stainless

Alloy Steel/

Matte Black

Alloy Steel/

Matte Black

Stainless Steel/

Matte Stainless

Stock

Black

Black

Black

Black

Black

Laminate

Laminate

Laminate

Synthetic

Synthetic

American

Walnut

Black

Synthetic

 Rugged and reliable glass-reinforced nylon trigger guard and magazine well.

Capacity

10

10

10

10

10

- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Laminate stock models feature durable, laminated wood that free floats the barrel and remains stable in weather and temperature extremes.
- Lightweight synthetic stock models feature a forward aluminum bedding block and rear aluminum pillar that positively locate the receiver.
- Models 6837 and 6838 feature a Ruger® Hybrid Muzzle Brake (thread protector included).
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.

308

WIN

11122

Twist

1:10''

1:10"

1:10"

1:10"

1:10"

1:16"

1:16''

Thread

Pattern

5/8"-24

5/8"-24

5/8"-24

5/8"-24

5/8"-24

450 BUSH-MASTER

Suggested

\$1,139.00

\$1.199.00

\$1,199.00

\$1,199.00

\$1,139.00

11/16"-24 \$1.199.00

11/16"-24 \$1,199.00

Retail

- Rugged, one-piece, stainless steel bolt.
- Also includes: sling swivel studs.

Ruger® Scout Rifle in .450 Bushmaster

Overall

Length

37''- 38.50''

39.50"- 41"

39.50''- 41''

37''- 38.50''

37''- 38.50''

37''- 38.50''

37''- 38.50''

Weight

7.1 lbs.

7.3 lbs.

7.3 lbs.

6.2 lbs.

6.2 lbs.

6.6 lbs.

6.2 lbs.

Length

of Pull

12.75"- 14.25"

12.75''- 14.25''

12.75"- 14.25"

12.75''- 14.25''

12.75''- 14.25''

12.75"- 14.25"

12.75''- 14.25''







Glass-Reinforced Nylon Trigger Guard and Magazine Well





MEW

(Model 6838)

Barrel

Length

16.10''

18.70''

18.70''

16.10''

16.10''

16.10''

16.10''

Barrel Feature

Flash Suppressor

Flash Suppressor

Flash Suppressor

Muzzle Brake

Muzzle Brake

Ruger® Hybrid

Ruger® Hybrid

Muzzle Brake


Muzzle Brake

Adjustable Ghost Ring Rear Sight



Buttpad Spacers Allow for Adjustable Length of Pull







# **RUGER**<sup>°</sup> **GUIDE GUN**

Rugged and hard-hitting, the compact and easy-to-carry **Ruger**<sup>®</sup> **Guide Gun** is ready for whatever conditions or game come your way.





## FIVE CALIBERS

#### THE RUGER® MUZZLE BRAKE SYSTEM

Includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced with the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.

Ruger® Guide Gu in .375 Ruger (Model 47125)



# RUGER® GUIDE GUN







## **W** RUGER<sup>®</sup> GUIDE GUN

#### **FEATURES**

- Shallow "express-style" windage-adjustable V-notch rear sight and large white bead front sight for instant target acquisition.
- Rugged, Green Mountain laminate stock is dimensionally stable in environmental extremes, and features a soft rubber buttpad with buttpad spacers that allow the rifle to be properly sized for different shooters or varying levels of outerwear (three, 1/2" spacers included). Wrap-around checkering provides a sure grip in any weather.
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced with the included dynamicallymatched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.

- The LC6<sup>™</sup> trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Rugged, one-piece, stainless steel bolt.
- Also includes: barrel band mounted swivel stud; optional forend swivel stud.



Model Number	COMPARE	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
47116	300 Win Mag	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:10''	\$1,279.00
47117	338 Win Mag	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8 lbs.	12.75''- 14.25''	1:10''	\$1,279.00
47118	30-06 Sprg	4	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:10''	\$1,279.00
47124 LH	375 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:12"	\$1,279.00
47125	375 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:12"	\$1,279.00
47130	416 Ruger	3	Stainless Steel/ Hawkeye Matte	Green Mountain Laminate	Bead Front, Adjustable Rear	20''	41''- 42.50''	8.1 lbs.	12.75''- 14.25''	1:14"	\$1,279.00



Ruger Logo Engraving



"Express-Style" Windage-Adjustable Rear Sight and Large White Bead Front Sight



Integral Scope Mounts




Buttpad Spacers Allow for Adjustable Length of Pull





# HAWKEYE







## 🏶 HAWKEYE® AFRICAN

#### **FEATURES**


- The LC6<sup>™</sup> trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects empty cases as the bolt is moved fully rearward.
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced by the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Hinged, solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.

- Shallow "express-style" windage-adjustable V-notch rear sight and large white bead front sight for instant target acquisition.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Ergonomically pleasing, American walnut stock has rounded contours along the barrel, on the bottom of the stock and on top of the pistol grip and wrap-around checkering on the grip and forend.
- Rugged, one-piece, stainless steel bolt
- Also includes: barrel band mounted swivel stud; optional forend swivel stud.



(Model 37186)

Hawkeye® African in .375 Ruger





American Walnut Stock with Ebony Forend Cap



Ruger® Muzzle Brake System



Hinged, Solid-Steel Floorplate for Easy Unloading



Bead Front Sight and "Express-Style" Windage-Adjustable Rear Sight






LH: Left-Handed.

## HAWKEYE®

#### **FEATURES**


- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects empty cases as the bolt is moved fully rearward.
- Hinged, solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Ergonomically pleasing stock has rounded contours along the barrel, on the bottom of the stock and on top of the pistol grip and wrap-around checkering on the grip and forend.
- Rugged, one-piece, stainless steel bolt.
- Also includes: studs for mounting sling swivels.





HAWKEYE® STANDARD





Model 37117 Shown

Hinged, Solid-Steel Floorplate





Non-Rotating, Mauser-Type Controlled Round Feed Extractor Three-Position Safety



LC6<sup>™</sup> Trigger for Increased Accuracy

American Walnut Red Rubber Buttpad for Recoil Reduction Stock

	COMPARE								_		
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
37116	204 Ruger	5	Alloy Steel/Satin Blued	American Walnut	None	24''	44''	7.2 lbs.	13.50''	1:12''	\$979.00
37117	223 Rem	5	Alloy Steel/Satin Blued	American Walnut	None	22''	42''	7.2 lbs.	13.50''	1:9"	\$979.00
37119	243 Win	4	Alloy Steel/Satin Blued	American Walnut	None	22''	42''	7 lbs.	13.50''	1:9''	\$979.00
37121	270 Win	4	Alloy Steel/Satin Blued	American Walnut	None	22''	42.75''	8 lbs.	13.50''	1:10''	\$979.00
37122	7mm Rem Mag	3	Alloy Steel/Satin Blued	American Walnut	None	24''	44.75''	8.2 lbs.	13.50''	1:9.5''	\$979.00
37123	7mm-08 Rem	4	Alloy Steel/Satin Blued	American Walnut	None	22''	42''	7 lbs.	13.50''	1:9.5''	\$979.00
37125	30-06 Sprg	4	Alloy Steel/Satin Blued	American Walnut	None	22''	42.75''	7.5 lbs.	13.50''	1:10''	\$979.00
37126	300 Win Mag	3	Alloy Steel/Satin Blued	American Walnut	None	24''	44.75''	8 lbs.	13.50''	1:10''	\$979.00
37124	308 Win	4	Alloy Steel/Satin Blued	American Walnut	None	22''	42''	7 lbs.	13.50''	1:10''	\$979.00

#### **HAWKEYE® LAMINATE COMPACT**



	COMPARE										
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
17108	243 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	16.50''	35.50''	6.2 lbs.	12.50''	1:9''	\$1,069.00
17111	7mm-08 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	16.50''	35.50''	6.2 lbs.	12.50''	1:9.5''	\$1,069.00
17110	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	16.50''	35.50''	6 lbs.	12.50''	1:10''	\$1,069.00

# **HAWKEYE® VARMINT TARGET** Model 17974 Shown

	COMPARE								_		
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
17974	204 Ruger	5	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	26''	46''	9.7 lbs.	13.50''	1:12"	\$1,139.00
17976	22-250 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	26''	46''	9.7 lbs.	13.50''	1:14''	\$1,139.00
17975	223 Rem	5	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	26''	46''	9.7 lbs.	13.50''	1:9''	\$1,139.00
17980	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	28''	48''	9.5 lbs.	13.50''	1:8''	\$1,139.00
17979	308 Win	4	Stainless Steel/ Hawkeye Matte Stainless	Black Laminate	None	26''	46''	9.2 lbs.	13.50''	1:10''	\$1,139.00

#### HAWKEYE® LONG-RANGE TARGET



					Trigg	er (Not LC6	<sup>™</sup> Trigger)	Muzzle E	Irake				
	Model Number	COMPARE Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
	47183	300 Win Mag	5	Alloy Steel/ Matte Black	Speckled Black/ Brown Laminate	None	26''	47.50''-49''	11 lbs.	13''- 14.50''	5/8''-24	1:9''	\$1,279.00
NEW	47184	6.5 Creedmoor	10	Alloy Steel/ Matte Black	Speckled Black/ Brown Laminate	None	26''	47''-48.50''	11 lbs.	13''- 14.50''	5/8''-24	1:8''	\$1,279.00
NEW	47189	6.5 PRC	3	Alloy Steel/ Matte Black	Speckled Black/ Brown Laminate	None	26''	47''-48.50''	11 lbs.	13''- 14.50''	5/8''-24	1:8''	\$1,279.00



Increased Accuracy



Black Laminate Stock





Heavy Contour, Cold Hammer-Forged Barrel with Target Crown

Target Forend

Unique, Two-Stage, Adjustable Target Trigger (Not LC6<sup>™</sup> Trigger)

Unique, Two-Stage, Adjustable Target

Heavy-Contour, Target Barrel 20 MOA Picatinny Rail Featuring Ruger® Hybrid

Two-Wav Adjustable Comb



#### HAWKEYE® PREDATOR

Model 17121 Shown



Unique, Two-Stage, Adjustable Target Trigger (Not LC6™ Trigger)

	COMPARE										_
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Twist	Suggested Retail
17123	204 Ruger	5	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	44''	8 lbs.	13.50''	1:12''	\$1,139.00
17121	22-250 Rem	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	44''	8 lbs.	13.50''	1:14''	\$1,139.00
17122	223 Rem	5	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	22''	42''	7.7 lbs.	13.50''	1:9''	\$1,139.00
47108	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	44''	8.1 lbs.	13.50''	1:8''	\$1,139.00
47139	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Green Mountain Laminate	None	24''	43.25''- 44.75''	8.1 lbs.	12.75''- 14.25''	1:8''	\$1,159.00

Laminate Stock

#### HAWKEYE® FTW HUNTER







Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
47146	300 Win Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	24"	43.25'' - 44.75''	8.2 lbs.	12.75''- 14.25''	1/2''-24	1:10''	\$1,279.00
47166	375 Ruger	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	22"	41.25'' - 42.75''	7.8 lbs.	12.75''- 14.25''	5/8''-18	1:12''	\$1,269.00
47170	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	24"	43.25'' - 44.75''	7.6 lbs.	12.75''- 14.25''	1/2''-24	1:8''	\$1,279.00
47174 LH	6.5 Creedmoor	4	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	24"	43.25'' - 44.75''	7.6 lbs.	12.75''- 14.25''	1/2''-24	1:8''	\$1,279.00
47175 LH	300 Win Mag	3	Stainless Steel/ Hawkeye Matte Stainless	Natural Gear™ Camo Hardwood	None	24"	43.25'' - 44.75''	8.2 lbs.	12.75''- 14.25''	1/2''-24	1:10''	\$1,279.00

Model 47139 Features an Adjustable Length of Pull 222 LC6™ Trigger for Increased Accuracy Natural Gear™ Camo Hardwood Stock Ruger® Muzzle Brake System with Adjustable Length of Pull for Reduced Felt Recoil



# **77-SERIES RIFLES**

In 1983, Ruger responded to the many shooters who desired a high-quality, adult-size .22 LR rimfire rifle – one that was built to centerfire standards of strength, accuracy and aesthetics. Focused on building a rifle that was accurate, economical and extremely handsome, Bill Ruger launched the rotary magazine fed **77-Series** of bolt-action rifles.





Ruger 77/17<sup>®</sup> in .17 WSM with American Walnut Stock and Blued Finish (Model 7217)



## **W** 77-SERIES

#### **FEATURES**

- Features a rugged, stainless steel bolt with 90° bolt throw and rapid lock time for added accuracy.
- Detachable rotary magazine features a unique rotor to separate cartridges and provide reliable feeding. Mounts flush with the stock to eliminate protrusions at the rifle's balance point.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Three-position safety is easily accessible and allows the shooter to lock the bolt to load and unload the rifle with the safety engaged.
- Also includes: sling swivel studs.







17

HORNET



Three-Position Safety

- Detachable Rotary Magazine
- Integral Scope Mounts

ΔΔ

**REM** MAG



	Humbon			1 111011			Longin	Longui		orran		notan
	7212	17 Hornet	6	Stainless Steel/ Matte Stainless	Green Mountain Laminate	None	24''	43.25''	7.5 lbs.	13.50''	1:9"	\$1,069.00
NEW	7217	17 WSM	6	Alloy Steel/ Blued	American Walnut	None	20''	39.25''	5.7 lbs.	13.50''	1:9''	\$999.00
NEW	7218	17 WSM	6	Stainless Steel/ Matte Stainless	Green Mountain Laminate	None	18.50''	37.75''	7 lbs.	13.50''	1:9"	\$1,069.00



			COMPARE		
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sig
7201	22 Hornet	6	Alloy Steel/ Blued	American Walnut	Nor
7204	22 Hornet	6	Stainless Steel/ Matte Stainless	Green Mountain Laminate	Nor



Model Number	Caliber	Capacity	Material/ Finish	Stock	Sig
7405	357 Mag	5	Stainless Steel/ Brushed Stainless	Black Synthetic	Go Fro Ad





			COMPARE			
Model Number	Caliber	Capacity	Material/ Finish	Stock	Sig	
7402	44 Rem Mag	4	Stainless Steel/ Brushed Stainless	Black Synthetic	Bea Adji Rea	
7403	44 Rem Mag	4	Alloy Steel/ Blued	Black Synthetic	Bea Adji Rea	

143

# **No.1**

When you only have one shot, make it count. When you think of single-shot rifles, think of the best – think **Ruger**<sup>®</sup> **No.1**. The No.1 rifle is made for virtually every sporting activity.







No.1 with American Walnut Stock in .450 Marlin (Model 21313)

#### **FEATURES**

- Sliding tang safety provides instant security, visibility and accessibility.
- Strong, simple, compact falling block breech mechanism with artillery-style breechblock and under-lever is ideally suited for powerful cartridges.
- Robust, sturdy, sculptured receiver forms a rigid support for barrel, stock and sliding breech block.
- Ejector mechanism provides maximum leverage at the point where the ejector engages the cartridge case and can be adjusted to provide extraction only.

A					No.1 in .45 (Model 2130	0 Bushmaster 4)		<b>5.1 in .45</b> 0 odel 21313			-		
Model Number	COMPARE Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Feature	Barrel Length	Overall Length	Weight	Length of Pull	Thread Pattern	Twist	Suggested Retail
21304	450 Bushmaster	1	Stainless Steel/	Black Laminate	None	Ruger® Hybrid Muzzle Brake	20"	36.50"	7.5 lbs.	13.50''	11/16''-24	1:16"	\$1,899.00

36.50''

20''

7.1 lbs. 13.50"

141

1:16" \$1,899.00

21313

450 Marlin

Alloy Steel/ Satin Blued

American

Walnut

Blade





### **TWO MODELS**

# **CLASSIC SINGLE-SHOT**



- Integral scope mounts, machined directly on the solid steel quarter rib, provide a stable mounting surface for included scope rings.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Also Includes: sporting style buttpad; sling swivel studs.

RUGER.COM/NO1



## **W** RUGER<sup>®</sup> RIFLE MAGAZINES

										.^`	HMR		THMR	
		OWN	•				alf	REGSON RUSER	RECEINENNER PUER P	AF 22 WMR. 1	ANERCAN PURCE PURC	RE22LR OMFR	F22. WMR. THMR	
	with the	or2 TAKEDOMM	AR-556	MMIN	MINITH	IRTY JEER	RECISION RIFL	RECEIONT	RECISION IT AND	MERICAN IN THE R. P.	MERICANIT	MERICAN IN FI	H <sup>E</sup>	
d De sel co l D Mara las		<u> </u>	PL.	W	W.	<i>4</i> 12	<i>6</i> 22	<i>4</i> 10	<i>6</i> 22	42	<i>4</i> 20	çu	Item No.	Price
1-Round, 22 LR Magazine	•						•			•			90344	\$21.9
5-Round, 22 LR Magazine	•						•			•			90041	\$21.9
10-Round, 22 LR Magazine	•						•			•			90005	\$21.9
10-Round, 22 LR Magazine (3-Pack)	•						•			•			90451	\$47.9
10-Round, 22 LR Magazine (Clear)	•						•			•			90223	\$24.9
15-Round, 22 LR Magazine	•						•			•			90463	\$28.9
25-Round, 22 LR Magazine	•						•			•			90361	\$33.9
25-Round, 22 LR Magazine (2-Pack)	•						•			•			90548	\$51.9
25-Round, 22 LR Magazine (Clear-Sided)	•						•			•			90591	\$39.9
2x25-Round, 22 LR Magazine	•						•			٠			90398	\$58.9
9-Round, 22 WMR/ 17 HMR Magazine											•		90076	\$24.9
15-Round, 22 WMR/17 HMR Magazine								•					90585	\$29.9
4-Round, Short-Action Magazine (22-250 Rem)									•				90573	\$39.9
4-Round, Short-Action Magazine (243 Win/ 308 Win/7mm-08 Rem/ 6.5 Creedmoor)									•				90436	\$39.9
5-Round, Short-Action Magazine (223 Rem/5.56 NATO/204 Ruger/300 BLK)									•				90440	\$39.9
5-Round, 223 Rem Magazine				•									90009	\$29.9
10-Round, 223 Rem Magazine				•									90339	\$39.9
20-Round, 223 Rem Magazine				•									90010	\$39.9
30-Round, 223 Rem Magazine				•									90035	\$49.9
5-Round, 5.56 NATO/ 223 Rem Magazine			•						•				90428	\$24.9
10-Round, 5.56 NATO/ 223 Rem Magazine			•						•				90384	\$ 19.9
10-Round, 5.56 NATO/ 223 Rem Magazine												•	90458	\$74.9
30-Round, 5.56 NATO/ 223 Rem Magazine			•										90420	\$19.9
10-Round, Al-Style Magazine (5.56 NATO)						•						•	90562	\$39.9
4-Round, Long-Action Magazine (270 Win/ 30-06 Sprg)									•				90435	\$39.9
3-Round, Magnum Magazine (7mm Rem Mag/300 Win Mag)									•				90549	\$49.9
3-Round, Magnum Magazine (7mm Rem Mag/300 Win Mag)		•											90549	\$49.9
5-Round, 300 BLK Magazine				•									90583	\$29.9
10-Round, 300 BLK Magazine				•									90584	\$39.9
20-Round, 300 BLK Magazine				•									90484	\$39.9

		TAKEDOWN			
	10/22.10	PC CAREE	AR-556	MINI-1A	MMTHR
5-Round, 300 Win Mag Magazine					
5-Round, 7.62x39 Magazine					•
10-Round, 7.62x39 Magazine					•
20-Round, 7.62x39 Magazine					•
5-Round, 308 Win/4-Round 450 Bushmaster Magazine					
5-Round, 308 Win Magazine					
10-Round, 308 Win Magazine					
20-Round, 308 Win/ 7.62 x 51/6.5 Creedmoor Magazine					
3-Round, Al-Style Magazine (308 Win/6.5 Creedmoor/ 243 Win)					
5-Round, Al-Style Magazine (308 Win/ 6.5 Creedmoor/243 Win)					
10-Round, Al-Style Magazine (308 Win/ 6.5 Creedmoor/243 Win)					
5-Round, 338 Lapua Magazine					
17-Round, 9mm Luger Magazine		•			
17-Round, 9mm Luger Magazine (2-Pack)		•			
10-Round, 9mm Luger Magazine		•			
17-Round, 9mm Luger Magazine (Nickel-Teflon)		•			
10-Round, 9mm Luger Magazine		•			
10-Round, 9mm Luger Magazine (Nickel-Teflon)		•			
10-Round, Ruger American® Pistol 9mm Luger Compact Magazine		•			
10-Round, SR9c® 9mm Luger Compact Magazine		•			
10-Round, Security-9® Compact 9mm Luger Magazine		•			
12-Round, Ruger American® Pistol 9mm Luger Compact Magazine		•			
15-Round, 9mm Luger Magazine		•			
5-Round, 6.8mm Magazine				•	
3-Round, 450 Bushmaster Magazine					
5-Round, MSR Magazine (.450 Bushmaster)			•		

				RITH	MAR		R. T. HMR	
	4		1221R	1422 WM	Å	E22 IR	22 WW	
a <sup>rt</sup> ar	RECISION RIFL	ECON RUE PERFORMAN	ECISION RIMT.	HERCH BUSER P	ALRICAN RUNFIE	ERICAN RIME.	22 mm <sup>R</sup> . 1 m <sup>R</sup> 1.E 16m No.	
RUGER	RUGER	RUGER	RUGER	RUGER	RUGET	SCON	ltem No.	Price
•							90682	\$84.95
			•				90012	\$29.95
			•				90485	\$39.95
			•				90338	\$39.95
•						•	90352	\$69.95
						•	90354	\$39.95
•						•	90353	\$74.95
•							90448	\$19.95
			•			•	90560	\$39.95
•			•			•	90561	\$39.95
•			•			•	90563	\$39.95
•							90683	\$84.95
							90326	\$44.95
							90449	\$57.95
							90325	\$44.95
							90510	\$39.95
							90638	\$39.95
							90514	\$39.95
							90617	\$39.95
							90369	\$44.95
							90667	\$39.95
							90618	\$39.95
							90637	\$39.95
							90332	\$29.95
			•				90633	\$39.95
							90679	\$42.95

## **Q** RUGER<sup>®</sup> PISTOL MAGAZINES

				WIN .	OMPACT										
			UCAN PISTOL	ult seist	0										
	SECURIT	Y.9 aUSERAN	AFR. BUSERA	MET. CRIPTI	ERIPIT	FHICER ECOS	1,03800,4	Ç <sup>9</sup>	LCP"	SRL	MARKIN	WARKIN	22 CHAP	GER	
1-Round, 22 LR Magazine		<b>v</b>			5	~	•	<b>`</b>	• 				•	<b>Item No.</b> 90344	<b>Price</b> \$21.95
5-Round, 22 LR Magazine													•	90041	\$21.95
10-Round, 22 LR Magazine													•	90005	\$21.95
10-Round, 22 LR Magazine (3-Pack)													٠	90451	\$47.95
10-Round, 22 LR Magazine (Clear)													•	90223	\$24.95
10-Round, 22 LR Magazine												•		90599	\$29.95
10-Round, 22 LR Magazine											•			90231	\$29.95
10-Round, 22 LR Magazine (2-Pack)											•			90645	\$41.95
10-Round, 22 LR Magazine (2-Pack)												•		90646	\$41.95
10-Round, 22 LR Magazine with Extended Floorplate										•				90382	\$34.95
10-Round, 22 LR Magazine with Extended Floorplate (2-Pack)										•				90647	\$48.95
15-Round, 22 LR Magazine													•	90463	\$28.95
25-Round, 22 LR Magazine													•	90361	\$33.95
25-Round, 22 LR Magazine (2-Pack)													•	90548	\$51.95
25-Round, 22 LR Magazine (Clear-Sided)													•	90591	\$39.95
2x25-Round, 22 LR Magazine													•	90398	\$58.95
7-Round, 9mm Luger Magazine					•									90652	\$39.95
7-Round, 9mm Luger Magazine with Extended						•								90363	\$39.95
Floorplate 7-Round, 9mm Luger Magazine with Extended Floorplate						•								90642	\$55.95
(2-Pack) 9-Round, 9mm Luger						•								90404	\$44.95
Extended Magazine 9-Round, 9mm Luger Magazine				•										90600	\$39.95
9mm Luger Magazine 10-Round, 9mm Luger Magazine	•													90667	\$39.95
10-Round, 9mm Luger Magazine with Extended Floorplate (Nickel-Teflon®)			•											90617	\$39.95
10-Round, 9mm Luger Magazine (Nickel-Teflon®)		•												90514	\$39.95

				urt .	OMPACI									
	SECURIT	4.9 ph	HERCAN PSTOL	MERICAN PISIOL	ço . A C	FHEER	.53	~			4	MARKIN	2 <sup>145</sup> 22 cut/MgBR	
	SECUM	RUGER	RUSER	SRIDI	SRIPI	£095	1038000	<sup>C8</sup>	LCP"	SRIF	MARKIN	MARK	22 CHI	. Price
10-Round, 9mm Luger Magazine	•												90638	\$39.95
10-Round, 9mm Luger Magazine (Competition Model Only)				•									90666	\$39.95
12-Round, 9mm Luger Magazine with Extended Floorplate (Nickel-Teflon®)			•										90618	\$39.95
15-Round, 9mm Luger Magazine	•												90637	\$39.95
15-Round, 9mm Luger Magazine & Adapter	•												90681	\$44.95
17-Round, 9mm Luger Magazine (Nickel-Teflon®)		•											90510	\$39.95
8-Round, 10mm Auto Magazine				•									90639	\$39.95
6-Round, 380 Auto Magazine with Extended Floorplate								•	•				90621	\$34.95
6-Round, 380 Auto Magazine with Extended Floorplate (2-Pack)								•	•				90644	\$48.95
6-Round, 380 Auto Magazine with Extended Floorplate								٠	•				90333	\$34.95
6-Round, 380 Auto Magazine with Extended Floorplate (2-Pack)								٠	•				90643	\$48.95
7-Round, 380 Auto Extended Magazine								•					90405	\$39.95
7-Round, 380 Auto Extended Magazine									•				90626	\$39.95
7-Round, 380 Auto Magazine with Extended Floorplate							•						90416	\$39.95
7-Round, 45 Auto Magazine				•									90366	\$29.95
7-Round, 45 Auto Magazine (Officer Model Only)				•									90664	\$29.95
7-Round, 45 Auto Magazine with Extended Floorplate (Nickel-Teflon)			•										90636	\$39.95
8-Round, 45 Auto Magazine				•									90365	\$39.95
10-Round, 45 Auto Magazine (Nickel-Teflon®)		•											90512	\$39.95

## **RUGER LEGAL INFORMATION**

9mm RUGER AMERICAN® PISTOL PRODUCT SAFETY BULLETIN: Ruger has discovered that some Ruger American® Pistols chambered in 9mm may exhibit premature wear of the locking surfaces between the slide and barrel which, if ignored, can result in a crack developing near the election port of the slide. This twoically does not occur at round counts below 10,000 rounds. The condition is easily identified during routine maintenance and cleaning and the crack should be visible long before the pistol becomes unsafe to shoot. Ruger is committed to safety and is asking owners of Ruger American® Pistols chambered in 9mm to inspect their pistols for excessive wear or cracks and, if necessary, sign up for this retrofit. Details about what to look for and how to sign up for the retrofit appear below and on our website at Ruger.com/APRetrofit.

Ruger American® Pistols chambered in .45 Auto are NOT subject to this Safety Bulletin. Similarly, other Ruger® pistols chambered in 9mm (for example, SR9®, LC9s®, etc.) are NOT subject to this Safety Bulletin.

Products Subject to This Safety Bulletin: Ruger American® Pistols chambered in 9mm with serial number prefixes "860" and "862" are subject to this Safety Bulletin. These include duty (full-sized) and compact models, in both Manual Safety and Pro (no manual safety) configurations. One easy way to tell if your pistol is subject to this Safety Bulletin is by looking at the barrel. If your 9mm Ruger American® Pistol is equipped with a silver-colored, stainless steel barrel, you should follow the inspection procedure outlined below. Retrofitted and newly manufactured Ruger American® Pistols will be equipped with a black, nitrided stainless steel barrel.

Description of the Issue: In some instances (typically at round counts in excess of 10,000 rounds), the locking surfaces between the slide and barrel can experience excessive wear. If ignored, this condition will worsen and can result in a crack developing near the ejection port of the slide. If cracking occurs, it will become visible long before an unsafe condition develops. However, if the crack is not addressed and the pistol remains in service, the pistol may eventually fail to function or become unsafe to shoot.

How To Inspect Your Pistol: If your pistol is dirty, clean it thoroughly before performing the inspection. Disassembly and cleaning instructions appear in your instruction manual, which is available online at Ruger.com/Service/ProductHistory. Inspect your pistol, paying particular attention to the barrel/slide lockup surfaces and the sidewalls of the slide at the corners of the ejection port. If you observe excess wear in the lockup surfaces (A and B) or a crack in the slide (C), you should immediately stop using your pistol and sign up for the retrofit. If you are unsure, we recommend that you sign up for the retrofit and allow us to inspect your barrel/slide assembly. If you do not observe excess wear in the lockup surface or a crack in the slide, no further action on your part is necessary at this time. Nonetheless, you should continue to monitor these areas and, if you suspect that either of these conditions is developing, sign up for the retrofit or contact Customer Service. Ruger reminds consumers that periodic inspection of any firearm is important to ensuring its safe operation. You should clean and inspect your firearm after each range session. Proper maintenance increases the longevity of your firearm and will allow early detection of worn or broken parts.

#### How To Sign Up For The Retrofit:

STEP 1: If you detect or suspect excess wear in the locking surfaces or a crack in the slide, or if you are uncertain, please visit the Ruger American® Pistol Retrofit Website at Ruger.com/APRetrofit and sign up to return your barrel/slide assembly to Ruger. You will be asked to provide your name, address, and telephone number, an email address, and the serial number of your pistol. You will be added to a list to have the inspection and retrofit performed on a first-come, first-served basis.

STEP 2: In the next few weeks, you will receive a USPS box with a prepaid shipping label and detailed packaging and shipping instructions. Follow the instructions and return only your barrel/slide assembly.

STEP 3: We will inspect your barrel/slide assembly and install new components as needed, FREE OF CHARGE. We will make every effort to return your barrel/slide assembly within one week of the day we receive it.

MARK IV<sup>TM</sup> RECALL NOTICE: We have determined that all Mark IV<sup>TM</sup> pistols (including 22/45<sup>TM</sup> models) manufactured prior to June 1, 2017 have the potential to discharge unintentionally if the safety is not utilized correctly. In particular, if the triager is pulled while the safety lever is midway between the "safe" and "fire" positions (that is, the safety is not fully engaged or fully disengaged), then the pistol may not fire when the trigger is pulled. However, if the trigger is released and the safety lever is then moved from the mid position to the "fire" position, the pistol may fire at that time. Although only a small percentage of pistols appear to be affected and we are not aware of any injuries, Ruger is firmly committed to safety and would like to retrofit all potentially affected pistols with an updated safety mechanism. Until your Mark IV" pistol has been retrofitted or you verify that it is not subject to the recall, we strongly recommend that you not use your pistol.

How to determine if your pistol needs the retrofit: All Mark IV<sup>TM</sup> pistols produced prior to June 1, 2017 are potentially affected and therefore are being recalled. This includes Mark IV<sup>™</sup> Target, Hunter, Competition, 22/45<sup>™</sup>, 22/45<sup>™</sup> Lite and 22/45<sup>™</sup> Tactical models. These models bear serial numbers beginning with "401" (2017 models) or "WBR" (2016 models). Mark I, Mark II™ and Mark III™ Pistols are NOT affected

Newly manufactured Mark IV<sup>™</sup> pistols will begin with serial number "500." Thus, if you have a Mark IV<sup>™</sup> or 22/45<sup>™</sup> pistol with a serial number beginning with the number "5," your pistol is not subject to the recall.

Mark IV™ and 22/45<sup>™</sup> pistols retrofitted with the updated safety mechanism are easily identified by the letter "S" in the white safety dot that is visible when the safety is engaged.

Visit the Mark IV<sup>TM</sup> Recall website at Ruger.com/MarkIVRecall to look up your serial number and verify if it is subject to the recall. Please have the unloaded pistol available when you visit the website and obtain the serial number directly from the pistol.

#### Next steps (if your pistol is affected):

STEP 1: Follow the instructions at the Mark IV™ Recall Website and sign up for the recall. You will be asked to provide your name, address, telephone number, an e-mail address and the serial number of your pistol.

STEP 2: You will be added to a list to have the retrofit installed on a first-come, first-served basis. In the next few weeks, you will receive a prepaid USPS box with a shipping label and detailed packaging and shipping instructions. Simply follow the instructions in your instruction manual to separate the barrel/receiver assembly and return the grip frame assembly to us in accordance with the shipping instructions.

STEP 3: We will install the updated safety mechanism, and return your grip frame assembly to you, all FREE of charge. Individual consumers will receive a FREE magazine (a \$29.95 value) as a "thank you" for their patience and cooperation. (Customers in states with magazine shipping restrictions will receive a ShopRuger gift certificate in lieu of a magazine.) We will make every effort to return your pistol within one week of the day we receive it.

We recognize that this is an inconvenience so, as a thank you, we will include an extra magazine at no charge to you when we return the pistol.\*



9mm I UGFR

SILVER



How to Identify Your Serial Number

LCP® RECALL NOTICE: In 2008, Ruger received a small number of reports from the field indicating that LCP® pistols could discharge when dropped onto a hard surface with a round in the chamber. We are firmly committed to safety and would like to retrofit all affected LCP® pistols. The retrofit involves installation of an upgraded hammer mechanism at no charge to the customer.

We want to remind gun users that, for maximum safety when carrying any pistol with a loaded magazine in place, the chamber should be empty, and the slide should be closed. Any gun may fire if dropped or struck.

How to determine if your pistol needs the retrofit: Any LCP® pistol bearing prefix "370" (that is, serial number 370-xxxxx) may be affected. Retrofitted "370" prefix LCP® pistols with the new hammer mechanism installed have been marked with a diamond in the flat portion of the slot just behind and below the hammer, as shown to the right. If your pistol has the diamond\*, it does not need the retrofit. Any I CP® marked with the serial number orefix "371" (serial number 371-xxxxx) or higher is not affected. When we return your pistol, we also will send you a FREE magazine with the new finger grip extension as a "thank you" for your patience and cooperation. Visit RUGER.COM/LCPRECALL for more information.

SR9® RECALL NOTICE: We have determined that some Ruger® SR9® pistols manufactured between October 2007 and April 2008 can, under certain conditions, fire if dropped with their manual safeties in the "off" or "fire" position. The pistols will not fire if the manual safety is in the "on" or "safe" position.

We designed a replacement trigger group which prevents firing when dropped and retrofits all affected Ruger® SR9® pistols at no charge. This retrofit only applies to SR9® pistols with serial number prefix "330" (330-xxxxx) and these new parts at NO CHARGE to our customers. When we return your pistol, we also will send you a FREE magazine as a "thank you" for your patience and cooperation\*

In order to ensure correct fitting, the new parts must be installed at our Ruger factory in Prescott, Arizona. We will remove the old parts and install the new trigger group promptly, at no charge, and will return the pistol to you. The old parts will not be returned. Visit RUGER.COM/SR9RECALL for more information.

For additional product, safety or service information, please visit **RUGER.COM** 

#### AN IMPORTANT FREE SAFETY OFFER FROM RUGER:

Do you own an "old model" (pre-1973) Ruger® Single-Six®, Blackhawk®, Super Blackhawk® or Bearcat® single-action revolver like these?



Three frame screws identify the "old model" Single-Six<sup>®</sup>, Blackhawk<sup>®</sup>, and Super Blackhawk® made from 1953 to 1972.

Three frame screws identify the "old model" Single-Six®, Blackhawk® and Super Blackhawk® made from 1953 to 1972. Serial numbers below 93-00000 identify old Bearcat® and Super Bearcat® models made from 1958-1972

user has failed to take the basic safety precaution of keeping the hammer down on an empty chamber. That's very important!

This mechanism can be factory-installed in "old model" revolvers without any further alteration. The frame and other major parts will not be affected by this conversion. The value of the gun will not be impaired, and we will return your original parts for collector's purposes.

To receive a free factory safety conversion, write to us at Sturm, Ruger and Company, Inc.; 411 Sunapee Street Newport, NH 03773 or call 336-949-5200. We will provide you with a shipping container and instructions. You only pay initial shipping to our factory. We will cover all other charges including return shipping costs. Please write to us without delay if you have one of these guns, and tell your friends about the availability of this kit. Remember that the safest way to carry any older single-action revolver, regardless of manufacturer, is with the hammer down on an empty chamber.

#### PLEASE WRITE TO US AT:

Ruger / Conversion Department / 411 Sunapee Street / Newport, NH 03773 or call 336-949-5200 For full details and a FREE shipping box. If your single-action revolver has the words "New Model," "Bisley" or "Vaguero" on the frame, this offer is not applicable.

NOTICE: Weights of all Rugero firearms, and rifles in particular, may vary from the published weight because of variations in wood density, bore size, barrel length and style. All weights specified in this reference guide are approximate. In some instances, length, width or height dimensions may have been rounded or truncated. All ammunition that appears in this reference guide is shown actual size only when noted. Sturm, Ruger & Co., Inc. does not manufacture scopes, optics or lasers. Scopes, optics and lasers are not included with any firearm purchase unless specifically noted.

All specifications and prices are subject to change without notice. Sturm, Ruger & Co., Inc. reserves the right to change the prices, specifications or availability of its products at any time without notice.

Typographic, photographic and/or descriptive errors are subject to correction. We apologize for any inconvenience

The following are registered trademarks of Sturm, Ruger & Co., Inc.: 9E; 10/22; 10/22; 10/22; Takedown; AC-556; All-Weather; AR-556; Arms Makers For Responsible Citizens; Bearcat; Blackhawk; BX-15; BX-25; BX-Trigger; EC9s; Elite 452; Everything You Need and Nothing You Don't; GP100; Hawkeye; It's Mine and It's American; It's Mine. And It's American.; LC380; LC9; LC9s; LCP; LCR; LCRx; M77; Match Champion; Mini-14; Mini Thirty; Old Army; Power Bedding; Redhawk; Ruger; Ruger 22/45 Lite; Ruger 77/17; Ruger 77/22; Ruger 77/44; Ruger American; Ruger American; Pistol; Ruger American Rifle; Ruger American Rimfire; Ruger Hunting; Ruger Inside & Out; Ruger Precision; Ruger Precision Rifle; Ruger SP101; Ruger Vaquero; Rugged, Reliable Firearms; Security-9; Silent-SR; Single-Nine; Single-Six; Single-Ten; SR1911; SR9; SR9c; SR22; SR40; SR40; SR40c; SR-556; SR-556 Takedown; SR-762; Super Redhawk Alaskan.

The following are trademarks of Sturm, Ruger & Co., Inc.: 10/22-FS; 22/45; 22/45; PF; 77/357; Bisley; Gold Label; I'm a Ruger American; LC380CA; LC6; LCR-357; Mark III; Mark III; Mark IV; Model 96; P345; P345D; P345D; P345PR; P85; P90; P91; P93; P94; P95; P97; PC Carbine; Ruger 10/17; Ruger 77/50; Ruger Marksman Adjustable; Ruger Titanium; R.I.O.S. (Ruger Inertia Operating System); Security-Six; Service-Six; Single-Seven; Speed-Six; SR45; SR-556C; SR-556VT; Super Bearcat; Target Grey; This is Ruger. This is America.; Train. Compete. Defend.; Tri-Flex.





Serial numbers below 93-00000 identify old Bearcat<sup>®</sup> and Super Bearcat<sup>®</sup> models made from 1958-1972.

## The Ruger® Conversion Kit is an entirely new operating system for these revolvers. It can help prevent accidental discharges caused by a drop or blow to the hammer if the

## **W** CONTACT INFORMATION



#### **RUGER CUSTOMER SERVICE**

Service inquires for all firearms, sportswear and accessories: 336-949-5200 / Ruger.com/CustomerService

#### **INDEPENDENT DISTRIBUTORS OF RUGER BRANDED PRODUCTS**

BANGERS L.P. 800-226-4377 | bangersusa.com

BIG ROCK SPORTS, LLC 800-334-2661 | bigrocksports.com

BILL HICKS & CO., LTD. 800-223-0702 | billhicksco.com

CAMFOUR, INC. 800-347-3276 | camfour.com

CHATTANOOGA SHOOTING SUPPLIES, INC. 800-251-4808 | chattanoogashooting.com

**CROW SHOOTING SUPPLY** 800-264-2493 | crowshootingsupply.com DAVIDSON'S, INC. 800-367-4867 | davidsonsinc.com

ELLETT BROTHERS, LLC A Division of United Sporting Companies 800-845-3711 | ellettbrothers.com

**GUNARAMA WHOLESALE, INC.** 800-333-3006 | gunarama.com

HILL COUNTRY WHOLESALE, INC. 800-777-2666 | hillcountrywholesale.com

JERRY'S SPORT CENTER A Division of United Sporting Companies 800-234-2612 | jerryssportscenter.com

LEW HORTON DISTRIBUTING CO., INC. 800-446-7866 | lewhorton.com LIPSEY'S, LLC 800-666-1333 | lipseys.com

L.M. BURNEY DISTRIBUTORS, LLC 800-737-3006 | Imburney.com

OUTDOOR SPORTS A Division of United Sporting Companies 800-444-6744 | jerryssportscenter.com

RSR GROUP, INC. 800-541-4867 | rsrgroup.com

SIMMON'S GUN A Division of United Sporting Companies 800-444-0220 | jerryssportscenter.com

**SPORTS SOUTH, LLC** 800-388-3845 theshootingwarehouse.com **V.F. GRACE, INC.** 907-272-6431 vfgrace.com/custport/index.htm

W.L. BAUMLER COMPANY, INC. 800-321-2501 | wlbco.com

WILLIAMS SHOOTERS SUPPLY, INC. 217-222-4195 | willshoot.com

**ZANDERS SPORTING GOODS** 800-851-4373 | gzanders.com

