

HEAVY DUTY CONNECTING RODS

CATALOGUE : 2015-16

styrTM



RANGE

- Cars
- Light Commercial Vehicles
- Heavy Commercial Vehicles
- Tractors
- Earthmovers
- Marine Engines
- Compressor

STYR EXPORTS

STYR - CORPORATE OFFICE :

103, Imperial Palace, 45, Tolly Park Road,
Andheri (East), Mumbai - 400 069, India

Tel : +91-22-26822482, 26833162, 26833163

Fax : +91-22-26841710, 23826668

E-Mail : styr@vsnl.com / styreexports@gmail.com

URL : www.styrgroup.com



LCV - HCV



TRACTOR



EARTHMOVER

SE REF	DESCRIPTION		
ANDORIA			
SE 4001	ANDORIA S-320		
ARMSTRONG			
SE 4300	Pin-38 mm		
BEDFORD			
SE 4002	BEDFORD J4 / J6 / 35 mm		
BELARUS			
SE 4301	24 0100 4100 A/T-25 / 35 mm		
SE 4158	MTZ-80 / 38 mm		
B.M.C.			
SE 4302	BMC 4 98 37D 3177 / 35 mm		
CATERPILLAR			
SE 4003	8N 3753 / 6 N 8011 Taper (Big Thickness)		
SE 4004	7E 4728 (3208) 9N 0406 / 1W2558 Taper		
SE 4005	8N 1984 Taper [SMALL] (Pin: 38.10 mm) (3304 & 3306) 8N1720		
SE 4006	8N-1721 Taper [BIG] (Pin: 43.18 mm / Taper) (3304 & 3306) 8N1720		
SE 4233	C.NO. 2P0933 / 6N8068 P.NO: 8N 1721 Pin. 44.45		
SE 4211	6N8068 (Pin 38.1 mm) Straight ZPO933		
SE 4008	9Y6054 [55 mm Pin] Taper / 3406		
SE 4009	7E5996 [50.80 mm] / 3406C Taper		
SE 4212	8N1727 / 1728		
SE 4213	49088028 (Fracture Type) 213-3193-3114/16/26 C-7		
SE 4303	8N1728/ 1729/ 9 Degree Tapper / 44 mm B/E Thickness /50.80 mm /2 Inch		
SE 4304	8N-1726 /1727 42 mm B/E Thickness, 9 degree Tapper /50.80 mm /2 Inch		
SE 4305	7N3231 / 6N3910 C.N/ Engine No. 3406, 42 mm B/E Thickness/6 degree Taper /50.80 mm / 2 Inch		
SE 4306	517668/343190101 S6KT / 34 mm Taper		
CHEVROLET			
SE 4307	CHEVROLET CORS9 8 VALVE 1.4/1.6/1.8N/17.960 mm		
COMPRESSOR - ATALS COPCO, etc.			
SE 4217	352 130 0216 (97 mm) B.E. Thickness 28 mm / 16 mm		
SE 4218	ATALS COPCO VT-4 / 14040850 / 41.95 mm		
SE 4219	ATALS COPCO VT-5 / 14040851 / 41.95 mm		
SE 4220	352 130 0416 (92 mm) B.E. Thickness 28 mm / 16 mm		
SE 4221	403 130 2816 / 2216 (20 mm Thickness)		
SE 4222	403 130 2716 (16 mm Thickness)		
SE 4224	442 131 0017 /0217, 541 131 0117 (100 mm)		
CUMMINS			
SE 4010	6-BT [3901569 / 3942551] (3901567/3942581) 40 mm Taper		
SE 4011	6-CT [3901383] / 45 mm Taper		
SE 4012	NT-855 [3013930] / 218808 / 50.825 mm Taper		
SE 4013	6-BT Fracture Type [3939405]. 4943979		
SE 4210	KT-1150 / 61 mm		
SE 4308	Cummins Cargo 815		
SE 4309	ISL - C4944887 / L - 10 / 49 mm Taper		
DAF			
SE 4310	48.025 / 0071617(865) Model		
DAIHATSU			
SE 4014	DG (V - 26) 13201 - 87304 - DG (26 mm)		
SE 4015	DL (V-22) 13201 - 87309 - DL (28 mm)		
SE 4238	S10 / 17.990 mm		
SE 4016	HIJET (13201-87107) / 18.960 mm		
SE 4017	CHARADE / 18 mm		
DAVID BROWN			
SE 4239	DAVID BROWN ENGINE K 800 43 MODEL 1210		
DEUTZ			
SE 4018	FL-912 [0415 0450] 0337 1614 (35 mm)		
SE 4019	FL-913 [0337 1614] 0415 2302 (40 mm) BF 6L 913/CN		
SE 4020	FL-912 [0415 0455] 0223 2061 (35 mm)		
SE 4021	FL-614 [0335 8847]		

DISCLAIMER : All Manufacturer's Part Numbers etc. Used Are For Reference Only
And Does Not Imply That Same Is The Product Of These Manufacturers

SE REF	DESCRIPTION		
DEUTZ			
SE 4022	FL-413 [0414 3222] BF 413 FRC / RC		
SE 4023	FL-511 [0415 1493]		
SE 4225	FL-913 [0415 2302 / 0223 2059] (40 mm) (35 mm)		
SE 4311	DEUTZ 40 mm		
SE 4312	4234177 / 40 mm Pin type without dowel Pin		
SE 4313	FL 1011 /0428 6649/ 0417 8994 / 26 mm		
SE 4314	BFL-1011/0428 6691/ 0427 2007/ 0417 8999 /30 mm		
SE 4315	BFM-1013/0420 0465/ 42 mm		
DETROIT DIESEL			
SE 4316	MB-900 /906 030 032 / 42 mm Taper		
SE 4317	MB-4000 /460 030 0020 / 52 mm Taper		
SE 4318	N-71 / 6V53T / R 17 mm		
FIAT			
SE 4319	SIENA DIESEL / 26 mm		
SE 4320	LINEA / 23 mm Taper		
SE 4321	Citroen		
SE 4024	32 mm [450/ 480/ 640] 50 NC EM (67-77) (4775229)		
SE 4025	34 mm [780 54C 640 50 NC YM 77] (4798181)		
SE 4026	38 mm [PEMO TURBO] 35.9 65.9 (4780624)		
SE 4171	38 mm Taper (98460411)		
FORD			
SE 4182	MAXION 2.5 HS 70993256 / 30.165 mm		
SE 4027	FORD 1.8 DIESEL ENDURA / 26 mm		
SE 4028	K-766B (2.5L DIESEL) TRANSIT / 29 mm		
SE 4029	1S4Q (6575383) / 28 MM Taper		
SE 4030	2S66 (Ford Fiesta Diesel 7562AC 6200 AC) / 25 mm Taper		
SE 4322	84144055/84144040/ Pin 44.460 mm CRF 7.8 P:44 mm		
SE 4323	FORD 2.4 TDCI. 32 mm Taper		
SE 4324	FS 98M AC - 1115901 / 17.970 mm		
SE 4325	FORD Ranger /WL-2500 / 32 mm Taper		
SE 4326	2.2 TDCI / 30 mm. Taper		
SE 4327	30 mm Taper		
SE 4159	3000 / 3600 (C7NN6200A) E3HN 6200		
SE 4160	9000 (C9NN6200C) E9NN-6200BB 7000 / 7600 / 7700 / 41.275 mm		
SE 4208	F2NN 6200 BA. F2NN6200BA. 38.10 mm Pin Taper		
SE 4328	87801221/ 87803430/ (2.095) / 41.270 mm Taper		
SE 4329	84144055/ 84144040/ (2.125) / 44.460 mm Taper		
GENERAL MOTORS			
SE 4330	90530169, GM510/BLAZER/VECTRA/OMEGA 2.2 / 510 / BLAZER 2.4 / 20.995 mm		
SE 4331	Corsa / 1.6 N / 17.960 mm		
SE 4332	24.846 mm		
SE 4333	24.846 mm		
HATZ			
SE 4334	E-89 / 30 mm		
SE 4335	E-89 / 30 mm		
HINO			
SE 4031	H 07 C 046 - 00147 / 39 mm Taper		
SE 4032	H 700 A 128-400-337 / 37 mm		
SE 4033	H 800 128-400-338 / 37 mm Taper		
SE 4194	HINO INDIC. 35 mm Taper		
SE 4336	37 mm Taper		
SE 4337	DOUTRO / 37 mm Taper		
HOWO			
SE 4256	Howo Truck China (61500030009) / 50 mm Taper		
HYUNDAI			
SE 4338	4D31 TAPER / 38 mm Taper		
SE 4339	ACCENT CRDI / 28 mm Taper		
SE 4340	H-100 2.5 TD / 32 mm Taper		
SE 4341	23510 - 4200 / 29 mm		
IFA			
SE 4342	MN 2701073976 / 45 mm		

SE REF	DESCRIPTION		
INTERNATIONAL HARVESTER			
SE 4235	IH 434. 444. BD154 / 3061214R91 / 28 mm		
SE 4236	CASE 207 / 31.730 mm		
SE 4237	CASE 207. SHORT STROKE / 31.760 mm		
SE 4343	DT 466 /735242 C.91/688 922 C1 RX / 41.295 mm		
SE 4344	293198 AI / 38.10 mm Taper		
SE 4345	2831298 / 38 mm Taper		
SE 4346	488923 C-91 / D466 / 41.295 mm		
ISUZU			
SE 4036	UB C2. 4BE1 2967 5012230054-0 / 35 mm		
SE 4183	4HF1 (8 - 94473 - 43) / 36 mm Taper		
SE 4037	3197 / RD-4 (4JB1 / 8-94329-692-0) / 31 mm		
SE 4038	FM 3457 (4JA1-8-94333-119-0) / Tavera / 31 mm		
SE 4039	FM 3240 (8-94454-844) / 27 mm		
SE 4184	8.97351-169-0 TAVERA		
SE 4185	8980139623 4JB1T / NKR 2800D / 34 mm		
SE 4186	8943996612 4HE1 / NPR / 40 mm Taper		
SE 4347	6VE1 8-97351-169-0 / 17.990 mm		
SE 4348	4BC2-4BE1-5-12230054-0 (FM-2857) / 35 mm		
SE 4137	5-12230039-1 (C-240) / 24 mm		
SE 4349	1-12230104-1 6BD1 / 4BD1. 3.9D / 35 mm		
SE 4350	5-12230023-0 (C-190) / 27 mm		
IVECO			
SE 4195	61319082-8460.21/41 190.32 TRU TESTA VIPERA / 48 mm		
SE 4196	98460411 (38.00 mm Taper)		
SE 4197	500600 007F 2.5L 32 mm Pin Straight		
SE 4198	97210187 32 mm Pin Taper		
SE 4042	4724375. CO3/CP3- 130NC OM-100/129/130 / 40 mm Pin		
SE 4199	4898808 F4AE0481 / F4AE0681 TECTOR 4/6 Cyl 40 mm Pin		
SE 4200	504057276 FIAE 0481 - DIALY 35C10/310 / 32 mm		
SE 4174	98452330 8210. 22 / 42 190-36 Turbostar / 50 mm Taper		
SE 4201	504113130 fice0481A- Daily 35c14 3.0 Taper / 36 mm		
SE 4351	4815044 / 55 mm		
SE 4352	4670681.8210.02 180NC/619N/697N/ 48 mm		
SE 4353	4821454.8365.25 / 42 mm Taper		
JEEP			
SE 4354	WILLY'S Petrol CJ3B / 18 mm		
JOHN DEERE			
SE 4164	RE505454 32 mm (501072) Fracture Type		
SE 4043	R80034/RE21076/RE16495/R51727 (34.95 mm Pin) ER55978		
SE 4044	RE58347 / R80032 / R58979 / R113612 / R122191 (41.275 mm Pin)		
SE 4045	T 20007, EAT 18005 , R 81410 (30.195 mm PIN)		
SE 4165	R500335 / R114081 (642) Fracture Type (41 mm Pin) Taper RE 500608 P-118		
SE 4166	R500000 / RE123959 (644) Fracture Type (35 mm Pin) RE 50002 P-117		
SE 4167	R26047 (640) (38 mm Pin) R 66923 , AR 70910, R52225, R58880		
SE 4169	R71024 (643) 466T (47 mm Pin) Taper / 4000 Series 4250 to 4955 AR93341, 57303, 67320		
SE 4168	R41423/ R58882 / R66922 (645) Straight (41 mm Pin) / ER 70912		
KIA			
SE 4046	PRIDE / 19.945 mm		
SE 4355	RIO / 19.945 mm		
KOMATSU			
SE 4047	95 (6207 / 06) (S6D95L) (6204-31-3101)		
SE 4356	6207-31-3500/ S6D95 L - 1 / 30 mm Taper		

SE REF	DESCRIPTION		
KOMATSU			
SE 4048	6138-31-3101 (S6D110) (SA6D110) Taper		
SE 4457	6150-31-3101 (S6D125)		
SE 4214	6151-31-3101 (S6125) Taper		
SE 4052	6127-31-3102 (S6D155) Old Model		
SE 4215	6136-31-3100 (S6D105) New Model		
KUBOTA			
SE 4261	E80 / 25 mm		
SE 4357	23 mm Pin		
SE 4358	25 mm Pin		
LADA			
SE 4181	LADA / 21.940 mm		
LANDROVER			
SE 4057	LANDROVER / 25 mm		
SE 4059	HRC 1385 SDF 57 [WITH NYLON NUT] [GROOVE TYPE] / 30.170 mm		
SE 4060	LANDROVER HRC 1385 / 30.165 mm		
LEYLAND			
SE 4061	LEYLAND : 370 / 400 / 33 mm		
SE 4062	LEYLAND : 402 / 411 / 41.280 mm		
SE 4359	LEYLAND : 402 / 411 - BUSH		
SE 4180	LEYLAND : 680 / 41 mm		
SE 4360	LEYLAND : 690 / 44.720 mm		
LISTER			
SE 4227	ST-1 / 33.400 mm		
SE 4361	ST-2 / 33.400 mm		
LOMBARDINI			
SE 4063	LOMBARDINI : 450 / 510		
SE 4064	LOMBARDINI : 520		
SE 4362	1526020 / 28 mm		
MAN			
SE 4067	D-2555/56/65/66[51.02401.6141, 51.02401.6214], D-2865/66 [51.02401.6244]		
SE 4068	D-2865/66 [51.02401.6256] Taper / 46 mm		
SE 4069	D-2540142 [51 02401 6198/6234] 2840/42/48 / 46 mm Taper		
SE 4066	D-2156/2356 [51.02401.6065] / 45 mm		
SE 4065	D-0824/ 0826 [51.02401.6277/6221] Fracture Type 6015 / 40 mm		
SE 4070	D-0834/0836 [51.02400.6023 /6263 /6268] / 42 mm Taper		
SE 4071	D-2876 LF-LOF-LOF01 (51.02400.6049), Fractured (50 mm)		
SE 4161	D-2866 (51.02400.6044) (46 mm)		
SE 4363	D 2156/2356 / 51.02400.6065/ 46 mm Taper		
MAZDA			
SE 4072	MAZDA 1600 CC [8171-11-210] NA / 19.950 mm		
SE 4187	MAZDA 2000CC FE-1H-11-210A / 21.945 mm		
SE 4364	WL / 2500 / 32 mm Taper. Ford Ranger		
MERCEDES BENZ			
SE 4191	OM-314 / OM-352 / 3520305720 / 36 mm		
SE 4192	OM-611 SPRINTER [646 030 4720/ 4420] Straight		
SE 4179	OM-611 SPRINTER (646 030 0020) Taper		
SE 4073	OM-366 STRAIGHT [366 030 2520, 366 030 3520, 366 030 2120/ 7120]		
SE 4074	OM-366 Taper [366 030 3620, 366 030 7320]		
SE 4075	OM-352 [352 030 5720, 352 030 4920, 352 030 3920]		
SE 4076	OM-355 NEW MODEL [355 030 2820, 355 030 2120, 355 030 1920] / 48 mm		
SE 4077	OM-355 OLD MODEL [355 030 0020] / 48 mm		
SE 4078	OM-447 STRAIGHT [447 030 0420] / 46 mm		
SE 4079	OM-447 Taper [447 030 0320, 466 030 0120]		
SE 4080	OM-403 / OM-422 [422 030 0420, 422 030 0320, 403 030 1720] / 46 mm		

SE REF	DESCRIPTION		
MERCEDES BENZ			
SE 4081	OM-442 Taper [442 030 0220, 442 030 0020] / 46 mm Taper		
SE 4082	OM-360 [360 030 0120] / 42 mm		
SE 4083	OM-441 [441 030 0820] / 46 mm		
SE 4084	OM-407 [407 030 0620] / 46 mm		
SE 4085	OM 501 [541 030 0520/ 0320/0420] / 52 mm Taper 6 CYL FRACTURE TYPE (ACTROS)		
SE 4086	OM 502 [542 030 0520/ 0320/ 0420] / 52 mm Taper FRACTURE TYPE (AXOR)		
SE 4087	OM 906 [906 030 0320] 8 Cyl / 42 mm ATEGO Taper		
SE 4088	OM-904 [904 030 0320/ 906 030 0220] / 42 mm Taper		
SE 4089	OM 457 [457 030 0120] / 52 mm Taper		
mitsubishi			
SE 4090	4D-31 / CANTER Me012264 / 34 mm		
SE 4091	4D-34 /HYUNDAI 4D31/ME 012265 / 34 mm - Taper		
SE 4365	M-11/QC-3/NM-110/NM-130 / 28 mm		
SE 4092	4D56 / 4D55/T-120 MO 050006 (L-300 Diesel) / 29 mm		
SE 4093	FUSO / 38 mm		
SE 4094	RANGER / 38 mm		
SE 4095	L-300 Petrol / 17.795 mm		
SE 4366	EG 601 - S4S / 30 mm		
SE 4367	B9AD Accent / 28 mm Taper		
SE 4368	4D56T / H-100 /2.5 TD / 32 mm Taper		
SE 4193	4D34 Inter Collar / ME 240967 / 36 mm Taper		
SE 4369	4D68 / 25 mm		
SE 4370	L-300 Diesel / 18.960 mm		
SE 4371	SDIGCI / NM 180 / 32 mm		
SE 4372	GC2 / ND130 / 28 mm		
SE 4373	M 9 / GC 4 / NM-90 (TA-60) / 25 mm		
MWM			
SE 4096	229 (9212-0150-005)		
SE 4097	10 / 562 [9612-0150-026]		
SE 4374	TD 229/ 622 801500 096 / 35 mm		
SE 4375	940.801500.016 /Sprint electronic engine / 35 mm Taper		
SE 4376	940.701500.016 / Sprint not electronic engine / 35 mm		
NEW HOLLAND			
SE 4254	8701218 MODEL - 5640 / 6640 38-10 Pin Taper		
SE 4377	5630/3630 / 38.10 mm Taper		
NISSAN			
SE 4100	Z - 24, 12100-03910 / 20.945 mm		
SE 4101	H - 20, 12100-P5100 / 21.986 mm		
SE 4102	Z-24 FRACTURE TYPE / 20.945 mm		
SE 4103	Z-24 WITH BUSH, 12100-26G12 / 21 mm		
SE 4264	12 100 50K01 (EG 606) / 19.960 mm		
SE 4104	P.40 , 12100-C8002 / 20.630 mm		
SE 4378	12100-00 QAD / 30.240 mm		
OPEL			
SE 4379	4416788 / 2.5 DCI / 30.240 mm Taper		
PAYKAN (HILLMAN)			
SE 4118	DELUX (LONG) / 23.820 mm		
SE 4119	AVENGER (SMALL) 752218219 / 23.820 mm		
SE 4380	ROA / 21 mm		
PERKINS / MASSEY FERGUSON			
SE 4105	P3/P4/P6 [ZZ-90011]3637439M91 / 4.192 / 31.670 mm		
SE 4106	MF-135 / 31.670 mm		
SE 4107	MF-245 [P3.152, P4.203] [ZZ-90010] 3637392M91		
SE 4108	P6.354 ROCKET [ZZ-90009] [P4.248, P4.236, P4.212] 3637034M91		
SE 4109	P6.354 TURBO [ZZ-90013] 367028M91 Phaser 1004.40		
SE 4110	P6.354 ROCKET Pin TYPE [ZZ-90058] Phaser 1006.60		
SE 4381	2290146 / 39.730 mm Taper		
SE 4382	115026330 / 404 / 28 mm		
SE 4111	ZZ90146. TURBO FRACTURE TYPE		
SE 4383	Fracture Type / 38.10 mm		
SE 4384	4115C311 (F) 1100 SERIES / 39.700 mm		

SE REF	DESCRIPTION		
PERKINS / MASSEY FERGUSON			
SE 4385	4115C312 (G) 1100 SERIES / 39.700 mm		
SE 4386	4115C313 (H) 1100 SERIES / 39.700 mm		
SE 4387	4115C314 (J) 1100 SERIES/273 / 39.700 mm		
SE 4388	4115C315 (K) 1100 SERIES / 39.700 mm		
SE 4389	4115C316 (L) 1100 SERIES / 39.700 mm		
SE 4390	21 mm / 77 mm Piston		
SE 4391	28 mm / 115026340		
PERKINS - GENERATOR			
SE 4226	KP - 73025 26 mm 403/404		
PETTER			
SE 4113	PH-1 (CROSS TYPE) 30 mm (1W-350254)		
PEUGEOT			
SE 4265	XDPT-3 / J9 / 30 mm		
SE 4114	504.505 / 060311P / 23 mm		
SE 4392	DW-8 / 060377 / 25 mm		
SE 4393	DJ 5 TD / 34 mm Taper		
SE 4115	405 - 1800cc / 21.950 mm		
SE 4116	2000cc / 21.950 mm		
SE 4117	206 / 18 mm		
SE 4188	206 (1600 cc) 19.460 mm		
SE 4394	206 1.4 Diesel / 25 mm Taper		
SE 4395	DW 12 / 2.0 HDI / 30 mm		
SE 4396	XANTIA / 21.970 mm		
SE 4397	PARTNER - 1600 HDI / 26 mm Taper		
SE 4398	DW 10 / 2000 HPI / 28 mm Taper		
RENAULT			
SE 4121	F-8Q (1090075) (SxS4Q) 19 Diesel 7701 465145 / 24 mm		
SE 4266	7701459433 / 7701458393 / 17.955 mm		
SE 4120	J.85 (770146132) / 25 mm		
SE 4399	2.5/G.9u DCI 93 196 307 / 7701473615 / 30.240 mm		
SE 4400	K9K 1.5 DCI / 7701473154 / 26 mm Taper		
SE 4401	1.9 DCI F-9Q / 7701470247/7701476250 / 28 mm Taper		
SE 4122	CM 246149295 D / 50 mm		
SE 4202	P6.354 BUDSON 39.75 mm Pin (ZZ90146) / 39.75 mm Taper		
ROMANIA			
SE 4123	ROMANIA UTB-650 [UTB 10303015]		
S-50 CZECHOSLOVAKIA			
SE 4157	HINDUSTAN S-50 [WITH DOWEL Pin AND NOTCH]+C19 / 40 mm		
SE 4158	HINDUSTAN S-80 / 40 mm		
SCANIA			
SE 4124	DS-11 [WITH OIL HOLE] 1305643 / 50 mm Taper		
SE 4125	DS-11 [WITHOUT OIL HOLE] 1403521 / 50 mm Taper		
SE 4126	DS-12 [1401729] / 54 mm Taper		
SE 4402	SCANIA # 1538036. WITHOUT BUSH		
STEYR			
SE 4127	STEYR - 768 (4070030012)		
SUZUKI			
SE 4128	ST-100 12161-77300 / 1216073010 / 16 mm		
SE 4129	ST-90. 1261-77500 / 18.960 mm		
SE 4267	1260-77500 / 19 mm		
TATA			
SE 4403	Sumo / 25 mm		
SE 4404	Indica Ace / 23 mm		
SE 4405	Safari / 28 mm		
SE 4406	Indigo / 25 mm		
SE 4407	Vista / Manza / 23 mm Taper Fracture Type		
TATRA			
SE 4408	341.101.400 - 45 mm		
TOYOTA			
SE 4135	4 K (1320119145) / 19.980 mm		
SE 4136	3 K / 18 mm		
SE 4132	3-L 13201-59105 / 29 mm		
SE 4130	F J80 RN (9204) 13201-35020 / 3F. 1FZ / 22 mm		
SE 4133	ACV10.120 (1320169125) / 20.990 mm		

SE REF	DESCRIPTION		
TOYOTA			
SE 4138	12 R		
SE 4139	2-L (QUALIS) (13201 59095) / 27 mm Taper		
SE 4131	BU85.BB 13201-59057		
SE 4134	SXV10.20. ST 191 13201-79215 / 24 mm		
SE 4268	TOYOTA 13201 59049 (B460 8) / 29 mm		
SE 4269	13201 31010 - 12R / 20 mm		
SE 4270	13201 78030 / RINO SAUROS / 37 mm Taper		
SE 4271	13201 17010 / 1HZ / 42J81 / 29 mm		
SE 4272	13201 29125 / 29685 / 24 mm		
SE 4274	12 13201 78310 51 (EG 604) / 27 mm		
SE 4409	BU85.BB/ 13201-59057 / 36 mm		
SE 4410	IKD (Inova) 2 KD/1320130050/34 mm Taper		
SE 4140	14B. 3B. BB2 (13201-59145) RENO / 32 mm Taper		
URSUS			
SE 4141	ESCORTS-335 / URSUS C-330 (2 - Cyl.) S312C (42032100)		
SE 4423	URSUS 360		
SE 4424	URSUS 385		
VOLKSWAGON			
SE 4189	1.9 Diesel 028/198401/e / 044198401A POLO / 24 mm		
SE 4175	AT.1.0 8 Valve / 16 Valve (GOL) AT401 Fracture Type / 17 mm		
SE 4176	AP.1.6 8 Valve / 16 Valve (PASSAT) AP403 (0261 98401A / 20 mm)		
SE 4177	1.4 LTRS. POLO / 45198401A / 17 mm		
SE 4190	V.W. Fracture Type. 036198401 / 1.4 POLO / 17 mm		
SE 4275	06A198401 / 1.9 TDI BORA / 26 mm		
SE 4411	GOL/SENDA/SAVEIRO/6D A40 / 24 mm		
SE 4412	Golf / Passat / Polo / 26 mm		
SE 4413	BEETLE / 22.00 mm / 1600 CC		
VOLVO			
SE 4142	TD-120, TD-121, TD-122, TD-123 [470424] / 55 mm N-12		
SE 4203	N-12 Old Model TD-120 / 55 mm		
SE 4143	TD-100 [1545299] / 51.75 mm		
SE 4204	TD-100 N-12 (422706) Old Model / 51.75 mm		
SE 4205	D-12 (204 12200) / 55 mm Taper		
SE 4162	FH 12 (Fracture Type) 534 204 12200 / 55 mm Taper		
SE 4414	NL-10 / 52 mm		
SE 4415	NL-10 N/M / 52 mm Taper		
YAMZ - RUSSIAN TRUCK			
SE 4206	236-1004045 B3 / 50 mm		
SE 4207	75511 1004045 20 / 52 mm		
SE 4416	58 mm Taper		
YANMAR			
SE 4145	TS-60		
SE 4153	E-8		
SE 4417	TS - 75/ TF - 80		
SE 4150	KND-180 / SD-004 / ER-100		
SE 4148	TF-65		
SE 4149	TS-70		
SE 4418	KND-4 / 26 mm		
SE 4144	TS-50		
SE 4146	TS-105		
SE 4147	TS-180 / TS-155		
SE 4151	TS-230		
SE 4152	2T		
SE 4419	ET-95 / 27 mm		
SE 4420	H-5 - RK - 50/60 / 24 mm / SD-5		
SE 4421	TF-105/NF-110 / 28.015 mm		
YWA RUSTON			
SE 4422	Pin-42 mm		
ZETOR			
SE 4154	2011 / URSUS 360 (69010389)S-4001/2V/3V (46503230)		
SE 4155	GTCL TRACTOR [WITH COUNTER WEIGHT] (71010309)		
SE 4209	ZETOR - Heavy Cross Type / URSUS 385 / Engine No. Z8401 (89003529)		